

表 3353 CRP濃度(mg/dL) 透析歴(年)別 (腹膜透析患者)

透析歴	0.2未満	0.2～	0.5～	1.0～	2.0～	4.0～	6.0～	8.0～	10.0～	15.0～	合計	記載なし	総計	平均	標準偏差
2年未満	1,240	422	174	112	81	37	16	7	14		2,103	1,497	3,600	0.59	1.45
(%)	(59.0)	(20.1)	(8.3)	(5.3)	(3.9)	(1.8)	(0.8)	(0.3)	(0.7)		(100.0)				
2年～	1,075	341	155	109	68	17	14	6	10	5	1,800	1,401	3,201	0.61	1.89
(%)	(59.7)	(18.9)	(8.6)	(6.1)	(3.8)	(0.9)	(0.8)	(0.3)	(0.6)	(0.3)	(100.0)				
5年～	591	170	89	64	46	14	9	8	7	2	1,000	657	1,657	0.69	1.83
(%)	(59.1)	(17.0)	(8.9)	(6.4)	(4.6)	(1.4)	(0.9)	(0.8)	(0.7)	(0.2)	(100.0)				
10年～	112	45	23	13	3	7	1	2	2		208	132	340	0.71	1.83
(%)	(53.8)	(21.6)	(11.1)	(6.3)	(1.4)	(3.4)	(0.5)	(1.0)	(1.0)		(100.0)				
15年～	32	9	6	7	4	5			1		64	33	97	1.05	1.94
(%)	(50.0)	(14.1)	(9.4)	(10.9)	(6.3)	(7.8)			(1.6)		(100.0)				
20年～	10	3	1	1				1			16	4	20	0.86	2.27
(%)	(62.5)	(18.8)	(6.3)	(6.3)				(6.3)			(100.0)				
25年～	2	2	1	1		2					8		8	1.61	2.14
(%)	(25.0)	(25.0)	(12.5)	(12.5)		(25.0)					(100.0)				
30年～	3	2				1					6	4	10	0.89	1.82
(%)	(50.0)	(33.3)				(16.7)					(100.0)				
35年～	1			1							2	1	3	0.56	0.75
(%)	(50.0)			(50.0)							(100.0)				
40年～															
(%)															
合計	3,066	994	449	308	202	83	40	24	34	7	5,207	3,729	8,936	0.63	1.71
(%)	(58.9)	(19.1)	(8.6)	(5.9)	(3.9)	(1.6)	(0.8)	(0.5)	(0.7)	(0.1)	(100.0)				
不明	1	1									2	3	5	0.14	0.12
(%)	(50.0)	(50.0)									(100.0)				
記載なし															
(%)															
総計	3,067	995	449	308	202	83	40	24	34	7	5,209	3,732	8,941	0.63	1.71
(%)	(58.9)	(19.1)	(8.6)	(5.9)	(3.9)	(1.6)	(0.8)	(0.5)	(0.7)	(0.1)	(100.0)				
平均	3.10	3.05	3.32	3.64	3.13	4.72	2.98	4.75	3.62	3.86	3.18	2.99	3.10		
標準偏差	3.54	3.70	3.67	4.44	3.27	6.59	2.73	5.24	3.92	1.07	3.71	3.35	3.56		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査