

表 3376 透析前補正カルシウム濃度(mg/dL) 週透析回数(回/週)別 (透析患者全体)

週透析回数	7.0未満	7.0～	7.5～	8.0～	8.4～	8.5～	9.0～	9.5～	10.0～	10.1～	10.5～	11.0～	11.5～	12.0～	合計	記載なし	総計	平均	標準偏差
1回	6	16	34	100	32	328	496	382	42	132	70	22	6	6	1,672	168	1,840	9.29	0.76
(%)	(0.4)	(1.0)	(2.0)	(6.0)	(1.9)	(19.6)	(29.7)	(22.8)	(2.5)	(7.9)	(4.2)	(1.3)	(0.4)	(0.4)	(100.0)				
2回	40	47	176	520	144	1,650	1,693	976	102	239	133	62	21	18	5,821	371	6,192	9.08	0.75
(%)	(0.7)	(0.8)	(3.0)	(8.9)	(2.5)	(28.3)	(29.1)	(16.8)	(1.8)	(4.1)	(2.3)	(1.1)	(0.4)	(0.3)	(100.0)				
3回	1,045	1,536	5,970	19,278	5,535	63,559	77,204	50,364	6,182	15,875	7,687	2,559	907	615	258,316	12,323	270,639	9.19	0.74
(%)	(0.4)	(0.6)	(2.3)	(7.5)	(2.1)	(24.6)	(29.9)	(19.5)	(2.4)	(6.1)	(3.0)	(1.0)	(0.4)	(0.2)	(100.0)				
4回	5	5	14	64	13	236	282	196	28	63	30	8	4	2	950	44	994	9.23	0.74
(%)	(0.5)	(0.5)	(1.5)	(6.7)	(1.4)	(24.8)	(29.7)	(20.6)	(2.9)	(6.6)	(3.2)	(0.8)	(0.4)	(0.2)	(100.0)				
5回			2	6	1	15	23	20	2	4	4	2			79	10	89	9.32	0.72
(%)			(2.5)	(7.6)	(1.3)	(19.0)	(29.1)	(25.3)	(2.5)	(5.1)	(5.1)	(2.5)			(100.0)				
6回			1	3	3	10	19	20	2	3	3	1		3	68	13	81	9.51	1.03
(%)			(1.5)	(4.4)	(4.4)	(14.7)	(27.9)	(29.4)	(2.9)	(4.4)	(4.4)	(1.5)		(4.4)	(100.0)				
7回		1		2		4	8	7	1	3	1				27	3	30	9.24	0.73
(%)		(3.7)		(7.4)		(14.8)	(29.6)	(25.9)	(3.7)	(11.1)	(3.7)				(100.0)				
合計	1,096	1,605	6,197	19,973	5,728	65,802	79,725	51,965	6,359	16,319	7,928	2,654	938	644	266,933	12,932	279,865	9.18	0.74
(%)	(0.4)	(0.6)	(2.3)	(7.5)	(2.1)	(24.7)	(29.9)	(19.5)	(2.4)	(6.1)	(3.0)	(1.0)	(0.4)	(0.2)	(100.0)				
記載なし	46	44	202	466	144	1,517	2,279	2,004	239	658	342	127	35	37	8,140	22,103	30,243	9.32	0.79
(%)	(0.6)	(0.5)	(2.5)	(5.7)	(1.8)	(18.6)	(28.0)	(24.6)	(2.9)	(8.1)	(4.2)	(1.6)	(0.4)	(0.5)	(100.0)				
総計	1,142	1,649	6,399	20,439	5,872	67,319	82,004	53,969	6,598	16,977	8,270	2,781	973	681	275,073	35,035	310,108	9.19	0.74
(%)	(0.4)	(0.6)	(2.3)	(7.4)	(2.1)	(24.5)	(29.8)	(19.6)	(2.4)	(6.2)	(3.0)	(1.0)	(0.4)	(0.2)	(100.0)				
平均	2.96	2.96	2.96	2.97	2.97	2.97	2.97	2.97	2.98	2.97	2.97	2.97	2.97	2.97	2.97	2.95	2.97		
標準偏差	0.25	0.28	0.23	0.23	0.23	0.23	0.23	0.24	0.23	0.24	0.25	0.25	0.23	0.33	0.23	0.31	0.24		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査