

表 3428 補正カルシウム濃度(mg/dL) ヘモグロビン濃度(g/dL)別（腹膜透析患者）

| ヘモグロビン濃度 | 7.0未満 | 7.0～  | 7.5～   | 8.0～  | 8.4～  | 8.5～   | 9.0～   | 9.5～   | 10.0～  | 10.1～  | 10.5～  | 11.0～ | 11.5～ | 12.0～ | 合計      | 記載なし  | 総計    | 平均   | 標準偏差 |
|----------|-------|-------|--------|-------|-------|--------|--------|--------|--------|--------|--------|-------|-------|-------|---------|-------|-------|------|------|
| 5未満      |       |       | 1      |       |       |        | 3      |        |        | 3      |        |       |       |       | 7       |       | 7     | 9.41 | 0.99 |
| (%)      |       |       | (14.3) |       |       |        | (42.9) |        |        | (42.9) |        |       |       |       | (100.0) |       |       |      |      |
| 5～       |       |       | 1      | 1     |       | 1      | 2      | 5      |        | 1      | 2      |       |       | 1     | 14      |       | 14    | 9.70 | 1.13 |
| (%)      |       |       | (7.1)  | (7.1) |       | (7.1)  | (14.3) | (35.7) |        | (7.1)  | (14.3) |       |       | (7.1) | (100.0) |       |       |      |      |
| 6～       |       |       | 1      | 1     |       | 3      | 4      | 6      | 3      | 5      | 2      |       | 1     |       | 27      | 1     | 28    | 9.71 | 0.86 |
| (%)      |       |       | (3.7)  | (3.7) |       | (11.1) | (14.8) | (22.2) | (11.1) | (18.5) | (7.4)  | (3.7) | (3.7) |       | (100.0) |       |       |      |      |
| 7～       | 2     | 1     | 4      | 2     | 2     | 22     | 25     | 26     | 3      | 15     | 10     | 1     |       | 1     | 114     | 10    | 124   | 9.39 | 0.99 |
| (%)      | (1.8) | (0.9) | (3.5)  | (1.8) | (1.8) | (19.3) | (21.9) | (22.8) | (2.6)  | (13.2) | (8.8)  | (0.9) |       | (0.9) | (100.0) |       |       |      |      |
| 8～       | 3     | 4     | 7      | 16    | 6     | 46     | 87     | 76     | 11     | 39     | 21     | 11    | 3     | 2     | 332     | 12    | 344   | 9.46 | 0.90 |
| (%)      | (0.9) | (1.2) | (2.1)  | (4.8) | (1.8) | (13.9) | (26.2) | (22.9) | (3.3)  | (11.7) | (6.3)  | (3.3) | (0.9) | (0.6) | (100.0) |       |       |      |      |
| 9～       | 4     | 7     | 26     | 41    | 14    | 124    | 225    | 245    | 26     | 88     | 48     | 20    | 7     | 6     | 881     | 22    | 903   | 9.44 | 0.85 |
| (%)      | (0.5) | (0.8) | (3.0)  | (4.7) | (1.6) | (14.1) | (25.5) | (27.8) | (3.0)  | (10.0) | (5.4)  | (2.3) | (0.8) | (0.7) | (100.0) |       |       |      |      |
| 10～      | 9     | 13    | 39     | 81    | 20    | 262    | 454    | 460    | 66     | 149    | 90     | 30    | 8     | 4     | 1,685   | 21    | 1,706 | 9.39 | 0.79 |
| (%)      | (0.5) | (0.8) | (2.3)  | (4.8) | (1.2) | (15.5) | (26.9) | (27.3) | (3.9)  | (8.8)  | (5.3)  | (1.8) | (0.5) | (0.2) | (100.0) |       |       |      |      |
| 11～      | 9     | 6     | 24     | 80    | 25    | 290    | 476    | 475    | 49     | 147    | 63     | 24    | 7     | 7     | 1,682   | 27    | 1,709 | 9.37 | 0.74 |
| (%)      | (0.5) | (0.4) | (1.4)  | (4.8) | (1.5) | (17.2) | (28.3) | (28.2) | (2.9)  | (8.7)  | (3.7)  | (1.4) | (0.4) | (0.4) | (100.0) |       |       |      |      |
| 12～      |       | 2     | 14     | 47    | 17    | 94     | 224    | 226    | 21     | 78     | 44     | 12    | 1     | 5     | 785     | 11    | 796   | 9.44 | 0.74 |
| (%)      |       | (0.3) | (1.8)  | (6.0) | (2.2) | (12.0) | (28.5) | (28.8) | (2.7)  | (9.9)  | (5.6)  | (1.5) | (0.1) | (0.6) | (100.0) |       |       |      |      |
| 13～      |       | 3     | 4      | 10    | 1     | 38     | 68     | 73     | 5      | 16     | 8      | 5     | 1     | 1     | 233     | 4     | 237   | 9.38 | 0.73 |
| (%)      |       | (1.3) | (1.7)  | (4.3) | (0.4) | (16.3) | (29.2) | (31.3) | (2.1)  | (6.9)  | (3.4)  | (2.1) | (0.4) | (0.4) | (100.0) |       |       |      |      |
| 14～      | 1     |       | 3      | 3     | 1     | 11     | 17     | 16     | 6      | 9      | 5      | 6     |       |       | 78      | 1     | 79    | 9.49 | 1.01 |
| (%)      | (1.3) |       | (3.8)  | (3.8) | (1.3) | (14.1) | (21.8) | (20.5) | (7.7)  | (11.5) | (6.4)  | (7.7) |       |       | (100.0) |       |       |      |      |
| 合計       | 28    | 36    | 124    | 282   | 86    | 891    | 1,585  | 1,608  | 190    | 550    | 293    | 110   | 28    | 27    | 5,838   | 109   | 5,947 | 9.41 | 0.79 |
| (%)      | (0.5) | (0.6) | (2.1)  | (4.8) | (1.5) | (15.3) | (27.1) | (27.5) | (3.3)  | (9.4)  | (5.0)  | (1.9) | (0.5) | (0.5) | (100.0) |       |       |      |      |
| 記載なし     | 1     |       | 3      | 4     |       | 15     | 17     | 21     | 1      | 7      | 3      | 1     | 1     |       | 74      | 2,920 | 2,994 | 9.30 | 0.88 |
| (%)      | (1.4) |       | (4.1)  | (5.4) |       | (20.3) | (23.0) | (28.4) | (1.4)  | (9.5)  | (4.1)  | (1.4) | (1.4) |       | (100.0) |       |       |      |      |
| 総計       | 29    | 36    | 127    | 286   | 86    | 906    | 1,602  | 1,629  | 191    | 557    | 296    | 111   | 29    | 27    | 5,912   | 3,029 | 8,941 | 9.41 | 0.80 |
| (%)      | (0.5) | (0.6) | (2.1)  | (4.8) | (1.5) | (15.3) | (27.1) | (27.6) | (3.2)  | (9.4)  | (5.0)  | (1.9) | (0.5) | (0.5) | (100.0) |       |       |      |      |
| 平均       | 10.28 | 10.47 | 10.53  | 10.89 | 10.87 | 10.83  | 10.87  | 10.88  | 10.77  | 10.70  | 10.65  | 10.86 | 10.29 | 10.54 | 10.82   | 10.35 | 10.81 |      |      |
| 標準偏差     | 1.52  | 1.37  | 1.65   | 1.28  | 1.55  | 1.38   | 1.35   | 1.36   | 1.42   | 1.55   | 1.54   | 1.69  | 1.44  | 1.79  | 1.41    | 1.70  | 1.42  |      |      |

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査