

表 3450 透析前リン濃度(mg/dL) HDL-C濃度(mg/dL)別 (透析患者全体)

HDL-C濃度	3未満	3.0～	3.5～	4.0～	4.5～	5.0～	5.5～	6.0～	6.1～	6.5～	7.0～	7.5～	8.0～	8.5～	9.0～	合計	記載なし	総計	平均	標準偏差
20未満	153	61	74	105	104	89	71	8	41	33	15	16	8	4	10	792	4	796	4.45	1.77
(%)	(19.3)	(7.7)	(9.3)	(13.3)	(13.1)	(11.2)	(9.0)	(1.0)	(5.2)	(4.2)	(1.9)	(2.0)	(1.0)	(0.5)	(1.3)	(100.0)				
20～	840	947	1,465	2,066	2,237	2,315	1,928	311	1,067	932	575	356	198	144	213	15,594	29	15,623	5.08	1.47
(%)	(5.4)	(6.1)	(9.4)	(13.2)	(14.3)	(14.8)	(12.4)	(2.0)	(6.8)	(6.0)	(3.7)	(2.3)	(1.3)	(0.9)	(1.4)	(100.0)				
30～	1,923	2,402	4,104	5,953	7,025	6,896	5,954	1,000	3,244	2,783	1,777	1,030	647	402	639	45,779	68	45,847	5.16	1.42
(%)	(4.2)	(5.2)	(9.0)	(13.0)	(15.3)	(15.1)	(13.0)	(2.2)	(7.1)	(6.1)	(3.9)	(2.2)	(1.4)	(0.9)	(1.4)	(100.0)				
40～	1,741	2,472	4,463	6,691	7,951	8,009	6,799	1,108	3,846	3,272	1,999	1,207	661	419	651	51,289	63	51,352	5.19	1.38
(%)	(3.4)	(4.8)	(8.7)	(13.0)	(15.5)	(15.6)	(13.3)	(2.2)	(7.5)	(6.4)	(3.9)	(2.4)	(1.3)	(0.8)	(1.3)	(100.0)				
50～	1,204	1,634	3,108	4,614	5,707	5,961	5,223	879	2,960	2,483	1,496	898	539	330	486	37,522	39	37,561	5.25	1.38
(%)	(3.2)	(4.4)	(8.3)	(12.3)	(15.2)	(15.9)	(13.9)	(2.3)	(7.9)	(6.6)	(4.0)	(2.4)	(1.4)	(0.9)	(1.3)	(100.0)				
60～	587	901	1,755	2,697	3,395	3,625	3,026	518	1,699	1,570	965	549	340	208	365	22,200	36	22,236	5.31	1.39
(%)	(2.6)	(4.1)	(7.9)	(12.1)	(15.3)	(16.3)	(13.6)	(2.3)	(7.7)	(7.1)	(4.3)	(2.5)	(1.5)	(0.9)	(1.6)	(100.0)				
70～	279	445	806	1,369	1,579	1,719	1,501	276	919	799	501	310	186	102	183	10,974	18	10,992	5.36	1.40
(%)	(2.5)	(4.1)	(7.3)	(12.5)	(14.4)	(15.7)	(13.7)	(2.5)	(8.4)	(7.3)	(4.6)	(2.8)	(1.7)	(0.9)	(1.7)	(100.0)				
80～	128	197	370	619	802	809	721	147	439	387	227	145	79	59	95	5,224	5	5,229	5.37	1.41
(%)	(2.5)	(3.8)	(7.1)	(11.8)	(15.4)	(15.5)	(13.8)	(2.8)	(8.4)	(7.4)	(4.3)	(2.8)	(1.5)	(1.1)	(1.8)	(100.0)				
90～	68	86	155	286	363	328	319	61	204	164	104	82	41	22	46	2,329	2	2,331	5.40	1.47
(%)	(2.9)	(3.7)	(6.7)	(12.3)	(15.6)	(14.1)	(13.7)	(2.6)	(8.8)	(7.0)	(4.5)	(3.5)	(1.8)	(0.9)	(2.0)	(100.0)				
100～	60	79	135	229	288	295	274	48	183	151	87	57	43	28	40	1,997	4	2,001	5.41	1.43
(%)	(3.0)	(4.0)	(6.8)	(11.5)	(14.4)	(14.8)	(13.7)	(2.4)	(9.2)	(7.6)	(4.4)	(2.9)	(2.2)	(1.4)	(2.0)	(100.0)				
合計	6,983	9,224	16,435	24,629	29,451	30,046	25,816	4,356	14,602	12,574	7,746	4,650	2,742	1,718	2,728	193,700	268	193,968	5.22	1.41
(%)	(3.6)	(4.8)	(8.5)	(12.7)	(15.2)	(15.5)	(13.3)	(2.2)	(7.5)	(6.5)	(4.0)	(2.4)	(1.4)	(0.9)	(1.4)	(100.0)				
記載なし	3,903	4,358	7,247	10,653	12,608	12,672	10,889	1,905	6,507	5,704	3,531	2,208	1,311	854	1,349	85,699	30,441	116,140	5.21	1.47
(%)	(4.6)	(5.1)	(8.5)	(12.4)	(14.7)	(14.8)	(12.7)	(2.2)	(7.6)	(6.7)	(4.1)	(2.6)	(1.5)	(1.0)	(1.6)	(100.0)				
総計	10,886	13,582	23,682	35,282	42,059	42,718	36,705	6,261	21,109	18,278	11,277	6,858	4,053	2,572	4,077	279,399	30,709	310,108	5.21	1.43
(%)	(3.9)	(4.9)	(8.5)	(12.6)	(15.1)	(15.3)	(13.1)	(2.2)	(7.6)	(6.5)	(4.0)	(2.5)	(1.5)	(0.9)	(1.5)	(100.0)				
平均	45.11	46.74	47.56	48.22	48.71	49.04	49.21	49.84	49.77	49.89	49.66	50.03	50.22	49.92	50.39	48.75	47.58	48.75		
標準偏差	16.67	16.38	16.16	16.42	16.50	16.49	16.47	16.93	17.15	17.19	16.91	17.60	17.95	18.06	18.44	16.70	17.95	16.71		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査