

表 3453 透析前リン濃度(mg/dL) 透析前拡張期血圧(mmHg)別（透析患者全体）

透析前拡張 期血圧	3未満	3.0～	3.5～	4.0～	4.5～	5.0～	5.5～	6.0～	6.1～	6.5～	7.0～	7.5～	8.0～	8.5～	9.0～	合計	記載なし	総計	平均	標準偏差
20未満		6	8	15	9	15	14	1	3		5	2	1			79	1	80	5.00	1.15
(%)		(7.6)	(10.1)	(19.0)	(11.4)	(19.0)	(17.7)	(1.3)	(3.8)		(6.3)	(2.5)	(1.3)			(100.0)				
20～	63	52	64	99	102	135	76	26	52	34	31	15	17	4	11	781	15	796	4.99	1.53
(%)	(8.1)	(6.7)	(8.2)	(12.7)	(13.1)	(17.3)	(9.7)	(3.3)	(6.7)	(4.4)	(4.0)	(1.9)	(2.2)	(0.5)	(1.4)	(100.0)				
40～	1,267	1,342	1,991	2,816	3,130	2,940	2,337	413	1,288	1,087	639	394	214	125	199	20,182	298	20,480	4.96	1.42
(%)	(6.3)	(6.6)	(9.9)	(14.0)	(15.5)	(14.6)	(11.6)	(2.0)	(6.4)	(5.4)	(3.2)	(2.0)	(1.1)	(0.6)	(1.0)	(100.0)				
60～	4,555	5,871	10,283	14,776	17,278	17,187	14,502	2,392	7,959	6,608	3,948	2,284	1,274	808	1,151	110,876	1,002	111,878	5.11	1.37
(%)	(4.1)	(5.3)	(9.3)	(13.3)	(15.6)	(15.5)	(13.1)	(2.2)	(7.2)	(6.0)	(3.6)	(2.1)	(1.1)	(0.7)	(1.0)	(100.0)				
80～	1,904	2,540	4,654	7,324	8,869	9,268	8,039	1,404	4,742	4,120	2,530	1,521	916	539	827	59,197	490	59,687	5.28	1.40
(%)	(3.2)	(4.3)	(7.9)	(12.4)	(15.0)	(15.7)	(13.6)	(2.4)	(8.0)	(7.0)	(4.3)	(2.6)	(1.5)	(0.9)	(1.4)	(100.0)				
90～	918	1,204	2,277	3,616	4,630	4,909	4,477	782	2,601	2,467	1,537	989	596	378	669	32,050	201	32,251	5.41	1.46
(%)	(2.9)	(3.8)	(7.1)	(11.3)	(14.4)	(15.3)	(14.0)	(2.4)	(8.1)	(7.7)	(4.8)	(3.1)	(1.9)	(1.2)	(2.1)	(100.0)				
100～	413	561	973	1,631	1,965	2,266	2,108	356	1,385	1,330	929	557	411	267	529	15,681	90	15,771	5.61	1.59
(%)	(2.6)	(3.6)	(6.2)	(10.4)	(12.5)	(14.5)	(13.4)	(2.3)	(8.8)	(8.5)	(5.9)	(3.6)	(2.6)	(1.7)	(3.4)	(100.0)				
120～	18	21	54	75	99	128	118	25	86	77	73	47	36	26	74	957	7	964	6.05	1.84
(%)	(1.9)	(2.2)	(5.6)	(7.8)	(10.3)	(13.4)	(12.3)	(2.6)	(9.0)	(8.0)	(7.6)	(4.9)	(3.8)	(2.7)	(7.7)	(100.0)				
140～	1	6	5	5	9	5	8		8	7	6	7	2		4	73	2	75	5.90	1.92
(%)	(1.4)	(8.2)	(6.8)	(6.8)	(12.3)	(6.8)	(11.0)		(11.0)	(9.6)	(8.2)	(9.6)	(2.7)		(5.5)	(100.0)				
合計	9,139	11,603	20,309	30,357	36,091	36,853	31,679	5,399	18,124	15,730	9,698	5,816	3,467	2,147	3,464	239,876	2,106	241,982	5.21	1.42
(%)	(3.8)	(4.8)	(8.5)	(12.7)	(15.0)	(15.4)	(13.2)	(2.3)	(7.6)	(6.6)	(4.0)	(2.4)	(1.4)	(0.9)	(1.4)	(100.0)				
記載なし	1,747	1,979	3,373	4,925	5,968	5,865	5,026	862	2,985	2,548	1,579	1,042	586	425	613	39,523	28,603	68,126	5.21	1.46
(%)	(4.4)	(5.0)	(8.5)	(12.5)	(15.1)	(14.8)	(12.7)	(2.2)	(7.6)	(6.4)	(4.0)	(2.6)	(1.5)	(1.1)	(1.6)	(100.0)				
総計	10,886	13,582	23,682	35,282	42,059	42,718	36,705	6,261	21,109	18,278	11,277	6,858	4,053	2,572	4,077	279,399	30,709	310,108	5.21	1.43
(%)	(3.9)	(4.9)	(8.5)	(12.6)	(15.1)	(15.3)	(13.1)	(2.2)	(7.6)	(6.5)	(4.0)	(2.5)	(1.5)	(0.9)	(1.5)	(100.0)				
平均	74.26	75.17	76.02	76.66	77.17	77.74	78.38	78.37	78.99	79.77	80.36	80.69	81.62	81.97	84.00	77.80	74.31	77.77		
標準偏差	14.58	14.33	14.04	14.03	13.98	14.13	14.13	14.48	14.46	14.58	15.20	15.31	15.69	15.63	16.67	14.44	15.28	14.45		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査