

表 3457 透析前リン濃度(mg/dL) 透析歴(年)別 (施設血液透析患者 透析回数週3回)

透析歴	3未満	3.0～	3.5～	4.0～	4.5～	5.0～	5.5～	6.0～	6.1～	6.5～	7.0～	7.5～	8.0～	8.5～	9.0～	合計	記載なし	総計	平均	標準偏差
2年未満	2,070	2,743	4,821	6,736	7,385	7,178	5,887	959	3,340	3,012	1,778	1,159	707	421	618	48,814	1,901	50,715	5.11	1.43
(%)	(4.2)	(5.6)	(9.9)	(13.8)	(15.1)	(14.7)	(12.1)	(2.0)	(6.8)	(6.2)	(3.6)	(2.4)	(1.4)	(0.9)	(1.3)	(100.0)				
2年～	2,335	2,870	4,944	7,227	8,540	8,486	7,200	1,217	4,174	3,571	2,265	1,411	815	581	909	56,545	1,744	58,289	5.20	1.45
(%)	(4.1)	(5.1)	(8.7)	(12.8)	(15.1)	(15.0)	(12.7)	(2.2)	(7.4)	(6.3)	(4.0)	(2.5)	(1.4)	(1.0)	(1.6)	(100.0)				
5年～	2,373	2,702	4,547	6,874	8,553	8,718	7,700	1,322	4,464	3,963	2,491	1,436	866	534	917	57,460	1,767	59,227	5.25	1.45
(%)	(4.1)	(4.7)	(7.9)	(12.0)	(14.9)	(15.2)	(13.4)	(2.3)	(7.8)	(6.9)	(4.3)	(2.5)	(1.5)	(0.9)	(1.6)	(100.0)				
10年～	1,109	1,323	2,281	3,547	4,375	4,552	4,057	732	2,244	1,914	1,158	736	457	277	392	29,154	878	30,032	5.24	1.40
(%)	(3.8)	(4.5)	(7.8)	(12.2)	(15.0)	(15.6)	(13.9)	(2.5)	(7.7)	(6.6)	(4.0)	(2.5)	(1.6)	(1.0)	(1.3)	(100.0)				
15年～	497	650	1,188	1,880	2,227	2,412	2,067	330	1,100	1,012	628	342	192	117	183	14,825	424	15,249	5.23	1.37
(%)	(3.4)	(4.4)	(8.0)	(12.7)	(15.0)	(16.3)	(13.9)	(2.2)	(7.4)	(6.8)	(4.2)	(2.3)	(1.3)	(0.8)	(1.2)	(100.0)				
20年～	276	327	651	963	1,219	1,250	1,071	189	639	486	301	155	79	45	86	7,737	194	7,931	5.19	1.33
(%)	(3.6)	(4.2)	(8.4)	(12.4)	(15.8)	(16.2)	(13.8)	(2.4)	(8.3)	(6.3)	(3.9)	(2.0)	(1.0)	(0.6)	(1.1)	(100.0)				
25年～	138	208	310	511	626	645	586	91	307	229	127	61	36	25	30	3,930	114	4,044	5.12	1.30
(%)	(3.5)	(5.3)	(7.9)	(13.0)	(15.9)	(16.4)	(14.9)	(2.3)	(7.8)	(5.8)	(3.2)	(1.6)	(0.9)	(0.6)	(0.8)	(100.0)				
30年～	96	101	170	291	336	353	286	51	159	119	77	37	27	12	14	2,129	54	2,183	5.09	1.31
(%)	(4.5)	(4.7)	(8.0)	(13.7)	(15.8)	(16.6)	(13.4)	(2.4)	(7.5)	(5.6)	(3.6)	(1.7)	(1.3)	(0.6)	(0.7)	(100.0)				
35年～	53	47	87	126	166	173	124	27	61	59	31	16	13	9	6	998	35	1,033	5.06	1.34
(%)	(5.3)	(4.7)	(8.7)	(12.6)	(16.6)	(17.3)	(12.4)	(2.7)	(6.1)	(5.9)	(3.1)	(1.6)	(1.3)	(0.9)	(0.6)	(100.0)				
40年～	12	8	16	33	36	35	31	7	17	9	2	4		1		211	10	221	4.95	1.16
(%)	(5.7)	(3.8)	(7.6)	(15.6)	(17.1)	(16.6)	(14.7)	(3.3)	(8.1)	(4.3)	(0.9)	(1.9)		(0.5)		(100.0)				
合計	8,959	10,979	19,015	28,188	33,463	33,802	29,009	4,925	16,505	14,374	8,858	5,357	3,192	2,022	3,155	221,803	7,121	228,924	5.20	1.43
(%)	(4.0)	(4.9)	(8.6)	(12.7)	(15.1)	(15.2)	(13.1)	(2.2)	(7.4)	(6.5)	(4.0)	(2.4)	(1.4)	(0.9)	(1.4)	(100.0)				
不明	2	1	3	4	5	7	3	3		3	2	2		1	1	37	10	47	5.35	1.66
(%)	(5.4)	(2.7)	(8.1)	(10.8)	(13.5)	(18.9)	(8.1)	(8.1)		(8.1)	(5.4)	(5.4)		(2.7)	(2.7)	(100.0)				
記載なし																				
(%)																				
総計	8,961	10,980	19,018	28,192	33,468	33,809	29,012	4,928	16,505	14,377	8,860	5,359	3,192	2,023	3,156	221,840	7,131	228,971	5.20	1.43
(%)	(4.0)	(4.9)	(8.6)	(12.7)	(15.1)	(15.2)	(13.1)	(2.2)	(7.4)	(6.5)	(4.0)	(2.4)	(1.4)	(0.9)	(1.4)	(100.0)				
平均	6.71	6.56	6.60	6.85	7.06	7.22	7.31	7.42	7.20	7.02	6.99	6.66	6.63	6.46	6.33	6.99	6.42	6.98		
標準偏差	7.01	6.96	7.01	7.13	7.15	7.20	7.12	7.19	7.04	6.83	6.74	6.48	6.47	6.39	5.97	7.04	6.91	7.04		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査