

表 3468 透析前リン濃度(mg/dL) 透析前拡張期血圧(mmHg)別（施設血液透析患者 透析回数週3回）

透析前拡張 期血圧	3未満	3.0～	3.5～	4.0～	4.5～	5.0～	5.5～	6.0～	6.1～	6.5～	7.0～	7.5～	8.0～	8.5～	9.0～	合計	記載なし	総計	平均	標準偏差
20未満		5	8	13	8	13	9	1	2		5	2	1			67		67	4.98	1.19
(%)		(7.5)	(11.9)	(19.4)	(11.9)	(19.4)	(13.4)	(1.5)	(3.0)		(7.5)	(3.0)	(1.5)			(100.0)				
20～	49	37	51	77	79	105	62	21	38	22	26	12	12	3	7	601	11	612	4.97	1.48
(%)	(8.2)	(6.2)	(8.5)	(12.8)	(13.1)	(17.5)	(10.3)	(3.5)	(6.3)	(3.7)	(4.3)	(2.0)	(2.0)	(0.5)	(1.2)	(100.0)				
40～	1,032	1,066	1,621	2,238	2,517	2,335	1,857	333	1,028	861	511	305	175	110	152	16,141	216	16,357	4.95	1.42
(%)	(6.4)	(6.6)	(10.0)	(13.9)	(15.6)	(14.5)	(11.5)	(2.1)	(6.4)	(5.3)	(3.2)	(1.9)	(1.1)	(0.7)	(0.9)	(100.0)				
60～	3,800	4,797	8,367	11,819	13,814	13,747	11,556	1,870	6,283	5,298	3,119	1,809	1,012	637	903	88,831	794	89,625	5.09	1.37
(%)	(4.3)	(5.4)	(9.4)	(13.3)	(15.6)	(15.5)	(13.0)	(2.1)	(7.1)	(6.0)	(3.5)	(2.0)	(1.1)	(0.7)	(1.0)	(100.0)				
80～	1,558	2,028	3,678	5,854	6,979	7,236	6,287	1,096	3,622	3,170	1,978	1,187	721	427	652	46,473	367	46,840	5.26	1.40
(%)	(3.4)	(4.4)	(7.9)	(12.6)	(15.0)	(15.6)	(13.5)	(2.4)	(7.8)	(6.8)	(4.3)	(2.6)	(1.6)	(0.9)	(1.4)	(100.0)				
90～	743	968	1,789	2,847	3,616	3,757	3,441	614	2,008	1,859	1,163	755	453	285	509	24,807	141	24,948	5.39	1.46
(%)	(3.0)	(3.9)	(7.2)	(11.5)	(14.6)	(15.1)	(13.9)	(2.5)	(8.1)	(7.5)	(4.7)	(3.0)	(1.8)	(1.1)	(2.1)	(100.0)				
100～	329	447	733	1,293	1,522	1,767	1,640	283	1,056	1,006	698	404	314	200	381	12,073	69	12,142	5.58	1.57
(%)	(2.7)	(3.7)	(6.1)	(10.7)	(12.6)	(14.6)	(13.6)	(2.3)	(8.7)	(8.3)	(5.8)	(3.3)	(2.6)	(1.7)	(3.2)	(100.0)				
120～	13	15	39	61	82	100	87	20	64	60	55	38	27	18	58	737	4	741	6.06	1.83
(%)	(1.8)	(2.0)	(5.3)	(8.3)	(11.1)	(13.6)	(11.8)	(2.7)	(8.7)	(8.1)	(7.5)	(5.2)	(3.7)	(2.4)	(7.9)	(100.0)				
140～	1	5	4	5	6	2	7		6	6	5	5			3	55	2	57	5.78	1.84
(%)	(1.8)	(9.1)	(7.3)	(9.1)	(10.9)	(3.6)	(12.7)		(10.9)	(10.9)	(9.1)	(9.1)			(5.5)	(100.0)				
合計	7,525	9,368	16,290	24,207	28,623	29,062	24,946	4,238	14,107	12,282	7,560	4,517	2,715	1,680	2,665	189,785	1,604	191,389	5.20	1.42
(%)	(4.0)	(4.9)	(8.6)	(12.8)	(15.1)	(15.3)	(13.1)	(2.2)	(7.4)	(6.5)	(4.0)	(2.4)	(1.4)	(0.9)	(1.4)	(100.0)				
記載なし	1,436	1,612	2,728	3,985	4,845	4,747	4,066	690	2,398	2,095	1,300	842	477	343	491	32,055	5,527	37,582	5.21	1.47
(%)	(4.5)	(5.0)	(8.5)	(12.4)	(15.1)	(14.8)	(12.7)	(2.2)	(7.5)	(6.5)	(4.1)	(2.6)	(1.5)	(1.1)	(1.5)	(100.0)				
総計	8,961	10,980	19,018	28,192	33,468	33,809	29,012	4,928	16,505	14,377	8,860	5,359	3,192	2,023	3,156	221,840	7,131	228,971	5.20	1.43
(%)	(4.0)	(4.9)	(8.6)	(12.7)	(15.1)	(15.2)	(13.1)	(2.2)	(7.4)	(6.5)	(4.0)	(2.4)	(1.4)	(0.9)	(1.4)	(100.0)				
平均	74.14	75.11	75.73	76.62	76.99	77.54	78.20	78.30	78.74	79.46	80.04	80.38	81.23	81.40	83.72	77.59	74.04	77.56		
標準偏差	14.45	14.22	13.91	14.03	13.94	14.09	14.08	14.56	14.47	14.52	15.22	15.27	15.51	15.58	16.44	14.38	15.05	14.39		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査