

表 3472 透析前リン濃度(mg/dL) 透析歴(年)別 (血液透析濾過患者 透析回数週3回)

透析歴	3未満	3.0～	3.5～	4.0～	4.5～	5.0～	5.5～	6.0～	6.1～	6.5～	7.0～	7.5～	8.0～	8.5～	9.0～	合計	記載なし	総計	平均	標準偏差
2年未満	165	259	427	602	721	673	629	106	360	330	187	126	73	59	81	4,798	166	4,964	5.23	1.45
(%)	(3.4)	(5.4)	(8.9)	(12.5)	(15.0)	(14.0)	(13.1)	(2.2)	(7.5)	(6.9)	(3.9)	(2.6)	(1.5)	(1.2)	(1.7)	(100.0)				
2年～	281	355	609	982	1,191	1,282	1,079	212	721	605	414	266	145	98	155	8,395	220	8,615	5.37	1.46
(%)	(3.3)	(4.2)	(7.3)	(11.7)	(14.2)	(15.3)	(12.9)	(2.5)	(8.6)	(7.2)	(4.9)	(3.2)	(1.7)	(1.2)	(1.8)	(100.0)				
5年～	294	374	691	1,094	1,413	1,476	1,359	228	829	725	508	313	187	117	219	9,827	289	10,116	5.43	1.47
(%)	(3.0)	(3.8)	(7.0)	(11.1)	(14.4)	(15.0)	(13.8)	(2.3)	(8.4)	(7.4)	(5.2)	(3.2)	(1.9)	(1.2)	(2.2)	(100.0)				
10年～	158	225	431	661	846	1,004	826	148	502	467	297	171	122	70	119	6,047	147	6,194	5.42	1.45
(%)	(2.6)	(3.7)	(7.1)	(10.9)	(14.0)	(16.6)	(13.7)	(2.4)	(8.3)	(7.7)	(4.9)	(2.8)	(2.0)	(1.2)	(2.0)	(100.0)				
15年～	82	119	274	448	550	675	552	104	334	299	167	100	58	35	48	3,845	79	3,924	5.38	1.33
(%)	(2.1)	(3.1)	(7.1)	(11.7)	(14.3)	(17.6)	(14.4)	(2.7)	(8.7)	(7.8)	(4.3)	(2.6)	(1.5)	(0.9)	(1.2)	(100.0)				
20年～	58	98	181	337	404	437	365	52	236	175	99	52	30	21	30	2,575	62	2,637	5.28	1.30
(%)	(2.3)	(3.8)	(7.0)	(13.1)	(15.7)	(17.0)	(14.2)	(2.0)	(9.2)	(6.8)	(3.8)	(2.0)	(1.2)	(0.8)	(1.2)	(100.0)				
25年～	27	70	120	201	285	279	226	47	133	109	41	34	16	12	20	1,620	31	1,651	5.24	1.29
(%)	(1.7)	(4.3)	(7.4)	(12.4)	(17.6)	(17.2)	(14.0)	(2.9)	(8.2)	(6.7)	(2.5)	(2.1)	(1.0)	(0.7)	(1.2)	(100.0)				
30年～	37	48	74	136	196	186	158	30	74	58	38	26	13	10	7	1,091	32	1,123	5.18	1.26
(%)	(3.4)	(4.4)	(6.8)	(12.5)	(18.0)	(17.0)	(14.5)	(2.7)	(6.8)	(5.3)	(3.5)	(2.4)	(1.2)	(0.9)	(0.6)	(100.0)				
35年～	26	18	33	88	90	102	79	20	48	29	18	12	7	1	3	574	13	587	5.14	1.24
(%)	(4.5)	(3.1)	(5.7)	(15.3)	(15.7)	(17.8)	(13.8)	(3.5)	(8.4)	(5.1)	(3.1)	(2.1)	(1.2)	(0.2)	(0.5)	(100.0)				
40年～	5	7	9	15	16	19	24	3	7	7	5	4				121	3	124	5.07	1.27
(%)	(4.1)	(5.8)	(7.4)	(12.4)	(13.2)	(15.7)	(19.8)	(2.5)	(5.8)	(5.8)	(4.1)	(3.3)				(100.0)				
合計	1,133	1,573	2,849	4,564	5,712	6,133	5,297	950	3,244	2,804	1,774	1,104	651	423	682	38,893	1,042	39,935	5.36	1.43
(%)	(2.9)	(4.0)	(7.3)	(11.7)	(14.7)	(15.8)	(13.6)	(2.4)	(8.3)	(7.2)	(4.6)	(2.8)	(1.7)	(1.1)	(1.8)	(100.0)				
不明		1		1		1	2			2	1					8	3	11	5.44	1.37
(%)		(12.5)		(12.5)		(12.5)	(25.0)			(25.0)	(12.5)					(100.0)				
記載なし																				
(%)																				
総計	1,133	1,574	2,849	4,565	5,712	6,134	5,299	950	3,244	2,806	1,775	1,104	651	423	682	38,901	1,045	39,946	5.36	1.43
(%)	(2.9)	(4.0)	(7.3)	(11.7)	(14.7)	(15.8)	(13.6)	(2.4)	(8.3)	(7.2)	(4.6)	(2.8)	(1.7)	(1.1)	(1.8)	(100.0)				
平均	9.29	9.46	9.61	10.26	10.42	10.57	10.36	10.43	10.06	9.76	9.32	9.19	9.00	8.70	8.36	10.04	9.21	10.02		
標準偏差	9.08	9.06	8.77	9.27	9.19	9.03	8.98	9.20	8.67	8.38	8.00	8.25	7.76	7.63	7.04	8.87	8.74	8.87		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査