

表 3484 透析前リン濃度(mg/dL) 透析前脈拍(拍/分)別（血液透析濾過患者 透析回数週3回）

透析前脈拍	3未満	3.0～	3.5～	4.0～	4.5～	5.0～	5.5～	6.0～	6.1～	6.5～	7.0～	7.5～	8.0～	8.5～	9.0～	合計	記載なし	総計	平均	標準偏差
40未満		1	2	1	2	6	2			1			1	1		17		17	5.36	1.44
(%)		(5.9)	(11.8)	(5.9)	(11.8)	(35.3)	(11.8)			(5.9)			(5.9)	(5.9)		(100.0)				
40～	10	10	30	39	48	47	31	9	19	19	8	10	9		3	292	3	295	5.22	1.39
(%)	(3.4)	(3.4)	(10.3)	(13.4)	(16.4)	(16.1)	(10.6)	(3.1)	(6.5)	(6.5)	(2.7)	(3.4)	(3.1)		(1.0)	(100.0)				
50～	102	128	199	350	400	431	342	51	207	166	93	61	31	24	27	2,612	20	2,632	5.17	1.36
(%)	(3.9)	(4.9)	(7.6)	(13.4)	(15.3)	(16.5)	(13.1)	(2.0)	(7.9)	(6.4)	(3.6)	(2.3)	(1.2)	(0.9)	(1.0)	(100.0)				
60～	225	348	609	1,052	1,286	1,372	1,223	210	684	591	346	211	122	61	103	8,443	47	8,490	5.29	1.33
(%)	(2.7)	(4.1)	(7.2)	(12.5)	(15.2)	(16.3)	(14.5)	(2.5)	(8.1)	(7.0)	(4.1)	(2.5)	(1.4)	(0.7)	(1.2)	(100.0)				
70～	280	436	800	1,197	1,531	1,659	1,427	259	875	767	504	284	170	110	180	10,479	66	10,545	5.36	1.42
(%)	(2.7)	(4.2)	(7.6)	(11.4)	(14.6)	(15.8)	(13.6)	(2.5)	(8.4)	(7.3)	(4.8)	(2.7)	(1.6)	(1.0)	(1.7)	(100.0)				
80～	180	276	508	770	1,001	1,035	976	168	611	536	366	227	132	95	137	7,018	45	7,063	5.43	1.45
(%)	(2.6)	(3.9)	(7.2)	(11.0)	(14.3)	(14.7)	(13.9)	(2.4)	(8.7)	(7.6)	(5.2)	(3.2)	(1.9)	(1.4)	(2.0)	(100.0)				
90～	111	134	214	344	464	510	390	73	287	259	158	118	72	40	89	3,263	30	3,293	5.46	1.56
(%)	(3.4)	(4.1)	(6.6)	(10.5)	(14.2)	(15.6)	(12.0)	(2.2)	(8.8)	(7.9)	(4.8)	(3.6)	(2.2)	(1.2)	(2.7)	(100.0)				
100～	46	34	74	119	130	143	134	23	80	91	51	34	27	9	37	1,032	10	1,042	5.49	1.66
(%)	(4.5)	(3.3)	(7.2)	(11.5)	(12.6)	(13.9)	(13.0)	(2.2)	(7.8)	(8.8)	(4.9)	(3.3)	(2.6)	(0.9)	(3.6)	(100.0)				
110～	13	4	16	27	35	39	30	5	24	22	11	7	3	10	15	261		261	5.67	1.84
(%)	(5.0)	(1.5)	(6.1)	(10.3)	(13.4)	(14.9)	(11.5)	(1.9)	(9.2)	(8.4)	(4.2)	(2.7)	(1.1)	(3.8)	(5.7)	(100.0)				
120～	4	3	13	11	11	10	17	7	10	5	6	2	3	3	1	106		106	5.35	1.50
(%)	(3.8)	(2.8)	(12.3)	(10.4)	(10.4)	(9.4)	(16.0)	(6.6)	(9.4)	(4.7)	(5.7)	(1.9)	(2.8)	(2.8)	(0.9)	(100.0)				
合計	971	1,374	2,465	3,910	4,908	5,252	4,572	805	2,797	2,457	1,543	954	570	353	592	33,523	221	33,744	5.36	1.43
(%)	(2.9)	(4.1)	(7.4)	(11.7)	(14.6)	(15.7)	(13.6)	(2.4)	(8.3)	(7.3)	(4.6)	(2.8)	(1.7)	(1.1)	(1.8)	(100.0)				
記載なし	162	200	384	655	804	882	727	145	447	349	232	150	81	70	90	5,378	824	6,202	5.33	1.42
(%)	(3.0)	(3.7)	(7.1)	(12.2)	(14.9)	(16.4)	(13.5)	(2.7)	(8.3)	(6.5)	(4.3)	(2.8)	(1.5)	(1.3)	(1.7)	(100.0)				
総計	1,133	1,574	2,849	4,565	5,712	6,134	5,299	950	3,244	2,806	1,775	1,104	651	423	682	38,901	1,045	39,946	5.36	1.43
(%)	(2.9)	(4.0)	(7.3)	(11.7)	(14.7)	(15.8)	(13.6)	(2.4)	(8.3)	(7.2)	(4.6)	(2.8)	(1.7)	(1.1)	(1.8)	(100.0)				
平均	75.99	74.62	75.12	74.67	74.95	74.86	75.11	75.72	75.88	76.21	76.55	76.80	77.24	78.11	79.66	75.42	75.89	75.43		
標準偏差	14.47	12.58	13.15	12.91	12.74	12.83	12.61	13.12	12.73	12.86	12.71	12.87	13.84	13.79	13.78	12.93	13.23	12.93		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査