

表 3514 PTH値(pg/mL) 透析前拡張期血圧(mmHg)別（透析患者全体）PTH測定法:intact-PTH

透析前拡張期血圧	20未満	20～	40～	60～	80～	100～	120～	140～	160～	180～	240～	241～	300～	360～	420～	480～	500～	540～	600～	800～	合計	記載なし	総計	平均	標準偏差
20未満	4	1	5	5	11	5	4	1	3	11		4	3	3	1	1					62	3	65	155.23	110.27
(%)	(6.5)	(1.6)	(8.1)	(8.1)	(17.7)	(8.1)	(6.5)	(1.6)	(4.8)	(17.7)		(6.5)	(4.8)	(4.8)	(1.6)	(1.6)					(100.0)				
20～	41	48	56	59	51	63	43	43	38	84		37	39	20	11	3	10	1	10	16	673	31	704	183.26	200.74
(%)	(6.1)	(7.1)	(8.3)	(8.8)	(7.6)	(9.4)	(6.4)	(6.4)	(5.6)	(12.5)		(5.5)	(5.8)	(3.0)	(1.6)	(0.4)	(1.5)	(0.1)	(1.5)	(2.4)	(100.0)				
40～	1,074	1,325	1,472	1,535	1,514	1,419	1,315	1,200	1,106	2,299	20	1,265	686	427	232	58	101	98	160	151	17,457	459	17,916	160.09	160.20
(%)	(6.2)	(7.6)	(8.4)	(8.8)	(8.7)	(8.1)	(7.5)	(6.9)	(6.3)	(13.2)	(0.1)	(7.2)	(3.9)	(2.4)	(1.3)	(0.3)	(0.6)	(0.6)	(0.9)	(0.9)	(100.0)				
60～	4,850	7,189	7,523	7,921	7,998	7,896	7,450	6,890	6,101	13,612	185	7,630	4,231	2,418	1,391	353	562	599	942	677	96,418	2,052	98,470	164.75	154.38
(%)	(5.0)	(7.5)	(7.8)	(8.2)	(8.3)	(8.2)	(7.7)	(7.1)	(6.3)	(14.1)	(0.2)	(7.9)	(4.4)	(2.5)	(1.4)	(0.4)	(0.6)	(0.6)	(1.0)	(0.7)	(100.0)				
80～	2,518	3,410	3,757	4,064	4,180	4,099	3,943	3,561	3,279	7,666	106	4,431	2,540	1,519	811	192	336	387	578	448	51,825	908	52,733	173.82	162.57
(%)	(4.9)	(6.6)	(7.2)	(7.8)	(8.1)	(7.9)	(7.6)	(6.9)	(6.3)	(14.8)	(0.2)	(8.5)	(4.9)	(2.9)	(1.6)	(0.4)	(0.6)	(0.7)	(1.1)	(0.9)	(100.0)				
90～	1,152	1,751	1,863	2,045	2,181	2,193	2,007	1,885	1,794	4,143	39	2,561	1,584	884	554	137	185	240	402	307	27,907	462	28,369	184.87	168.08
(%)	(4.1)	(6.3)	(6.7)	(7.3)	(7.8)	(7.9)	(7.2)	(6.8)	(6.4)	(14.8)	(0.1)	(9.2)	(5.7)	(3.2)	(2.0)	(0.5)	(0.7)	(0.9)	(1.4)	(1.1)	(100.0)				
100～	540	860	881	975	1,037	1,020	1,025	900	884	1,936	29	1,232	821	484	311	90	118	144	247	183	13,717	213	13,930	194.95	189.76
(%)	(3.9)	(6.3)	(6.4)	(7.1)	(7.6)	(7.4)	(7.5)	(6.6)	(6.4)	(14.1)	(0.2)	(9.0)	(6.0)	(3.5)	(2.3)	(0.7)	(0.9)	(1.0)	(1.8)	(1.3)	(100.0)				
120～	36	47	43	55	56	58	57	43	40	114	3	66	49	29	29	6	14	14	27	21	807	19	826	229.71	249.56
(%)	(4.5)	(5.8)	(5.3)	(6.8)	(6.9)	(7.2)	(7.1)	(5.3)	(5.0)	(14.1)	(0.4)	(8.2)	(6.1)	(3.6)	(3.6)	(0.7)	(1.7)	(1.7)	(3.3)	(2.6)	(100.0)				
140～	5	2	1	2	2	6	2	6	7	14		5	1		2	1	2		2	1	61	1	62	206.84	165.38
(%)	(8.2)	(3.3)	(1.6)	(3.3)	(3.3)	(9.8)	(3.3)	(9.8)	(11.5)	(23.0)		(8.2)	(1.6)		(3.3)	(1.6)	(3.3)		(3.3)	(1.6)	(100.0)				
合計	10,220	14,633	15,601	16,661	17,030	16,759	15,846	14,529	13,252	29,879	382	17,231	9,954	5,784	3,342	841	1,328	1,483	2,368	1,804	208,927	4,148	213,075	171.60	162.25
(%)	(4.9)	(7.0)	(7.5)	(8.0)	(8.2)	(8.0)	(7.6)	(7.0)	(6.3)	(14.3)	(0.2)	(8.2)	(4.8)	(2.8)	(1.6)	(0.4)	(0.6)	(0.7)	(1.1)	(0.9)	(100.0)				
記載なし	1,653	2,313	2,415	2,569	2,583	2,399	2,376	2,278	1,921	4,634	62	2,608	1,572	900	583	123	236	231	431	358	32,245	2,236	34,481	175.90	174.48
(%)	(5.1)	(7.2)	(7.5)	(8.0)	(8.0)	(7.4)	(7.4)	(7.1)	(6.0)	(14.4)	(0.2)	(8.1)	(4.9)	(2.8)	(1.8)	(0.4)	(0.7)	(0.7)	(1.3)	(1.1)	(100.0)				
総計	11,873	16,946	18,016	19,230	19,613	19,158	18,222	16,807	15,173	34,513	444	19,839	11,526	6,684	3,925	964	1,564	1,714	2,799	2,162	241,172	6,384	247,556	172.17	163.94
(%)	(4.9)	(7.0)	(7.5)	(8.0)	(8.1)	(7.9)	(7.6)	(7.0)	(6.3)	(14.3)	(0.2)	(8.2)	(4.8)	(2.8)	(1.6)	(0.4)	(0.6)	(0.7)	(1.2)	(0.9)	(100.0)				
平均	76.28	76.75	76.77	76.99	77.32	77.52	77.70	77.60	77.92	78.23	78.81	78.80	79.59	79.43	80.17	80.52	79.32	80.72	80.94	80.51	77.85	75.64	77.81		
標準偏差	14.49	14.18	14.08	14.27	14.36	14.33	14.21	14.23	14.28	14.22	13.61	14.32	14.61	14.78	15.26	15.79	15.65	15.04	15.95	16.22	14.40	14.83	14.42		

数値下のかつこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査