

表 3525 PTH値(pg/mL) Non-HDL-C濃度(mg/dL)別（施設血液透析患者 透析回数週3回）PTH測定法:intact-PTH

Non-HDL-C濃度	20未満	20～	40～	60～	80～	100～	120～	140～	160～	180～	240～	241～	300～	360～	420～	480～	500～	540～	600～	800～	合計	記載なし	総計	平均	標準偏差
50未満	148	181	226	215	243	206	191	192	163	320	4	162	86	48	29	5	13	11	12	13	2,468	30	2,498	148.56	132.20
(%)	(6.0)	(7.3)	(9.2)	(8.7)	(9.8)	(8.3)	(7.7)	(7.8)	(6.6)	(13.0)	(0.2)	(6.6)	(3.5)	(1.9)	(1.2)	(0.2)	(0.5)	(0.4)	(0.5)	(0.5)	(100.0)	123	11,615	156.13	142.25
50～	613	910	929	993	1,022	968	864	825	702	1,598	19	887	469	263	129	35	66	54	80	66	11,492	292	25,636	162.25	149.87
(%)	(5.3)	(7.9)	(8.1)	(8.6)	(8.9)	(8.4)	(7.5)	(7.2)	(6.1)	(13.9)	(0.2)	(7.7)	(4.1)	(2.3)	(1.1)	(0.3)	(0.6)	(0.5)	(0.7)	(0.6)	(100.0)	311	30,262	168.87	155.23
70～	1,260	1,835	2,031	2,139	2,098	2,144	1,983	1,757	1,662	3,583	41	2,002	1,130	606	352	66	133	156	203	163	25,344	252	23,852	174.16	164.83
(%)	(5.0)	(7.2)	(8.0)	(8.4)	(8.3)	(8.5)	(7.8)	(6.9)	(6.6)	(14.1)	(0.2)	(7.9)	(4.5)	(2.4)	(1.4)	(0.3)	(0.5)	(0.6)	(0.8)	(0.6)	(100.0)	132	14,481	179.93	168.78
90～	1,414	2,088	2,248	2,430	2,406	2,405	2,364	2,174	1,948	4,350	38	2,494	1,367	744	440	111	179	184	331	236	29,951	75	7,227	180.74	171.16
(%)	(4.7)	(7.0)	(7.5)	(8.1)	(8.0)	(8.0)	(7.9)	(7.3)	(6.5)	(14.5)	(0.1)	(8.3)	(4.6)	(2.5)	(1.5)	(0.4)	(0.6)	(0.6)	(1.1)	(0.8)	(100.0)	40	3,149	182.71	184.47
110～	1,098	1,668	1,707	1,849	1,926	1,803	1,788	1,657	1,540	3,382	59	1,963	1,163	693	397	97	155	175	272	208	23,600	13	1,204	186.57	180.94
(%)	(4.7)	(7.1)	(7.2)	(7.8)	(8.2)	(7.6)	(7.6)	(7.0)	(6.5)	(14.3)	(0.3)	(8.3)	(4.9)	(2.9)	(1.7)	(0.4)	(0.7)	(0.7)	(1.2)	(0.9)	(100.0)	7	751	194.89	238.83
130～	629	938	1,055	1,110	1,089	1,139	1,037	1,029	935	2,025	24	1,272	740	437	267	70	101	109	191	152	14,349	7	744	194.89	238.83
(%)	(4.4)	(6.5)	(7.4)	(7.7)	(7.6)	(7.9)	(7.2)	(7.2)	(6.5)	(14.1)	(0.2)	(8.9)	(5.2)	(3.0)	(1.9)	(0.5)	(0.7)	(0.8)	(1.3)	(1.1)	(100.0)	7	744	194.89	238.83
150～	356	457	496	531	556	545	535	496	400	1,059	14	648	391	225	131	34	48	62	104	64	7,152	75	7,227	180.74	171.16
(%)	(5.0)	(6.4)	(6.9)	(7.4)	(7.8)	(7.6)	(7.5)	(6.9)	(5.6)	(14.8)	(0.2)	(9.1)	(5.5)	(3.1)	(1.8)	(0.5)	(0.7)	(0.9)	(1.5)	(0.9)	(100.0)	40	3,149	182.71	184.47
170～	159	224	218	238	217	217	232	209	191	448	7	266	183	104	53	16	27	30	36	34	3,109	13	1,204	186.57	180.94
(%)	(5.1)	(7.2)	(7.0)	(7.7)	(7.0)	(7.0)	(7.5)	(6.7)	(6.1)	(14.4)	(0.2)	(8.6)	(5.9)	(3.3)	(1.7)	(0.5)	(0.9)	(1.0)	(1.2)	(1.1)	(100.0)	7	744	194.89	238.83
190～	59	83	86	96	93	91	72	83	66	176	2	96	62	31	26	5	7	18	19	20	1,191	7	744	194.89	238.83
(%)	(5.0)	(7.0)	(7.2)	(8.1)	(7.8)	(7.6)	(6.0)	(7.0)	(5.5)	(14.8)	(0.2)	(8.1)	(5.2)	(2.6)	(2.2)	(0.4)	(0.6)	(1.5)	(1.6)	(1.7)	(100.0)	7	744	194.89	238.83
210～	42	59	42	57	51	53	63	40	39	99	1	76	43	20	15	4	9	12	8	11	744	7	744	194.89	238.83
(%)	(5.6)	(7.9)	(5.6)	(7.7)	(6.9)	(7.1)	(8.5)	(5.4)	(5.2)	(13.3)	(0.1)	(10.2)	(5.8)	(2.7)	(2.0)	(0.5)	(1.2)	(1.6)	(1.1)	(1.5)	(100.0)	7	744	194.89	238.83
合計	5,778	8,443	9,038	9,658	9,701	9,571	9,129	8,462	7,646	17,040	209	9,866	5,634	3,171	1,839	443	738	811	1,256	967	119,400	1,275	120,675	169.60	159.09
(%)	(4.8)	(7.1)	(7.6)	(8.1)	(8.1)	(8.0)	(7.6)	(7.1)	(6.4)	(14.3)	(0.2)	(8.3)	(4.7)	(2.7)	(1.5)	(0.4)	(0.6)	(0.7)	(1.1)	(0.8)	(100.0)	1,275	120,675	169.60	159.09
記載なし	3,734	5,286	5,487	5,856	5,970	5,700	5,457	5,041	4,461	10,388	129	5,732	3,358	1,953	1,185	293	451	499	876	655	72,511	3,400	75,911	170.57	164.02
(%)	(5.1)	(7.3)	(7.6)	(8.1)	(8.2)	(7.9)	(7.5)	(7.0)	(6.2)	(14.3)	(0.2)	(7.9)	(4.6)	(2.7)	(1.6)	(0.4)	(0.6)	(0.7)	(1.2)	(0.9)	(100.0)	3,400	75,911	170.57	164.02
総計	9,512	13,729	14,525	15,514	15,671	15,271	14,586	13,503	12,107	27,428	338	15,598	8,992	5,124	3,024	736	1,189	1,310	2,132	1,622	191,911	4,675	196,586	169.97	160.97
(%)	(5.0)	(7.2)	(7.6)	(8.1)	(8.2)	(8.0)	(7.6)	(7.0)	(6.3)	(14.3)	(0.2)	(8.1)	(4.7)	(2.7)	(1.6)	(0.4)	(0.6)	(0.7)	(1.1)	(0.8)	(100.0)	4,675	196,586	169.97	160.97
平均	105.35	105.21	104.51	105.01	104.69	105.03	105.74	105.95	105.76	106.64	109.14	107.98	109.49	110.05	110.99	113.08	110.63	113.68	112.97	113.62	106.35	105.25	106.34		
標準偏差	34.29	33.77	33.14	33.21	32.98	32.97	33.08	32.92	32.40	33.04	33.82	33.41	33.57	33.53	34.40	34.32	34.77	37.03	32.65	35.03	33.32	33.71	33.33		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査