

表 3531 PTH値(pg/mL) 透析歴(年)別（血液透析濾過患者 透析回数週3回）PTH測定法:intact-PTH

透析歴	20未満	20～	40～	60～	80～	100～	120～	140～	160～	180～	240～	241～	300～	360～	420～	480～	500～	540～	600～	800～	合計	記載なし	総計	平均	標準偏差
2年未満	210	287	302	362	334	336	299	288	258	623	7	380	225	116	67	21	33	20	32	16	4,216	158	4,374	166.33	134.76
(%)	(5.0)	(6.8)	(7.2)	(8.6)	(7.9)	(8.0)	(7.1)	(6.8)	(6.1)	(14.8)	(0.2)	(9.0)	(5.3)	(2.8)	(1.6)	(0.5)	(0.8)	(0.5)	(0.8)	(0.4)	(100.0)				
2年～	356	541	595	622	683	649	567	519	501	1,039	17	606	298	174	85	13	39	39	64	31	7,438	155	7,593	156.86	130.74
(%)	(4.8)	(7.3)	(8.0)	(8.4)	(9.2)	(8.7)	(7.6)	(7.0)	(6.7)	(14.0)	(0.2)	(8.1)	(4.0)	(2.3)	(1.1)	(0.2)	(0.5)	(0.5)	(0.9)	(0.4)	(100.0)				
5年～	293	528	589	658	739	745	664	613	548	1,306	22	779	451	259	142	33	56	49	105	91	8,670	190	8,860	179.97	170.90
(%)	(3.4)	(6.1)	(6.8)	(7.6)	(8.5)	(8.6)	(7.7)	(7.1)	(6.3)	(15.1)	(0.3)	(9.0)	(5.2)	(3.0)	(1.6)	(0.4)	(0.6)	(0.6)	(1.2)	(1.0)	(100.0)				
10年～	172	260	342	352	409	429	388	372	336	833	10	508	331	202	118	30	51	62	94	84	5,383	81	5,464	202.04	192.86
(%)	(3.2)	(4.8)	(6.4)	(6.5)	(7.6)	(8.0)	(7.2)	(6.9)	(6.2)	(15.5)	(0.2)	(9.4)	(6.1)	(3.8)	(2.2)	(0.6)	(0.9)	(1.2)	(1.7)	(1.6)	(100.0)				
15年～	154	180	221	205	256	268	276	218	221	521	16	284	181	143	73	23	25	37	59	67	3,428	53	3,481	202.33	211.48
(%)	(4.5)	(5.3)	(6.4)	(6.0)	(7.5)	(7.8)	(8.1)	(6.4)	(6.4)	(15.2)	(0.5)	(8.3)	(5.3)	(4.2)	(2.1)	(0.7)	(0.7)	(1.1)	(1.7)	(2.0)	(100.0)				
20年～	178	155	152	157	177	150	189	137	126	309	3	187	113	79	44	11	17	23	35	34	2,276	42	2,318	181.59	184.50
(%)	(7.8)	(6.8)	(6.7)	(6.9)	(7.8)	(6.6)	(8.3)	(6.0)	(5.5)	(13.6)	(0.1)	(8.2)	(5.0)	(3.5)	(1.9)	(0.5)	(0.7)	(1.0)	(1.5)	(1.5)	(100.0)				
25年～	130	111	100	96	116	109	89	89	84	199		95	63	34	26	8	9	13	18	18	1,407	26	1,433	170.79	194.56
(%)	(9.2)	(7.9)	(7.1)	(6.8)	(8.2)	(7.7)	(6.3)	(6.3)	(6.0)	(14.1)		(6.8)	(4.5)	(2.4)	(1.8)	(0.6)	(0.6)	(0.9)	(1.3)	(1.3)	(100.0)				
30年～	114	75	81	81	71	63	69	62	50	115	1	68	26	21	25	4	7	3	9	7	952	21	973	152.41	160.24
(%)	(12.0)	(7.9)	(8.5)	(8.5)	(7.5)	(6.6)	(7.2)	(6.5)	(5.3)	(12.1)	(0.1)	(7.1)	(2.7)	(2.2)	(2.6)	(0.4)	(0.7)	(0.3)	(0.9)	(0.7)	(100.0)				
35年～	61	49	48	47	51	40	34	22	22	43	1	40	23	9	7	1		4	7	2	511	8	519	138.85	136.38
(%)	(11.9)	(9.6)	(9.4)	(9.2)	(10.0)	(7.8)	(6.7)	(4.3)	(4.3)	(8.4)	(0.2)	(7.8)	(4.5)	(1.8)	(1.4)	(0.2)		(0.8)	(1.4)	(0.4)	(100.0)				
40年～	13	8	7	12	9	6	5	3	4	15		8	3	4	4	2		2			105		105	156.20	136.95
(%)	(12.4)	(7.6)	(6.7)	(11.4)	(8.6)	(5.7)	(4.8)	(2.9)	(3.8)	(14.3)		(7.6)	(2.9)	(3.8)	(3.8)	(1.9)		(1.9)			(100.0)				
合計	1,681	2,194	2,437	2,592	2,846	2,795	2,580	2,323	2,150	5,003	77	2,955	1,714	1,041	591	146	237	252	423	350	34,386	734	35,120	177.27	169.46
(%)	(4.9)	(6.4)	(7.1)	(7.5)	(8.3)	(8.1)	(7.5)	(6.8)	(6.3)	(14.5)	(0.2)	(8.6)	(5.0)	(3.0)	(1.7)	(0.4)	(0.7)	(0.7)	(1.2)	(1.0)	(100.0)				
不明	2	1			1		1			2				1							8		8	131.38	124.67
(%)	(25.0)	(12.5)			(12.5)		(12.5)			(25.0)				(12.5)							(100.0)				
記載なし																									
(%)																									
総計	1,683	2,195	2,437	2,592	2,846	2,795	2,581	2,323	2,150	5,005	77	2,955	1,714	1,042	591	146	237	252	423	350	34,394	734	35,128	177.26	169.45
(%)	(4.9)	(6.4)	(7.1)	(7.5)	(8.3)	(8.1)	(7.5)	(6.8)	(6.3)	(14.6)	(0.2)	(8.6)	(5.0)	(3.0)	(1.7)	(0.4)	(0.7)	(0.7)	(1.2)	(1.0)	(100.0)				
平均	12.87	10.15	9.94	9.60	9.77	9.51	9.97	9.54	9.53	9.78	9.51	9.72	9.95	10.51	11.46	12.10	10.21	11.97	11.47	12.58	10.04	8.37	10.01		
標準偏差	11.18	9.62	9.18	9.18	8.92	8.50	8.64	8.42	8.39	8.39	7.67	8.44	8.23	8.23	9.17	9.37	8.14	8.60	8.29	7.63	8.85	8.67	8.85		

数値下のかつこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査