

表 3541 PTH値(pg/mL) 透析前脈拍(拍/分)別 (血液透析濾過患者 透析回数週3回) PTH測定法:intact-PTH

透析前脈拍	20未満	20～	40～	60～	80～	100～	120～	140～	160～	180～	240～	241～	300～	360～	420～	480～	500～	540～	600～	800～	合計	記載なし	総計	平均	標準偏差
40未満				2	1	1	1	1	1	1		2		1			1			1	13		14	400.92	720.11
(%)				(15.4)	(7.7)	(7.7)	(7.7)	(7.7)	(7.7)	(7.7)		(15.4)		(7.7)			(7.7)			(7.7)	(100.0)				
40～	22	15	21	24	30	23	15	11	15	34		15	18	11	1	1	1	1	3	1	262	4	266	157.18	146.26
(%)	(8.4)	(5.7)	(8.0)	(9.2)	(11.5)	(8.8)	(5.7)	(4.2)	(5.7)	(13.0)		(5.7)	(6.9)	(4.2)	(0.4)	(0.4)	(0.4)	(0.4)	(1.1)	(0.4)	(100.0)				
50～	107	183	200	201	196	209	190	172	144	292	4	181	96	64	35	7	12	14	27	22	2,356	45	2,401	165.12	168.62
(%)	(4.5)	(7.8)	(8.5)	(8.5)	(8.3)	(8.9)	(8.1)	(7.3)	(6.1)	(12.4)	(0.2)	(7.7)	(4.1)	(2.7)	(1.5)	(0.3)	(0.5)	(0.6)	(1.1)	(0.9)	(100.0)				
60～	371	527	527	610	668	631	575	513	470	1,124	14	647	355	228	98	21	58	47	74	54	7,612	114	7,726	169.18	155.66
(%)	(4.9)	(6.9)	(6.9)	(8.0)	(8.8)	(8.3)	(7.6)	(6.7)	(6.2)	(14.8)	(0.2)	(8.5)	(4.7)	(3.0)	(1.3)	(0.3)	(0.8)	(0.6)	(1.0)	(0.7)	(100.0)				
70～	474	594	707	669	739	751	719	631	631	1,365	14	786	459	271	176	37	50	69	107	97	9,346	152	9,498	175.82	166.08
(%)	(5.1)	(6.4)	(7.6)	(7.2)	(7.9)	(8.0)	(7.7)	(6.8)	(6.8)	(14.6)	(0.1)	(8.4)	(4.9)	(2.9)	(1.9)	(0.4)	(0.5)	(0.7)	(1.1)	(1.0)	(100.0)				
80～	294	381	433	465	514	506	449	422	391	897	12	565	318	207	120	38	54	50	86	65	6,267	114	6,381	182.62	175.43
(%)	(4.7)	(6.1)	(6.9)	(7.4)	(8.2)	(8.1)	(7.2)	(6.7)	(6.2)	(14.3)	(0.2)	(9.0)	(5.1)	(3.3)	(1.9)	(0.6)	(0.9)	(0.8)	(1.4)	(1.0)	(100.0)				
90～	123	158	193	227	231	245	217	218	181	432	8	271	148	96	52	14	20	25	49	37	2,945	40	2,985	187.61	188.40
(%)	(4.2)	(5.4)	(6.6)	(7.7)	(7.8)	(8.3)	(7.4)	(7.4)	(6.1)	(14.7)	(0.3)	(9.2)	(5.0)	(3.3)	(1.8)	(0.5)	(0.7)	(0.8)	(1.7)	(1.3)	(100.0)				
100～	42	48	64	80	70	66	67	58	47	139	6	78	44	32	24	7	7	9	10	13	911	18	929	187.65	171.92
(%)	(4.6)	(5.3)	(7.0)	(8.8)	(7.7)	(7.2)	(7.4)	(6.4)	(5.2)	(15.3)	(0.7)	(8.6)	(4.8)	(3.5)	(2.6)	(0.8)	(0.8)	(1.0)	(1.1)	(1.4)	(100.0)				
110～	10	11	23	12	19	23	17	15	12	36		18	13	9	6		1	2	2	4	233	5	238	184.42	179.24
(%)	(4.3)	(4.7)	(9.9)	(5.2)	(8.2)	(9.9)	(7.3)	(6.4)	(5.2)	(15.5)		(7.7)	(5.6)	(3.9)	(2.6)		(0.4)	(0.9)	(0.9)	(1.7)	(100.0)				
120～	6	7	6	8	10	3	11	2	5	15		11	4	4	1	1	1	2		1	98		98	178.70	156.30
(%)	(6.1)	(7.1)	(6.1)	(8.2)	(10.2)	(3.1)	(11.2)	(2.0)	(5.1)	(15.3)		(11.2)	(4.1)	(4.1)	(1.0)	(1.0)	(1.0)	(2.0)		(1.0)	(100.0)				
合計	1,449	1,924	2,174	2,298	2,478	2,458	2,261	2,043	1,897	4,335	58	2,574	1,455	923	513	126	205	219	358	295	30,043	493	30,536	176.24	168.91
(%)	(4.8)	(6.4)	(7.2)	(7.6)	(8.2)	(8.2)	(7.5)	(6.8)	(6.3)	(14.4)	(0.2)	(8.6)	(4.8)	(3.1)	(1.7)	(0.4)	(0.7)	(0.7)	(1.2)	(1.0)	(100.0)				
記載なし	234	271	263	294	368	337	320	280	253	670	19	381	259	119	78	20	32	33	65	55	4,351	241	4,592	184.27	172.99
(%)	(5.4)	(6.2)	(6.0)	(6.8)	(8.5)	(7.7)	(7.4)	(6.4)	(5.8)	(15.4)	(0.4)	(8.8)	(6.0)	(2.7)	(1.8)	(0.5)	(0.7)	(0.8)	(1.5)	(1.3)	(100.0)				
総計	1,683	2,195	2,437	2,592	2,846	2,795	2,581	2,323	2,150	5,005	77	2,955	1,714	1,042	591	146	237	252	423	350	34,394	734	35,128	177.26	169.45
(%)	(4.9)	(6.4)	(7.1)	(7.5)	(8.3)	(8.1)	(7.5)	(6.8)	(6.3)	(14.6)	(0.2)	(8.6)	(5.0)	(3.0)	(1.7)	(0.4)	(0.7)	(0.7)	(1.2)	(1.0)	(100.0)				
平均	75.02	74.27	75.12	75.06	74.96	75.10	75.20	75.30	75.43	75.68	77.74	75.93	75.79	76.02	77.39	78.52	75.93	77.13	76.59	77.48	75.41	75.50	75.41		
標準偏差	13.09	12.67	13.09	13.20	13.01	12.90	13.02	12.64	12.61	12.88	13.06	12.86	13.06	13.18	12.73	13.38	13.13	13.53	12.56	13.66	12.95	13.19	12.95		

数値下のかっこ内は行方向の合計に対する％です。

(C)Japanese Society for Dialysis Therapy

2014年調査