

表 3551 PTH値(pg/mL) Non-HDL-C濃度(mg/dL)別（腹膜透析患者）PTH測定法:intact-PTH

Non-HDL-C濃度	20未満	20～	40～	60～	80～	100～	120～	140～	160～	180～	240～	241～	300～	360～	420～	480～	500～	540～	600～	800～	合計	記載なし	総計	平均	標準偏差
50未満	1	1	1	1	1	2		1	2	1		1	1	2			1				16		16	193.56	151.81
(%)	(6.3)	(6.3)	(6.3)	(6.3)	(6.3)	(12.5)		(6.3)	(12.5)	(6.3)		(6.3)	(6.3)	(12.5)			(6.3)				(100.0)				
50～	4	8	9	7	7	7	9	7	3	11		6	2	6		2		2			90	4	94	160.46	129.83
(%)	(4.4)	(8.9)	(10.0)	(7.8)	(7.8)	(7.8)	(10.0)	(7.8)	(3.3)	(12.2)		(6.7)	(2.2)	(6.7)		(2.2)		(2.2)			(100.0)				
70～	13	16	16	24	16	16	28	17	13	35		19	23	16	4		2	5	6	4	273	6	279	211.74	301.96
(%)	(4.8)	(5.9)	(5.9)	(8.8)	(5.9)	(5.9)	(10.3)	(6.2)	(4.8)	(12.8)		(7.0)	(8.4)	(5.9)	(1.5)		(0.7)	(1.8)	(2.2)	(1.5)	(100.0)				
90～	16	24	30	34	37	34	40	41	34	89		41	41	22	15	4	2	5	5	7	521	7	528	200.15	170.33
(%)	(3.1)	(4.6)	(5.8)	(6.5)	(7.1)	(6.5)	(7.7)	(7.9)	(6.5)	(17.1)		(7.9)	(7.9)	(4.2)	(2.9)	(0.8)	(0.4)	(1.0)	(1.0)	(1.3)	(100.0)				
110～	18	33	32	42	42	54	45	27	43	97	3	80	39	26	19	8	8	16	6	10	648	13	661	215.54	194.16
(%)	(2.8)	(5.1)	(4.9)	(6.5)	(6.5)	(8.3)	(6.9)	(4.2)	(6.6)	(15.0)	(0.5)	(12.3)	(6.0)	(4.0)	(2.9)	(1.2)	(1.2)	(2.5)	(0.9)	(1.5)	(100.0)				
130～	12	37	37	45	41	43	28	30	37	81	1	54	43	19	20	3	7	5	9	11	563	10	573	213.18	238.55
(%)	(2.1)	(6.6)	(6.6)	(8.0)	(7.3)	(7.6)	(5.0)	(5.3)	(6.6)	(14.4)	(0.2)	(9.6)	(7.6)	(3.4)	(3.6)	(0.5)	(1.2)	(0.9)	(1.6)	(2.0)	(100.0)				
150～	3	27	23	21	26	27	26	25	18	44	3	33	24	18	6	2	5	3	12	9	355	4	359	223.71	242.42
(%)	(0.8)	(7.6)	(6.5)	(5.9)	(7.3)	(7.6)	(7.3)	(7.0)	(5.1)	(12.4)	(0.8)	(9.3)	(6.8)	(5.1)	(1.7)	(0.6)	(1.4)	(0.8)	(3.4)	(2.5)	(100.0)				
170～	5	9	17	9	17	19	10	17	13	29		17	17	11	7	2	2	2	4	7	214	4	218	231.39	239.44
(%)	(2.3)	(4.2)	(7.9)	(4.2)	(7.9)	(8.9)	(4.7)	(7.9)	(6.1)	(13.6)		(7.9)	(7.9)	(5.1)	(3.3)	(0.9)	(0.9)	(0.9)	(1.9)	(3.3)	(100.0)				
190～	1	4	2	3	7	9	4	5	5	17		8	7	4	4	1	1	3	4	3	92	2	94	275.42	287.16
(%)	(1.1)	(4.3)	(2.2)	(3.3)	(7.6)	(9.8)	(4.3)	(5.4)	(5.4)	(18.5)		(8.7)	(7.6)	(4.3)	(4.3)	(1.1)	(1.1)	(3.3)	(4.3)	(3.3)	(100.0)				
210～	3	3	8	9	4	3	3	4	6	6		6	7	6	2		1	2	2	2	77	1	78	233.75	249.46
(%)	(3.9)	(3.9)	(10.4)	(11.7)	(5.2)	(3.9)	(3.9)	(5.2)	(7.8)	(7.8)		(7.8)	(9.1)	(7.8)	(2.6)		(1.3)	(2.6)	(2.6)	(2.6)	(100.0)				
合計	76	162	175	195	198	214	193	174	174	410	7	265	204	130	77	22	29	43	48	53	2,849	51	2,900	214.67	225.01
(%)	(2.7)	(5.7)	(6.1)	(6.8)	(6.9)	(7.5)	(6.8)	(6.1)	(6.1)	(14.4)	(0.2)	(9.3)	(7.2)	(4.6)	(2.7)	(0.8)	(1.0)	(1.5)	(1.7)	(1.9)	(100.0)				
記載なし	47	119	93	120	111	102	112	111	102	244	3	166	127	70	62	21	25	30	57	57	1,779	325	2,104	238.62	235.34
(%)	(2.6)	(6.7)	(5.2)	(6.7)	(6.2)	(5.7)	(6.3)	(6.2)	(5.7)	(13.7)	(0.2)	(9.3)	(7.1)	(3.9)	(3.5)	(1.2)	(1.4)	(1.7)	(3.2)	(3.2)	(100.0)				
総計	123	281	268	315	309	316	305	285	276	654	10	431	331	200	139	43	54	73	105	110	4,628	376	5,004	223.88	229.31
(%)	(2.7)	(6.1)	(5.8)	(6.8)	(6.7)	(6.8)	(6.6)	(6.2)	(6.0)	(14.1)	(0.2)	(9.3)	(7.2)	(4.3)	(3.0)	(0.9)	(1.2)	(1.6)	(2.3)	(2.4)	(100.0)				
平均	120.45	127.96	131.67	127.22	129.42	129.56	121.69	128.25	130.83	127.23	139.43	130.03	130.72	129.29	134.56	126.95	133.34	129.23	142.23	140.70	129.02	123.59	128.93		
標準偏差	43.58	36.16	40.95	38.08	40.16	35.94	35.90	39.46	38.17	34.29	20.55	37.77	39.01	44.67	34.10	34.69	37.82	40.21	39.80	36.23	38.03	36.77	38.01		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査