

表 3566 PTH値(pg/mL) HDL-C濃度(mg/dL)別 (透析患者全体) PTH測定法:whole-PTH

HDL-C濃度	20未満	20～	35～	50～	75～	100～	125～	150～	151～	180～	210～	240～	300～	350～	400～	500～	合計	記載なし	総計	平均	標準偏差
20未満	14	4	5	8	7	5	3				3	1					50		50	70.26	62.20
(%)	(28.0)	(8.0)	(10.0)	(16.0)	(14.0)	(10.0)	(6.0)				(6.0)	(2.0)					(100.0)				
20～	100	139	111	203	160	121	85	3	71	59	42	44	21	10	11	10	1,190	9	1,199	108.73	111.07
(%)	(8.4)	(11.7)	(9.3)	(17.1)	(13.4)	(10.2)	(7.1)	(0.3)	(6.0)	(5.0)	(3.5)	(3.7)	(1.8)	(0.8)	(0.9)	(0.8)	(100.0)				
30～	325	425	372	561	486	381	296	13	212	151	97	132	49	24	35	38	3,597	30	3,627	106.21	108.79
(%)	(9.0)	(11.8)	(10.3)	(15.6)	(13.5)	(10.6)	(8.2)	(0.4)	(5.9)	(4.2)	(2.7)	(3.7)	(1.4)	(0.7)	(1.0)	(1.1)	(100.0)				
40～	384	467	421	647	563	504	308	8	242	177	120	138	54	37	40	41	4,151	35	4,186	106.52	115.86
(%)	(9.3)	(11.3)	(10.1)	(15.6)	(13.6)	(12.1)	(7.4)	(0.2)	(5.8)	(4.3)	(2.9)	(3.3)	(1.3)	(0.9)	(1.0)	(1.0)	(100.0)				
50～	286	336	293	460	433	365	226	6	199	125	109	81	46	21	31	37	3,054	26	3,080	107.25	104.60
(%)	(9.4)	(11.0)	(9.6)	(15.1)	(14.2)	(12.0)	(7.4)	(0.2)	(6.5)	(4.1)	(3.6)	(2.7)	(1.5)	(0.7)	(1.0)	(1.2)	(100.0)				
60～	157	205	186	260	245	213	132	2	116	80	46	69	23	16	20	22	1,792	17	1,809	110.08	124.95
(%)	(8.8)	(11.4)	(10.4)	(14.5)	(13.7)	(11.9)	(7.4)	(0.1)	(6.5)	(4.5)	(2.6)	(3.9)	(1.3)	(0.9)	(1.1)	(1.2)	(100.0)				
70～	85	110	80	143	122	106	59	3	61	36	33	23	11	8	5	10	895	7	902	103.38	97.76
(%)	(9.5)	(12.3)	(8.9)	(16.0)	(13.6)	(11.8)	(6.6)	(0.3)	(6.8)	(4.0)	(3.7)	(2.6)	(1.2)	(0.9)	(0.6)	(1.1)	(100.0)				
80～	33	52	48	75	64	57	38		30	18	15	13	7	8	5	1	464	3	467	104.91	86.36
(%)	(7.1)	(11.2)	(10.3)	(16.2)	(13.8)	(12.3)	(8.2)		(6.5)	(3.9)	(3.2)	(2.8)	(1.5)	(1.7)	(1.1)	(0.2)	(100.0)				
90～	16	26	22	35	21	21	14		6	7	5	7	1	3	1		185	1	186	93.43	80.73
(%)	(8.6)	(14.1)	(11.9)	(18.9)	(11.4)	(11.4)	(7.6)		(3.2)	(3.8)	(2.7)	(3.8)	(0.5)	(1.6)	(0.5)		(100.0)				
100～	15	12	14	19	20	17	10		16	6	5	2	4	3	2	1	146	1	147	114.82	107.69
(%)	(10.3)	(8.2)	(9.6)	(13.0)	(13.7)	(11.6)	(6.8)		(11.0)	(4.1)	(3.4)	(1.4)	(2.7)	(2.1)	(1.4)	(0.7)	(100.0)				
合計	1,415	1,776	1,552	2,411	2,121	1,790	1,171	35	953	659	475	510	216	130	150	160	15,524	129	15,653	106.75	110.49
(%)	(9.1)	(11.4)	(10.0)	(15.5)	(13.7)	(11.5)	(7.5)	(0.2)	(6.1)	(4.2)	(3.1)	(3.3)	(1.4)	(0.8)	(1.0)	(1.0)	(100.0)				
記載なし	479	555	491	742	627	508	368	13	310	216	153	164	68	49	52	87	4,882	528	5,410	112.01	124.48
(%)	(9.8)	(11.4)	(10.1)	(15.2)	(12.8)	(10.4)	(7.5)	(0.3)	(6.3)	(4.4)	(3.1)	(3.4)	(1.4)	(1.0)	(1.1)	(1.8)	(100.0)				
総計	1,894	2,331	2,043	3,153	2,748	2,298	1,539	48	1,263	875	628	674	284	179	202	247	20,406	657	21,063	108.01	114.01
(%)	(9.3)	(11.4)	(10.0)	(15.5)	(13.5)	(11.3)	(7.5)	(0.2)	(6.2)	(4.3)	(3.1)	(3.3)	(1.4)	(0.9)	(1.0)	(1.2)	(100.0)				
平均	48.68	48.80	48.92	48.73	49.10	49.58	48.56	44.97	49.91	48.57	49.12	47.95	48.74	51.91	49.03	48.86	48.96	49.24	48.96		
標準偏差	16.37	16.30	16.72	16.39	16.22	16.02	16.47	12.92	17.46	16.10	17.18	15.59	17.08	19.54	15.87	14.39	16.42	15.91	16.41		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査