

表 3579 PTH値(pg/mL) HDL-C濃度(mg/dL)別（施設血液透析患者 透析回数週3回）PTH測定法:whole-PTH

HDL-C濃度	20未満	20～	35～	50～	75～	100～	125～	150～	151～	180～	210～	240～	300～	350～	400～	500～	合計	記載なし	総計	平均	標準偏差
20未満	14	3	4	5	5	3	3				2						39		39	61.41	56.77
(%)	(35.9)	(7.7)	(10.3)	(12.8)	(12.8)	(7.7)	(7.7)				(5.1)						(100.0)				
20～	84	112	90	168	127	93	69	2	51	49	33	36	11	8	8	6	947	7	954	103.68	95.41
(%)	(8.9)	(11.8)	(9.5)	(17.7)	(13.4)	(9.8)	(7.3)	(0.2)	(5.4)	(5.2)	(3.5)	(3.8)	(1.2)	(0.8)	(0.8)	(0.6)	(100.0)				
30～	271	350	296	441	366	300	226	9	160	122	76	100	33	19	27	21	2,817	25	2,842	102.53	100.54
(%)	(9.6)	(12.4)	(10.5)	(15.7)	(13.0)	(10.6)	(8.0)	(0.3)	(5.7)	(4.3)	(2.7)	(3.5)	(1.2)	(0.7)	(1.0)	(0.7)	(100.0)				
40～	304	365	338	516	444	383	240	6	181	134	86	110	43	28	24	27	3,229	25	3,254	104.21	114.97
(%)	(9.4)	(11.3)	(10.5)	(16.0)	(13.8)	(11.9)	(7.4)	(0.2)	(5.6)	(4.1)	(2.7)	(3.4)	(1.3)	(0.9)	(0.7)	(0.8)	(100.0)				
50～	214	247	228	351	335	277	171	3	151	91	80	63	32	16	21	22	2,302	22	2,324	105.08	99.26
(%)	(9.3)	(10.7)	(9.9)	(15.2)	(14.6)	(12.0)	(7.4)	(0.1)	(6.6)	(4.0)	(3.5)	(2.7)	(1.4)	(0.7)	(0.9)	(1.0)	(100.0)				
60～	109	165	144	185	188	158	90	2	83	57	32	54	17	9	17	12	1,322	11	1,333	105.41	96.01
(%)	(8.2)	(12.5)	(10.9)	(14.0)	(14.2)	(12.0)	(6.8)	(0.2)	(6.3)	(4.3)	(2.4)	(4.1)	(1.3)	(0.7)	(1.3)	(0.9)	(100.0)				
70～	57	76	61	97	89	79	49	3	45	25	26	19	8	5	3	4	646	5	651	102.18	85.87
(%)	(8.8)	(11.8)	(9.4)	(15.0)	(13.8)	(12.2)	(7.6)	(0.5)	(7.0)	(3.9)	(4.0)	(2.9)	(1.2)	(0.8)	(0.5)	(0.6)	(100.0)				
80～	22	40	35	57	50	43	29		21	11	8	11	5	5	5	1	343	3	346	104.71	87.57
(%)	(6.4)	(11.7)	(10.2)	(16.6)	(14.6)	(12.5)	(8.5)		(6.1)	(3.2)	(2.3)	(3.2)	(1.5)	(1.5)	(1.5)	(0.3)	(100.0)				
90～	15	13	17	26	16	15	10		3	5	4	6	1	2	1		134	1	135	95.12	83.90
(%)	(11.2)	(9.7)	(12.7)	(19.4)	(11.9)	(11.2)	(7.5)		(2.2)	(3.7)	(3.0)	(4.5)	(0.7)	(1.5)	(0.7)		(100.0)				
100～	9	4	9	12	12	13	6		13	4	4	1	3	1	1		92	1	93	113.91	85.15
(%)	(9.8)	(4.3)	(9.8)	(13.0)	(13.0)	(14.1)	(6.5)		(14.1)	(4.3)	(4.3)	(1.1)	(3.3)	(1.1)	(1.1)		(100.0)				
合計	1,099	1,375	1,222	1,858	1,632	1,364	893	25	708	498	351	400	153	93	107	93	11,871	100	11,971	103.81	102.12
(%)	(9.3)	(11.6)	(10.3)	(15.7)	(13.7)	(11.5)	(7.5)	(0.2)	(6.0)	(4.2)	(3.0)	(3.4)	(1.3)	(0.8)	(0.9)	(0.8)	(100.0)				
記載なし	400	473	391	601	516	423	294	12	226	168	121	126	52	42	45	73	3,963	338	4,301	111.36	128.07
(%)	(10.1)	(11.9)	(9.9)	(15.2)	(13.0)	(10.7)	(7.4)	(0.3)	(5.7)	(4.2)	(3.1)	(3.2)	(1.3)	(1.1)	(1.1)	(1.8)	(100.0)				
総計	1,499	1,848	1,613	2,459	2,148	1,787	1,187	37	934	666	472	526	205	135	152	166	15,834	438	16,272	105.70	109.24
(%)	(9.5)	(11.7)	(10.2)	(15.5)	(13.6)	(11.3)	(7.5)	(0.2)	(5.9)	(4.2)	(3.0)	(3.3)	(1.3)	(0.9)	(1.0)	(1.0)	(100.0)				
平均	47.63	47.89	48.51	48.05	48.89	49.30	48.11	45.60	49.88	47.68	48.66	48.22	49.87	49.46	49.59	48.25	48.47	49.01	48.47		
標準偏差	16.11	15.44	16.47	16.06	16.06	15.96	16.16	13.79	17.58	15.73	17.40	15.64	16.89	17.62	16.53	13.19	16.15	16.67	16.15		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査