

表 3580 PTH値(pg/mL) Non-HDL-C濃度(mg/dL)別（施設血液透析患者 透析回数週3回）PTH測定法:whole-PTH

Non-HDL-C濃度	20未満	20～	35～	50～	75～	100～	125～	150～	151～	180～	210～	240～	300～	350～	400～	500～	合計	記載なし	総計	平均	標準偏差
50未満	25	17	18	28	18	8	8		8	6	3	8	2			2	151	2	153	91.28	90.07
(%)	(16.6)	(11.3)	(11.9)	(18.5)	(11.9)	(5.3)	(5.3)		(5.3)	(4.0)	(2.0)	(5.3)	(1.3)			(1.3)	(100.0)				
50～	89	110	120	151	143	117	54		61	36	30	31	10	3	13	6	974	9	983	101.61	110.13
(%)	(9.1)	(11.3)	(12.3)	(15.5)	(14.7)	(12.0)	(5.5)		(6.3)	(3.7)	(3.1)	(3.2)	(1.0)	(0.3)	(1.3)	(0.6)	(100.0)				
70～	232	265	208	344	310	218	161	1	104	68	58	80	14	12	14	16	2,105	19	2,124	96.55	89.12
(%)	(11.0)	(12.6)	(9.9)	(16.3)	(14.7)	(10.4)	(7.6)	(0.0)	(4.9)	(3.2)	(2.8)	(3.8)	(0.7)	(0.6)	(0.7)	(0.8)	(100.0)				
90～	208	302	255	402	334	289	188	2	146	104	59	78	33	20	24	22	2,466	16	2,482	104.01	104.73
(%)	(8.4)	(12.2)	(10.3)	(16.3)	(13.5)	(11.7)	(7.6)	(0.1)	(5.9)	(4.2)	(2.4)	(3.2)	(1.3)	(0.8)	(1.0)	(0.9)	(100.0)				
110～	196	248	206	300	284	244	172	6	131	93	62	66	34	18	25	16	2,101	19	2,120	106.85	112.29
(%)	(9.3)	(11.8)	(9.8)	(14.3)	(13.5)	(11.6)	(8.2)	(0.3)	(6.2)	(4.4)	(3.0)	(3.1)	(1.6)	(0.9)	(1.2)	(0.8)	(100.0)				
130～	109	135	99	188	164	151	101	4	78	72	31	46	23	13	6	6	1,226	15	1,241	106.20	87.41
(%)	(8.9)	(11.0)	(8.1)	(15.3)	(13.4)	(12.3)	(8.2)	(0.3)	(6.4)	(5.9)	(2.5)	(3.8)	(1.9)	(1.1)	(0.5)	(0.5)	(100.0)				
150～	64	71	54	91	72	61	42	2	37	26	27	27	12	6	9	7	608	4	612	115.00	129.75
(%)	(10.5)	(11.7)	(8.9)	(15.0)	(11.8)	(10.0)	(6.9)	(0.3)	(6.1)	(4.3)	(4.4)	(4.4)	(2.0)	(1.0)	(1.5)	(1.2)	(100.0)				
170～	32	34	34	43	36	30	26		26	11	15	12	5	4	5	6	319	3	322	118.55	120.40
(%)	(10.0)	(10.7)	(10.7)	(13.5)	(11.3)	(9.4)	(8.2)		(8.2)	(3.4)	(4.7)	(3.8)	(1.6)	(1.3)	(1.6)	(1.9)	(100.0)				
190～	7	10	13	16	13	11	7	2	9	2	5	2	4		1	3	105		105	128.02	168.42
(%)	(6.7)	(9.5)	(12.4)	(15.2)	(12.4)	(10.5)	(6.7)	(1.9)	(8.6)	(1.9)	(4.8)	(1.9)	(3.8)		(1.0)	(2.9)	(100.0)				
210～	1	5	3	5	5	7	1		2	5	5	5		3	2		49		49	156.63	114.27
(%)	(2.0)	(10.2)	(6.1)	(10.2)	(10.2)	(14.3)	(2.0)		(4.1)	(10.2)	(10.2)	(10.2)		(6.1)	(4.1)		(100.0)				
合計	963	1,197	1,010	1,568	1,379	1,136	760	17	602	423	295	355	137	79	99	84	10,104	87	10,191	104.51	105.06
(%)	(9.5)	(11.8)	(10.0)	(15.5)	(13.6)	(11.2)	(7.5)	(0.2)	(6.0)	(4.2)	(2.9)	(3.5)	(1.4)	(0.8)	(1.0)	(0.8)	(100.0)				
記載なし	536	651	603	891	769	651	427	20	332	243	177	171	68	56	53	82	5,730	351	6,081	107.78	116.22
(%)	(9.4)	(11.4)	(10.5)	(15.5)	(13.4)	(11.4)	(7.5)	(0.3)	(5.8)	(4.2)	(3.1)	(3.0)	(1.2)	(1.0)	(0.9)	(1.4)	(100.0)				
総計	1,499	1,848	1,613	2,459	2,148	1,787	1,187	37	934	666	472	526	205	135	152	166	15,834	438	16,272	105.70	109.24
(%)	(9.5)	(11.7)	(10.2)	(15.5)	(13.6)	(11.3)	(7.5)	(0.2)	(5.9)	(4.2)	(3.0)	(3.3)	(1.3)	(0.9)	(1.0)	(1.0)	(100.0)				
平均	105.35	106.49	105.02	105.96	105.83	107.52	109.03	133.29	109.69	111.70	112.75	108.72	116.45	118.95	111.63	113.06	107.42	105.52	107.41		
標準偏差	32.82	31.94	32.88	32.73	32.15	32.87	30.85	32.40	33.51	33.40	38.91	35.10	32.94	36.04	36.32	36.90	33.01	31.35	33.00		

数値下のかっこ内は行方向の合計に対する％です。

(C)Japanese Society for Dialysis Therapy

2014年調査