

表 3590 PTH値(pg/mL) 透析前ヘモグロビン濃度(g/dL)別（血液透析濾過患者 透析回数週3回）PTH測定法:whole-PTH

透析前ヘモグロビン濃度	20未満	20～	35～	50～	75～	100～	125～	150～	151～	180～	210～	240～	300～	350～	400～	500～	合計	記載なし	総計	平均	標準偏差
5未満																	1		1	79.00	
(%)																	(100.0)				
5～					1												6		6	36.17	30.95
(%)					(100.0)												(100.0)				
6～	2	2		1	1												19	2	21	104.05	105.75
(%)	(33.3)	(33.3)		(16.7)	(16.7)												(100.0)				
7～	3	1	2	3	4		2		2				1		1		105	1	106	152.87	207.16
(%)	(15.8)	(5.3)	(10.5)	(15.8)	(21.1)		(10.5)		(10.5)				(5.3)		(5.3)		(100.0)				
8～	7	12	8	17	12	6	10		12	3	3	3	2	2	1	7	414	2	416	112.73	104.75
(%)	(6.7)	(11.4)	(7.6)	(16.2)	(11.4)	(5.7)	(9.5)		(11.4)	(2.9)	(2.9)	(2.9)	(1.9)	(1.9)	(1.0)	(6.7)	(100.0)				
9～	39	45	40	61	52	38	29	1	34	25	18	13	5		7	7	929	2	931	109.74	106.98
(%)	(9.4)	(10.9)	(9.7)	(14.7)	(12.6)	(9.2)	(7.0)	(0.2)	(8.2)	(6.0)	(4.3)	(3.1)	(1.2)		(1.7)	(1.7)	(100.0)				
10～	83	92	83	150	132	108	79	2	66	33	28	30	13	11	8	11	930	4	934	109.68	97.56
(%)	(8.9)	(9.9)	(8.9)	(16.1)	(14.2)	(11.6)	(8.5)	(0.2)	(7.1)	(3.6)	(3.0)	(3.2)	(1.4)	(1.2)	(0.9)	(1.2)	(100.0)				
11～	72	103	95	135	118	118	72	1	74	46	28	28	10	11	5	14	346		346	109.77	93.74
(%)	(7.7)	(11.1)	(10.2)	(14.5)	(12.7)	(12.7)	(7.7)	(0.1)	(8.0)	(4.9)	(3.0)	(3.0)	(1.1)	(1.2)	(0.5)	(1.5)	(100.0)				
12～	27	30	37	55	46	39	31		19	24	12	11	8	4		3	79		79	122.00	129.30
(%)	(7.8)	(8.7)	(10.7)	(15.9)	(13.3)	(11.3)	(9.0)		(5.5)	(6.9)	(3.5)	(3.2)	(2.3)	(1.2)		(0.9)	(100.0)				
13～	8	10	4	11	12	11	4		4	1	6	1	3		2	2	43		43	115.07	120.07
(%)	(10.1)	(12.7)	(5.1)	(13.9)	(15.2)	(13.9)	(5.1)		(5.1)	(1.3)	(7.6)	(1.3)	(3.8)		(2.5)	(2.5)	(100.0)				
14～	4	6	2	6	5	8	2		3	1	2	1	1	1		1					
(%)	(9.3)	(14.0)	(4.7)	(14.0)	(11.6)	(18.6)	(4.7)		(7.0)	(2.3)	(4.7)	(2.3)	(2.3)	(2.3)		(2.3)	(100.0)				
合計	245	301	271	439	383	328	229	4	214	133	97	88	42	29	24	45	2,872	11	2,883	111.95	108.56
(%)	(8.5)	(10.5)	(9.4)	(15.3)	(13.3)	(11.4)	(8.0)	(0.1)	(7.5)	(4.6)	(3.4)	(3.1)	(1.5)	(1.0)	(0.8)	(1.6)	(100.0)				
記載なし	4		3	5	8	3	5		1	4	1						34	20	54	98.62	58.84
(%)	(11.8)		(8.8)	(14.7)	(23.5)	(8.8)	(14.7)		(2.9)	(11.8)	(2.9)						(100.0)				
総計	249	301	274	444	391	331	234	4	215	137	98	88	42	29	24	45	2,906	31	2,937	111.79	108.12
(%)	(8.6)	(10.4)	(9.4)	(15.3)	(13.5)	(11.4)	(8.1)	(0.1)	(7.4)	(4.7)	(3.4)	(3.0)	(1.4)	(1.0)	(0.8)	(1.5)	(100.0)				
平均	10.84	10.92	10.90	10.93	10.89	11.09	10.88	10.43	10.81	11.02	10.98	10.90	11.20	11.16	10.36	10.70	10.92	9.95	10.92		
標準偏差	1.26	1.28	1.10	1.24	1.22	1.16	1.11	0.90	1.25	1.07	1.24	1.11	1.30	1.12	1.28	1.47	1.21	1.50	1.21		

数値下のかつこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査