

表 3599 PTH値(pg/mL) 透析歴(年)別（腹膜透析患者）PTH測定法:whole-PTH

透析歴	20未満	20～	35～	50～	75～	100～	125～	150～	151～	180～	210～	240～	300～	350～	400～	500～	合計	記載なし	総計	平均	標準偏差
2年未満	13	16	15	21	17	39	17		22	10	13	11	12	3	4	5	218	37	255	146.26	123.24
(%)	(6.0)	(7.3)	(6.9)	(9.6)	(7.8)	(17.9)	(7.8)		(10.1)	(4.6)	(6.0)	(5.0)	(5.5)	(1.4)	(1.8)	(2.3)	(100.0)				
2年～	20	14	18	35	24	14	16		6	14	7	6	6	2	4	3	189	43	232	121.62	130.09
(%)	(10.6)	(7.4)	(9.5)	(18.5)	(12.7)	(7.4)	(8.5)		(3.2)	(7.4)	(3.7)	(3.2)	(3.2)	(1.1)	(2.1)	(1.6)	(100.0)				
5年～	5	12	16	13	19	12	10	1	10	6	5	5		2	3	2	121	48	169	124.98	117.63
(%)	(4.1)	(9.9)	(13.2)	(10.7)	(15.7)	(9.9)	(8.3)	(0.8)	(8.3)	(5.0)	(4.1)	(4.1)		(1.7)	(2.5)	(1.7)	(100.0)				
10年～	1	2	5	6	7	4	2		2	4	1	1	1	1			37	9	46	115.00	84.90
(%)	(2.7)	(5.4)	(13.5)	(16.2)	(18.9)	(10.8)	(5.4)		(5.4)	(10.8)	(2.7)	(2.7)	(2.7)	(2.7)			(100.0)				
15年～	1	1	1	2	2	2			2							1	12	2	14	176.50	325.44
(%)	(8.3)	(8.3)	(8.3)	(16.7)	(16.7)	(16.7)			(16.7)							(8.3)	(100.0)				
20年～											1						1	1	2	231.00	
(%)											(100.0)						(100.0)				
25年～									1								1		1	153.00	
(%)									(100.0)								(100.0)				
30年～																					
(%)																					
35年～																					
(%)																					
40年～																					
(%)																					
合計	40	45	55	77	69	71	45	1	43	34	27	23	19	8	11	11	579	140	719	132.56	129.39
(%)	(6.9)	(7.8)	(9.5)	(13.3)	(11.9)	(12.3)	(7.8)	(0.2)	(7.4)	(5.9)	(4.7)	(4.0)	(3.3)	(1.4)	(1.9)	(1.9)	(100.0)				
不明																					
(%)																					
記載なし																					
(%)																					
総計	40	45	55	77	69	71	45	1	43	34	27	23	19	8	11	11	579	140	719	132.56	129.39
(%)	(6.9)	(7.8)	(9.5)	(13.3)	(11.9)	(12.3)	(7.8)	(0.2)	(7.4)	(5.9)	(4.7)	(4.0)	(3.3)	(1.4)	(1.9)	(1.9)	(100.0)				
平均	3.33	3.76	4.53	3.75	4.68	3.04	3.00	8.00	3.93	3.68	3.52	2.65	2.05	3.63	3.18	3.27	3.65	4.48	3.81		
標準偏差	3.25	3.43	3.90	3.57	4.13	3.98	2.97		5.47	3.62	4.64	2.64	3.17	3.58	3.25	4.84	3.87	3.80	3.87		

数値下のかっこ内は行方向の合計に対する％です。
(C)Japanese Society for Dialysis Therapy
2014年調査