

表 3632 透析前ヘモグロビン濃度(g/dL) HDL-C濃度(mg/dL)別 (施設血液透析患者 透析回数週3回)

HDL-C濃度	5未満	5～	6～	7～	8～	9～	10～	11～	12～	13～	14～	合計	記載なし	総計	平均	標準偏差
20未満	1	7	23	69	86	147	170	119	34	6	4	666	5	671	9.81	1.66
(%)	(0.2)	(1.1)	(3.5)	(10.4)	(12.9)	(22.1)	(25.5)	(17.9)	(5.1)	(0.9)	(0.6)	(100.0)				
20～	17	35	100	328	909	2,214	4,203	3,411	1,148	300	107	12,772	74	12,846	10.56	1.36
(%)	(0.1)	(0.3)	(0.8)	(2.6)	(7.1)	(17.3)	(32.9)	(26.7)	(9.0)	(2.3)	(0.8)	(100.0)				
30～	40	59	149	595	1,926	6,131	12,436	10,210	3,804	981	386	36,717	171	36,888	10.71	1.29
(%)	(0.1)	(0.2)	(0.4)	(1.6)	(5.2)	(16.7)	(33.9)	(27.8)	(10.4)	(2.7)	(1.1)	(100.0)				
40～	55	86	132	559	1,915	6,568	14,047	11,541	4,215	1,055	360	40,533	196	40,729	10.73	1.26
(%)	(0.1)	(0.2)	(0.3)	(1.4)	(4.7)	(16.2)	(34.7)	(28.5)	(10.4)	(2.6)	(0.9)	(100.0)				
50～	44	39	83	317	1,249	4,537	10,285	8,411	2,986	725	249	28,925	155	29,080	10.76	1.22
(%)	(0.2)	(0.1)	(0.3)	(1.1)	(4.3)	(15.7)	(35.6)	(29.1)	(10.3)	(2.5)	(0.9)	(100.0)				
60～	21	20	41	175	632	2,598	5,908	5,002	1,716	435	146	16,694	98	16,792	10.78	1.20
(%)	(0.1)	(0.1)	(0.2)	(1.0)	(3.8)	(15.6)	(35.4)	(30.0)	(10.3)	(2.6)	(0.9)	(100.0)				
70～	10	9	23	76	307	1,254	2,930	2,418	853	204	47	8,131	70	8,201	10.78	1.18
(%)	(0.1)	(0.1)	(0.3)	(0.9)	(3.8)	(15.4)	(36.0)	(29.7)	(10.5)	(2.5)	(0.6)	(100.0)				
80～	1	7	4	41	122	591	1,389	1,123	414	85	24	3,801	33	3,834	10.78	1.14
(%)	(0.0)	(0.2)	(0.1)	(1.1)	(3.2)	(15.5)	(36.5)	(29.5)	(10.9)	(2.2)	(0.6)	(100.0)				
90～	2	1	3	17	78	256	636	518	153	32	10	1,706	27	1,733	10.73	1.17
(%)	(0.1)	(0.1)	(0.2)	(1.0)	(4.6)	(15.0)	(37.3)	(30.4)	(9.0)	(1.9)	(0.6)	(100.0)				
100～	6	2	3	15	59	225	503	412	136	35	9	1,405	53	1,458	10.73	1.25
(%)	(0.4)	(0.1)	(0.2)	(1.1)	(4.2)	(16.0)	(35.8)	(29.3)	(9.7)	(2.5)	(0.6)	(100.0)				
合計	197	265	561	2,192	7,283	24,521	52,507	43,165	15,459	3,858	1,342	151,350	882	152,232	10.72	1.26
(%)	(0.1)	(0.2)	(0.4)	(1.4)	(4.8)	(16.2)	(34.7)	(28.5)	(10.2)	(2.5)	(0.9)	(100.0)				
記載なし	64	97	381	1,386	4,443	12,517	22,710	18,314	6,911	1,679	591	69,093	7,646	76,739	10.62	1.32
(%)	(0.1)	(0.1)	(0.6)	(2.0)	(6.4)	(18.1)	(32.9)	(26.5)	(10.0)	(2.4)	(0.9)	(100.0)				
総計	261	362	942	3,578	11,726	37,038	75,217	61,479	22,370	5,537	1,933	220,443	8,528	228,971	10.69	1.28
(%)	(0.1)	(0.2)	(0.4)	(1.6)	(5.3)	(16.8)	(34.1)	(27.9)	(10.1)	(2.5)	(0.9)	(100.0)				
平均	49.11	44.58	41.99	43.51	45.49	47.67	48.67	48.73	48.49	48.04	46.62	48.21	54.93	48.25		
標準偏差	17.51	16.81	15.73	16.82	16.43	16.41	16.54	16.47	16.26	16.01	15.30	16.48	24.42	16.54		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査