

表 3633 透析前ヘモグロビン濃度(g/dL) Non-HDL-C濃度(mg/dL)別(施設血液透析患者 透析回数週3回)

Non-HDL-C濃度	5未満	5～	6～	7～	8～	9～	10～	11～	12～	13～	14～	合計	記載なし	総計	平均	標準偏差
50未満	8	15	30	104	252	504	900	613	204	59	17	2,706	10	2,716	10.34	1.45
(%)	(0.3)	(0.6)	(1.1)	(3.8)	(9.3)	(18.6)	(33.3)	(22.7)	(7.5)	(2.2)	(0.6)	(100.0)				
50～	7	27	90	324	850	2,341	4,430	3,274	1,128	244	83	12,798	108	12,906	10.53	1.30
(%)	(0.1)	(0.2)	(0.7)	(2.5)	(6.6)	(18.3)	(34.6)	(25.6)	(8.8)	(1.9)	(0.6)	(100.0)				
70～	23	64	126	518	1,569	5,001	9,908	7,654	2,683	615	211	28,372	160	28,532	10.63	1.27
(%)	(0.1)	(0.2)	(0.4)	(1.8)	(5.5)	(17.6)	(34.9)	(27.0)	(9.5)	(2.2)	(0.7)	(100.0)				
90～	22	49	110	432	1,571	5,526	11,799	9,514	3,317	796	295	33,431	148	33,579	10.72	1.23
(%)	(0.1)	(0.1)	(0.3)	(1.3)	(4.7)	(16.5)	(35.3)	(28.5)	(9.9)	(2.4)	(0.9)	(100.0)				
110～	16	38	65	287	1,109	4,030	9,260	7,895	2,854	750	261	26,565	114	26,679	10.80	1.22
(%)	(0.1)	(0.1)	(0.2)	(1.1)	(4.2)	(15.2)	(34.9)	(29.7)	(10.7)	(2.8)	(1.0)	(100.0)				
130～	11	20	31	160	622	2,313	5,527	4,822	1,872	515	168	16,061	72	16,133	10.85	1.22
(%)	(0.1)	(0.1)	(0.2)	(1.0)	(3.9)	(14.4)	(34.4)	(30.0)	(11.7)	(3.2)	(1.0)	(100.0)				
150～	4	8	22	65	267	1,128	2,675	2,479	974	290	97	8,009	34	8,043	10.91	1.23
(%)	(0.0)	(0.1)	(0.3)	(0.8)	(3.3)	(14.1)	(33.4)	(31.0)	(12.2)	(3.6)	(1.2)	(100.0)				
170～	2	2	10	26	116	512	1,162	1,064	449	146	59	3,548	19	3,567	10.95	1.26
(%)	(0.1)	(0.1)	(0.3)	(0.7)	(3.3)	(14.4)	(32.8)	(30.0)	(12.7)	(4.1)	(1.7)	(100.0)				
190～	1	2	2	14	45	198	422	419	159	46	23	1,331	7	1,338	10.92	1.26
(%)	(0.1)	(0.2)	(0.2)	(1.1)	(3.4)	(14.9)	(31.7)	(31.5)	(11.9)	(3.5)	(1.7)	(100.0)				
210～	1	1	4	8	44	123	247	247	103	41	11	830	2	832	10.91	1.38
(%)	(0.1)	(0.1)	(0.5)	(1.0)	(5.3)	(14.8)	(29.8)	(29.8)	(12.4)	(4.9)	(1.3)	(100.0)				
合計	95	226	490	1,938	6,445	21,676	46,330	37,981	13,743	3,502	1,225	133,651	674	134,325	10.73	1.25
(%)	(0.1)	(0.2)	(0.4)	(1.5)	(4.8)	(16.2)	(34.7)	(28.4)	(10.3)	(2.6)	(0.9)	(100.0)				
記載なし	166	136	452	1,640	5,281	15,362	28,887	23,498	8,627	2,035	708	86,792	7,854	94,646	10.63	1.31
(%)	(0.2)	(0.2)	(0.5)	(1.9)	(6.1)	(17.7)	(33.3)	(27.1)	(9.9)	(2.3)	(0.8)	(100.0)				
総計	261	362	942	3,578	11,726	37,038	75,217	61,479	22,370	5,537	1,933	220,443	8,528	228,971	10.69	1.28
(%)	(0.1)	(0.2)	(0.4)	(1.6)	(5.3)	(16.8)	(34.1)	(27.9)	(10.1)	(2.5)	(0.9)	(100.0)				
平均	101.38	96.15	94.69	94.78	99.76	103.76	106.02	108.38	109.94	113.22	113.71	106.46	101.63	106.43		
標準偏差	36.51	33.12	34.85	33.10	33.55	32.99	32.72	33.19	33.66	35.65	35.63	33.31	33.69	33.32		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査