

表 3639 透析前ヘモグロビン濃度(g/dL) 透析歴(年)別 (血液透析濾過患者 透析回数週3回)

透析歴	5未満	5～	6～	7～	8～	9～	10～	11～	12～	13～	14～	合計	記載なし	総計	平均	標準偏差
2年未満	2	3	20	84	273	765	1,555	1,341	543	120	45	4,751	213	4,964	10.74	1.30
(%)	(0.0)	(0.1)	(0.4)	(1.8)	(5.7)	(16.1)	(32.7)	(28.2)	(11.4)	(2.5)	(0.9)	(100.0)				
2年～	7	10	21	85	347	1,288	2,887	2,502	846	255	114	8,362	253	8,615	10.82	1.25
(%)	(0.1)	(0.1)	(0.3)	(1.0)	(4.1)	(15.4)	(34.5)	(29.9)	(10.1)	(3.0)	(1.4)	(100.0)				
5年～	4	14	30	116	425	1,518	3,271	2,872	1,120	287	143	9,800	316	10,116	10.83	1.28
(%)	(0.0)	(0.1)	(0.3)	(1.2)	(4.3)	(15.5)	(33.4)	(29.3)	(11.4)	(2.9)	(1.5)	(100.0)				
10年～	3	1	16	68	218	853	2,003	1,837	712	221	77	6,009	185	6,194	10.89	1.25
(%)	(0.0)	(0.0)	(0.3)	(1.1)	(3.6)	(14.2)	(33.3)	(30.6)	(11.8)	(3.7)	(1.3)	(100.0)				
15年～	5		7	33	113	526	1,256	1,190	492	142	70	3,834	90	3,924	10.98	1.25
(%)	(0.1)		(0.2)	(0.9)	(2.9)	(13.7)	(32.8)	(31.0)	(12.8)	(3.7)	(1.8)	(100.0)				
20年～	2	1	6	14	87	351	850	823	319	73	31	2,557	80	2,637	10.92	1.18
(%)	(0.1)	(0.0)	(0.2)	(0.5)	(3.4)	(13.7)	(33.2)	(32.2)	(12.5)	(2.9)	(1.2)	(100.0)				
25年～	2	1	4	16	62	245	555	501	162	48	17	1,613	38	1,651	10.83	1.22
(%)	(0.1)	(0.1)	(0.2)	(1.0)	(3.8)	(15.2)	(34.4)	(31.1)	(10.0)	(3.0)	(1.1)	(100.0)				
30年～	1	1	7	14	61	177	337	330	119	25	14	1,086	37	1,123	10.73	1.30
(%)	(0.1)	(0.1)	(0.6)	(1.3)	(5.6)	(16.3)	(31.0)	(30.4)	(11.0)	(2.3)	(1.3)	(100.0)				
35年～			3	11	38	108	190	145	57	12	10	574	13	587	10.63	1.32
(%)			(0.5)	(1.9)	(6.6)	(18.8)	(33.1)	(25.3)	(9.9)	(2.1)	(1.7)	(100.0)				
40年～				4	12	17	40	34	10	2	2	121	3	124	10.58	1.32
(%)				(3.3)	(9.9)	(14.0)	(33.1)	(28.1)	(8.3)	(1.7)	(1.7)	(100.0)				
合計	26	31	114	445	1,636	5,848	12,944	11,575	4,380	1,185	523	38,707	1,228	39,935	10.84	1.26
(%)	(0.1)	(0.1)	(0.3)	(1.1)	(4.2)	(15.1)	(33.4)	(29.9)	(11.3)	(3.1)	(1.4)	(100.0)				
不明					1	2	3	2	2			10	1	11	10.50	1.34
(%)					(10.0)	(20.0)	(30.0)	(20.0)	(20.0)			(100.0)				
記載なし																
(%)																
総計	26	31	114	445	1,637	5,850	12,947	11,577	4,382	1,185	523	38,717	1,229	39,946	10.84	1.26
(%)	(0.1)	(0.1)	(0.3)	(1.1)	(4.2)	(15.1)	(33.4)	(29.9)	(11.3)	(3.1)	(1.4)	(100.0)				
平均	11.62	6.97	10.08	9.30	9.70	9.91	9.99	10.19	10.21	10.12	10.49	10.05	9.18	10.02		
標準偏差	9.06	6.94	9.86	9.50	9.59	9.08	8.84	8.81	8.67	8.29	8.66	8.87	8.72	8.87		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査