

表 3671 総コレステロール濃度(mg/dL) Non-HDL-C濃度(mg/dL)別 (透析患者全体)

Non-HDL-C濃度	100未満	100～	120～	140～	160～	180～	200～	220～	240～	260～	合計	記載なし	総計	平均	標準偏差
50未満	2,032	792	354	132	60	20	18	2			3,410		3,410	98.35	25.99
(%)	(59.6)	(23.2)	(10.4)	(3.9)	(1.8)	(0.6)	(0.5)	(0.1)			(100.0)				
50～	3,819	7,104	3,732	1,023	317	74	23	9			16,101		16,101	113.48	19.37
(%)	(23.7)	(44.1)	(23.2)	(6.4)	(2.0)	(0.5)	(0.1)	(0.1)			(100.0)				
70～	505	9,709	16,119	7,025	1,766	325	84	22	9	5	35,569		35,569	130.23	17.89
(%)	(1.4)	(27.3)	(45.3)	(19.8)	(5.0)	(0.9)	(0.2)	(0.1)	(0.0)	(0.0)	(100.0)				
90～		733	13,248	18,971	7,410	1,666	285	48	15	2	42,378		42,378	148.14	16.85
(%)		(1.7)	(31.3)	(44.8)	(17.5)	(3.9)	(0.7)	(0.1)	(0.0)	(0.0)	(100.0)				
110～			690	11,853	14,917	5,415	1,117	169	33	9	34,203		34,203	166.65	16.55
(%)			(2.0)	(34.7)	(43.6)	(15.8)	(3.3)	(0.5)	(0.1)	(0.0)	(100.0)				
130～				523	7,881	8,764	3,094	578	105	18	20,963		20,963	185.36	16.36
(%)				(2.5)	(37.6)	(41.8)	(14.8)	(2.8)	(0.5)	(0.1)	(100.0)				
150～					296	4,291	4,333	1,355	261	54	10,590		10,590	204.25	16.22
(%)					(2.8)	(40.5)	(40.9)	(12.8)	(2.5)	(0.5)	(100.0)				
170～						169	2,102	1,790	528	133	4,722		4,722	222.62	16.12
(%)						(3.6)	(44.5)	(37.9)	(11.2)	(2.8)	(100.0)				
190～							59	850	654	246	1,809		1,809	242.43	16.84
(%)							(3.3)	(47.0)	(36.2)	(13.6)	(100.0)				
210～								21	334	769	1,124		1,124	278.32	30.99
(%)								(1.9)	(29.7)	(68.4)	(100.0)				
合計	6,356	18,338	34,143	39,527	32,647	20,724	11,115	4,844	1,939	1,236	170,869		170,869	155.82	35.63
(%)	(3.7)	(10.7)	(20.0)	(23.1)	(19.1)	(12.1)	(6.5)	(2.8)	(1.1)	(0.7)	(100.0)				
記載なし	1,474	4,384	8,058	9,132	7,596	4,801	2,608	1,227	461	350	40,091	99,148	139,239	156.04	36.20
(%)	(3.7)	(10.9)	(20.1)	(22.8)	(18.9)	(12.0)	(6.5)	(3.1)	(1.1)	(0.9)	(100.0)				
総計	7,830	22,722	42,201	48,659	40,243	25,525	13,723	6,071	2,400	1,586	210,960	99,148	310,108	155.86	35.74
(%)	(3.7)	(10.8)	(20.0)	(23.1)	(19.1)	(12.1)	(6.5)	(2.9)	(1.1)	(0.8)	(100.0)				
平均	53.74	70.68	85.48	101.18	117.23	134.16	151.32	169.10	186.08	220.03	107.08		107.08		
標準偏差	12.80	11.67	13.45	15.24	17.30	18.91	21.02	22.70	25.17	37.85	33.61		33.61		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査