

表 3673 総コレステロール濃度(mg/dL) 透析前拡張期血圧(mmHg)別 (透析患者全体)

透析前拡張 期血圧	100未満	100～	120～	140～	160～	180～	200～	220～	240～	260～	合計	記載なし	総計	平均	標準偏差
20未満	7	5	10	15	8	7	7	2			61	19	80	153.70	39.77
(%)	(11.5)	(8.2)	(16.4)	(24.6)	(13.1)	(11.5)	(11.5)	(3.3)			(100.0)				
20～	41	83	147	139	102	68	33	17	10	2	642	154	796	149.91	37.19
(%)	(6.4)	(12.9)	(22.9)	(21.7)	(15.9)	(10.6)	(5.1)	(2.6)	(1.6)	(0.3)	(100.0)				
40～	957	2,325	3,788	3,700	2,847	1,693	832	365	155	101	16,763	3,717	20,480	149.73	35.83
(%)	(5.7)	(13.9)	(22.6)	(22.1)	(17.0)	(10.1)	(5.0)	(2.2)	(0.9)	(0.6)	(100.0)				
60～	3,781	10,640	19,428	21,848	17,394	10,796	5,572	2,391	945	657	93,452	18,426	111,878	154.16	35.40
(%)	(4.0)	(11.4)	(20.8)	(23.4)	(18.6)	(11.6)	(6.0)	(2.6)	(1.0)	(0.7)	(100.0)				
80～	1,626	5,000	9,677	11,552	9,848	6,286	3,479	1,573	597	360	49,998	9,689	59,687	157.42	35.44
(%)	(3.3)	(10.0)	(19.4)	(23.1)	(19.7)	(12.6)	(7.0)	(3.1)	(1.2)	(0.7)	(100.0)				
90～	764	2,509	5,010	6,167	5,515	3,599	2,002	959	340	235	27,100	5,151	32,251	159.35	35.84
(%)	(2.8)	(9.3)	(18.5)	(22.8)	(20.4)	(13.3)	(7.4)	(3.5)	(1.3)	(0.9)	(100.0)				
100～	338	1,171	2,339	3,011	2,692	1,827	1,107	459	218	131	13,293	2,478	15,771	161.13	36.17
(%)	(2.5)	(8.8)	(17.6)	(22.7)	(20.3)	(13.7)	(8.3)	(3.5)	(1.6)	(1.0)	(100.0)				
120～	16	60	139	155	177	105	76	39	19	14	800	164	964	165.96	38.84
(%)	(2.0)	(7.5)	(17.4)	(19.4)	(22.1)	(13.1)	(9.5)	(4.9)	(2.4)	(1.8)	(100.0)				
140～		7	8	11	14	8	5	1	2	1	57	18	75	166.21	41.63
(%)		(12.3)	(14.0)	(19.3)	(24.6)	(14.0)	(8.8)	(1.8)	(3.5)	(1.8)	(100.0)				
合計	7,530	21,800	40,546	46,598	38,597	24,389	13,113	5,806	2,286	1,501	202,166	39,816	241,982	155.79	35.71
(%)	(3.7)	(10.8)	(20.1)	(23.0)	(19.1)	(12.1)	(6.5)	(2.9)	(1.1)	(0.7)	(100.0)				
記載なし	300	922	1,655	2,061	1,646	1,136	610	265	114	85	8,794	59,332	68,126	157.49	36.38
(%)	(3.4)	(10.5)	(18.8)	(23.4)	(18.7)	(12.9)	(6.9)	(3.0)	(1.3)	(1.0)	(100.0)				
総計	7,830	22,722	42,201	48,659	40,243	25,525	13,723	6,071	2,400	1,586	210,960	99,148	310,108	155.86	35.74
(%)	(3.7)	(10.8)	(20.0)	(23.1)	(19.1)	(12.1)	(6.5)	(2.9)	(1.1)	(0.8)	(100.0)				
平均	74.70	76.06	76.91	77.82	78.64	78.99	79.76	79.97	79.89	79.86	77.86	77.35	77.77		
標準偏差	14.43	14.35	14.32	14.19	14.37	14.33	14.65	14.52	15.09	15.12	14.41	14.65	14.45		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査