

表 3676 総コレステロール濃度(mg/dL) 年齢(歳)別 (施設血液透析患者 透析回数週3回)

年齢	100未満	100～	120～	140～	160～	180～	200～	220～	240～	260～	合計	記載なし	総計	平均	標準偏差
15歳未満		2	2	1	1		1				7	5	12	146.00	40.22
(%)		(28.6)	(28.6)	(14.3)	(14.3)		(14.3)				(100.0)				
15歳～	18	69	100	110	88	44	29	7	2	2	469	188	657	150.18	33.10
(%)	(3.8)	(14.7)	(21.3)	(23.5)	(18.8)	(9.4)	(6.2)	(1.5)	(0.4)	(0.4)	(100.0)				
30歳～	161	639	1,322	1,677	1,501	967	487	224	77	70	7,125	2,677	9,802	159.39	35.27
(%)	(2.3)	(9.0)	(18.6)	(23.5)	(21.1)	(13.6)	(6.8)	(3.1)	(1.1)	(1.0)	(100.0)				
45歳～	881	2,593	5,113	6,477	5,836	3,909	2,318	1,000	429	252	28,808	10,777	39,585	160.21	36.29
(%)	(3.1)	(9.0)	(17.7)	(22.5)	(20.3)	(13.6)	(8.0)	(3.5)	(1.5)	(0.9)	(100.0)				
60歳～	2,978	8,420	15,510	17,563	14,452	9,145	4,742	2,131	787	537	76,265	28,113	104,378	155.09	35.54
(%)	(3.9)	(11.0)	(20.3)	(23.0)	(18.9)	(12.0)	(6.2)	(2.8)	(1.0)	(0.7)	(100.0)				
75歳～	2,290	6,521	11,642	12,312	9,174	5,264	2,517	1,068	417	238	51,443	19,189	70,632	150.75	33.91
(%)	(4.5)	(12.7)	(22.6)	(23.9)	(17.8)	(10.2)	(4.9)	(2.1)	(0.8)	(0.5)	(100.0)				
90歳～	126	374	625	685	528	289	115	45	21	12	2,820	1,069	3,889	149.95	33.12
(%)	(4.5)	(13.3)	(22.2)	(24.3)	(18.7)	(10.2)	(4.1)	(1.6)	(0.7)	(0.4)	(100.0)				
合計	6,454	18,618	34,314	38,825	31,580	19,618	10,209	4,475	1,733	1,111	166,937	62,018	228,955	154.71	35.28
(%)	(3.9)	(11.2)	(20.6)	(23.3)	(18.9)	(11.8)	(6.1)	(2.7)	(1.0)	(0.7)	(100.0)				
不明		2	1	1	3	1					8	8	16	150.13	25.84
(%)		(25.0)	(12.5)	(12.5)	(37.5)	(12.5)					(100.0)				
記載なし															
(%)															
総計	6,454	18,620	34,315	38,826	31,583	19,619	10,209	4,475	1,733	1,111	166,945	62,026	228,971	154.71	35.28
(%)	(3.9)	(11.2)	(20.6)	(23.3)	(18.9)	(11.8)	(6.1)	(2.7)	(1.0)	(0.7)	(100.0)				
平均	69.96	69.52	69.07	68.34	67.47	66.80	66.02	65.87	65.94	65.12	68.08	68.09	68.08		
標準偏差	11.62	12.02	12.18	12.35	12.41	12.38	12.26	12.07	12.08	12.24	12.30	12.36	12.32		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査