

表 3680 総コレステロール濃度(mg/dL) 透析後体重(kg)別 (施設血液透析患者 透析回数週3回)

透析後体重	100未満	100～	120～	140～	160～	180～	200～	220～	240～	260～	合計	記載なし	総計	平均	標準偏差
20未満	5	5	14	17	12	7	3		1		64	20	84	149.88	32.57
(%)	(7.8)	(7.8)	(21.9)	(26.6)	(18.8)	(10.9)	(4.7)		(1.6)		(100.0)				
20～	24	49	118	126	91	75	45	27	9	9	573	229	802	160.30	40.14
(%)	(4.2)	(8.6)	(20.6)	(22.0)	(15.9)	(13.1)	(7.9)	(4.7)	(1.6)	(1.6)	(100.0)				
30～	471	1,228	2,414	3,104	2,788	2,038	1,111	514	239	159	14,066	5,051	19,117	161.11	37.34
(%)	(3.3)	(8.7)	(17.2)	(22.1)	(19.8)	(14.5)	(7.9)	(3.7)	(1.7)	(1.1)	(100.0)				
40～	1,631	4,408	8,408	9,964	8,701	5,731	3,157	1,438	596	377	44,411	15,398	59,809	157.78	36.39
(%)	(3.7)	(9.9)	(18.9)	(22.4)	(19.6)	(12.9)	(7.1)	(3.2)	(1.3)	(0.8)	(100.0)				
50～	2,187	6,418	11,573	12,801	9,925	5,917	2,962	1,266	447	282	53,778	18,331	72,109	152.71	34.47
(%)	(4.1)	(11.9)	(21.5)	(23.8)	(18.5)	(11.0)	(5.5)	(2.4)	(0.8)	(0.5)	(100.0)				
60～	1,274	4,014	7,355	7,828	6,170	3,537	1,732	724	238	160	33,032	11,050	44,082	152.02	33.63
(%)	(3.9)	(12.2)	(22.3)	(23.7)	(18.7)	(10.7)	(5.2)	(2.2)	(0.7)	(0.5)	(100.0)				
70～	527	1,455	2,693	3,106	2,396	1,425	735	287	115	73	12,812	4,372	17,184	153.32	34.49
(%)	(4.1)	(11.4)	(21.0)	(24.2)	(18.7)	(11.1)	(5.7)	(2.2)	(0.9)	(0.6)	(100.0)				
80～	194	578	968	1,048	838	473	247	125	57	26	4,554	1,527	6,081	152.75	35.77
(%)	(4.3)	(12.7)	(21.3)	(23.0)	(18.4)	(10.4)	(5.4)	(2.7)	(1.3)	(0.6)	(100.0)				
90～	54	212	366	376	316	196	104	41	17	10	1,692	503	2,195	153.96	35.05
(%)	(3.2)	(12.5)	(21.6)	(22.2)	(18.7)	(11.6)	(6.1)	(2.4)	(1.0)	(0.6)	(100.0)				
100～	23	64	102	132	112	71	29	11	2	5	551	204	755	153.99	34.37
(%)	(4.2)	(11.6)	(18.5)	(24.0)	(20.3)	(12.9)	(5.3)	(2.0)	(0.4)	(0.9)	(100.0)				
110～	7	37	44	53	42	21	15	7	2	2	230	69	299	152.16	36.96
(%)	(3.0)	(16.1)	(19.1)	(23.0)	(18.3)	(9.1)	(6.5)	(3.0)	(0.9)	(0.9)	(100.0)				
120～	5	12	25	33	27	16	15	2	1	1	137	52	189	158.30	35.94
(%)	(3.6)	(8.8)	(18.2)	(24.1)	(19.7)	(11.7)	(10.9)	(1.5)	(0.7)	(0.7)	(100.0)				
合計	6,402	18,480	34,080	38,588	31,418	19,507	10,155	4,442	1,724	1,104	165,900	56,806	222,706	154.74	35.28
(%)	(3.9)	(11.1)	(20.5)	(23.3)	(18.9)	(11.8)	(6.1)	(2.7)	(1.0)	(0.7)	(100.0)				
記載なし	52	140	235	238	165	112	54	33	9	7	1,045	5,220	6,265	151.05	36.05
(%)	(5.0)	(13.4)	(22.5)	(22.8)	(15.8)	(10.7)	(5.2)	(3.2)	(0.9)	(0.7)	(100.0)				
総計	6,454	18,620	34,315	38,826	31,583	19,619	10,209	4,475	1,733	1,111	166,945	62,026	228,971	154.71	35.28
(%)	(3.9)	(11.2)	(20.6)	(23.3)	(18.9)	(11.8)	(6.1)	(2.7)	(1.0)	(0.7)	(100.0)				
平均	55.96	56.59	56.23	55.78	55.32	54.47	54.16	53.57	52.75	52.63	55.52	55.23	55.45		
標準偏差	12.79	12.70	12.65	12.81	12.93	13.02	13.32	13.05	13.45	13.93	12.89	12.91	12.90		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査