

表 3683 総コレステロール濃度(mg/dL) 透析前収縮期血圧(mmHg)別（施設血液透析患者 透析回数週3回）

透析前収縮期血圧	100未満	100～	120～	140～	160～	180～	200～	220～	240～	260～	合計	記載なし	総計	平均	標準偏差
60未満	1	5	2	5	6	3	3	1	1	1	28	7	35	163.96	46.54
(%)	(3.6)	(17.9)	(7.1)	(17.9)	(21.4)	(10.7)	(10.7)	(3.6)	(3.6)	(3.6)	(100.0)				
60～	17	24	48	45	28	22	16	9	5	2	216	55	271	153.13	41.88
(%)	(7.9)	(11.1)	(22.2)	(20.8)	(13.0)	(10.2)	(7.4)	(4.2)	(2.3)	(0.9)	(100.0)				
80～	144	275	404	367	301	213	123	45	22	17	1,911	466	2,377	150.57	39.34
(%)	(7.5)	(14.4)	(21.1)	(19.2)	(15.8)	(11.1)	(6.4)	(2.4)	(1.2)	(0.9)	(100.0)				
100～	603	1,371	2,270	2,322	1,889	1,179	614	270	113	67	10,698	2,457	13,155	151.81	36.63
(%)	(5.6)	(12.8)	(21.2)	(21.7)	(17.7)	(11.0)	(5.7)	(2.5)	(1.1)	(0.6)	(100.0)				
120～	1,448	3,827	7,171	8,113	6,500	4,096	2,048	857	366	222	34,648	6,928	41,576	154.21	35.21
(%)	(4.2)	(11.0)	(20.7)	(23.4)	(18.8)	(11.8)	(5.9)	(2.5)	(1.1)	(0.6)	(100.0)				
140～	2,027	5,975	11,070	12,595	10,362	6,362	3,292	1,388	519	337	53,927	10,276	64,203	154.66	34.90
(%)	(3.8)	(11.1)	(20.5)	(23.4)	(19.2)	(11.8)	(6.1)	(2.6)	(1.0)	(0.6)	(100.0)				
160～	1,369	4,339	8,062	9,392	7,482	4,595	2,423	1,160	398	273	39,493	7,350	46,843	155.25	35.07
(%)	(3.5)	(11.0)	(20.4)	(23.8)	(18.9)	(11.6)	(6.1)	(2.9)	(1.0)	(0.7)	(100.0)				
180～	476	1,654	3,104	3,448	3,021	1,852	972	433	191	104	15,255	2,747	18,002	156.28	35.29
(%)	(3.1)	(10.8)	(20.3)	(22.6)	(19.8)	(12.1)	(6.4)	(2.8)	(1.3)	(0.7)	(100.0)				
200～	126	385	761	845	747	473	283	126	49	36	3,831	684	4,515	157.80	36.51
(%)	(3.3)	(10.0)	(19.9)	(22.1)	(19.5)	(12.3)	(7.4)	(3.3)	(1.3)	(0.9)	(100.0)				
220～	16	66	136	197	142	92	60	31	10	10	760	134	894	160.91	36.91
(%)	(2.1)	(8.7)	(17.9)	(25.9)	(18.7)	(12.1)	(7.9)	(4.1)	(1.3)	(1.3)	(100.0)				
合計	6,227	17,921	33,028	37,329	30,478	18,887	9,834	4,320	1,674	1,069	160,767	31,104	191,871	154.73	35.30
(%)	(3.9)	(11.1)	(20.5)	(23.2)	(19.0)	(11.7)	(6.1)	(2.7)	(1.0)	(0.7)	(100.0)				
記載なし	227	699	1,287	1,497	1,105	732	375	155	59	42	6,178	30,922	37,100	154.32	34.78
(%)	(3.7)	(11.3)	(20.8)	(24.2)	(17.9)	(11.8)	(6.1)	(2.5)	(1.0)	(0.7)	(100.0)				
総計	6,454	18,620	34,315	38,826	31,583	19,619	10,209	4,475	1,733	1,111	166,945	62,026	228,971	154.71	35.28
(%)	(3.9)	(11.2)	(20.6)	(23.3)	(18.9)	(11.8)	(6.1)	(2.7)	(1.0)	(0.7)	(100.0)				
平均	147.91	150.85	151.59	152.17	152.45	152.22	152.78	153.45	152.96	153.17	151.88	150.39	151.64		
標準偏差	24.80	24.19	23.85	23.57	23.66	23.90	24.43	24.57	25.85	25.91	23.94	24.34	24.02		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査