

表 3692 総コレステロール濃度(mg/dL) HDL-C濃度(mg/dL)別(血液透析濾過患者 透析回数週3回)

HDL-C濃度	100未満	100～	120～	140～	160～	180～	200～	220～	240～	260～	合計	記載なし	総計	平均	標準偏差
20未満	25	16	13	11	4	2		2			73	8	81	116.60	39.61
(%)	(34.2)	(21.9)	(17.8)	(15.1)	(5.5)	(2.7)		(2.7)			(100.0)				
20～	201	325	365	316	203	120	57	20	11	4	1,622	252	1,874	138.49	35.90
(%)	(12.4)	(20.0)	(22.5)	(19.5)	(12.5)	(7.4)	(3.5)	(1.2)	(0.7)	(0.2)	(100.0)				
30～	329	879	1,237	1,152	845	431	254	104	33	29	5,293	838	6,131	146.50	35.15
(%)	(6.2)	(16.6)	(23.4)	(21.8)	(16.0)	(8.1)	(4.8)	(2.0)	(0.6)	(0.5)	(100.0)				
40～	188	753	1,408	1,639	1,161	693	375	119	53	20	6,409	951	7,360	152.72	32.74
(%)	(2.9)	(11.7)	(22.0)	(25.6)	(18.1)	(10.8)	(5.9)	(1.9)	(0.8)	(0.3)	(100.0)				
50～	73	358	961	1,305	1,227	694	350	150	50	28	5,196	775	5,971	160.19	31.88
(%)	(1.4)	(6.9)	(18.5)	(25.1)	(23.6)	(13.4)	(6.7)	(2.9)	(1.0)	(0.5)	(100.0)				
60～	18	136	481	785	817	597	331	142	42	24	3,373	484	3,857	168.03	32.11
(%)	(0.5)	(4.0)	(14.3)	(23.3)	(24.2)	(17.7)	(9.8)	(4.2)	(1.2)	(0.7)	(100.0)				
70～	5	22	168	371	448	344	229	114	47	20	1,768	255	2,023	177.02	32.14
(%)	(0.3)	(1.2)	(9.5)	(21.0)	(25.3)	(19.5)	(13.0)	(6.4)	(2.7)	(1.1)	(100.0)				
80～	2	8	52	140	223	208	142	63	33	18	889	124	1,013	184.17	32.62
(%)	(0.2)	(0.9)	(5.8)	(15.7)	(25.1)	(23.4)	(16.0)	(7.1)	(3.7)	(2.0)	(100.0)				
90～		1	13	43	95	94	67	30	23	14	380	51	431	191.53	33.71
(%)		(0.3)	(3.4)	(11.3)	(25.0)	(24.7)	(17.6)	(7.9)	(6.1)	(3.7)	(100.0)				
100～			5	26	50	67	81	43	33	20	325	58	383	204.39	34.81
(%)			(1.5)	(8.0)	(15.4)	(20.6)	(24.9)	(13.2)	(10.2)	(6.2)	(100.0)				
合計	841	2,498	4,703	5,788	5,073	3,250	1,886	787	325	177	25,328	3,796	29,124	158.02	35.72
(%)	(3.3)	(9.9)	(18.6)	(22.9)	(20.0)	(12.8)	(7.4)	(3.1)	(1.3)	(0.7)	(100.0)				
記載なし	151	490	991	1,117	938	623	367	169	59	39	4,944	5,878	10,822	157.92	35.57
(%)	(3.1)	(9.9)	(20.0)	(22.6)	(19.0)	(12.6)	(7.4)	(3.4)	(1.2)	(0.8)	(100.0)				
総計	992	2,988	5,694	6,905	6,011	3,873	2,253	956	384	216	30,272	9,674	39,946	158.00	35.70
(%)	(3.3)	(9.9)	(18.8)	(22.8)	(19.9)	(12.8)	(7.4)	(3.2)	(1.3)	(0.7)	(100.0)				
平均	36.51	41.16	46.09	49.84	53.62	56.88	59.30	61.33	66.22	67.69	50.90	50.54	50.85		
標準偏差	10.78	11.17	13.10	14.73	16.37	18.25	20.42	21.31	25.46	28.45	17.13	17.53	17.18		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査