

表 3709 HDL-C濃度(mg/dL) 治療方法(新分類)別(透析患者全体)

治療方法 (新分類)	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	合計	記載なし	総計	平均	標準偏差
施設血液透析	701	13,326	38,391	42,409	30,322	17,542	8,543	4,001	1,801	1,529	158,565	97,076	255,641	48.28	16.54
(%)	(0.4)	(8.4)	(24.2)	(26.7)	(19.1)	(11.1)	(5.4)	(2.5)	(1.1)	(1.0)	(100.0)				
Off-line HDF	20	285	902	1,037	736	490	236	121	54	48	3,929	2,386	6,315	49.54	17.12
(%)	(0.5)	(7.3)	(23.0)	(26.4)	(18.7)	(12.5)	(6.0)	(3.1)	(1.4)	(1.2)	(100.0)				
On-line HDF	61	1,598	5,257	6,373	5,234	3,371	1,792	898	382	344	25,310	10,780	36,090	51.06	17.23
(%)	(0.2)	(6.3)	(20.8)	(25.2)	(20.7)	(13.3)	(7.1)	(3.5)	(1.5)	(1.4)	(100.0)				
Push/Pull HDF	2	26	75	82	89	58	32	16	7	5	392	145	537	52.27	17.42
(%)	(0.5)	(6.6)	(19.1)	(20.9)	(22.7)	(14.8)	(8.2)	(4.1)	(1.8)	(1.3)	(100.0)				
ハイオフィルトレーション	1	18	51	80	46	33	13	3	1		246	95	341	47.41	13.63
(%)	(0.4)	(7.3)	(20.7)	(32.5)	(18.7)	(13.4)	(5.3)	(1.2)	(0.4)		(100.0)				
血液濾過			4	3							7	85	92	38.57	7.28
(%)			(57.1)	(42.9)							(100.0)				
血液吸着透析 (リクセル)	3	66	188	306	242	180	88	31	15	9	1,128	495	1,623	51.53	15.81
(%)	(0.3)	(5.9)	(16.7)	(27.1)	(21.5)	(16.0)	(7.8)	(2.7)	(1.3)	(0.8)	(100.0)				
血液吸着透析 (その他)			1	1							2	5	7	40.00	12.73
(%)			(50.0)	(50.0)							(100.0)				
在宅血液透析		16	45	71	53	46	29	18	10	9	297	224	521	56.09	19.72
(%)		(5.4)	(15.2)	(23.9)	(17.8)	(15.5)	(9.8)	(6.1)	(3.4)	(3.0)	(100.0)				
腹膜透析 (CAPD)	3	152	521	579	479	267	138	72	24	27	2,262	2,759	5,021	49.90	16.98
(%)	(0.1)	(6.7)	(23.0)	(25.6)	(21.2)	(11.8)	(6.1)	(3.2)	(1.1)	(1.2)	(100.0)				
腹膜透析 (APD)	4	83	295	279	231	179	91	48	25	18	1,253	1,586	2,839	51.32	18.50
(%)	(0.3)	(6.6)	(23.5)	(22.3)	(18.4)	(14.3)	(7.3)	(3.8)	(2.0)	(1.4)	(100.0)				
腹膜透析 (CCPD)	1	53	117	132	129	70	30	21	12	12	577	504	1,081	50.86	18.75
(%)	(0.2)	(9.2)	(20.3)	(22.9)	(22.4)	(12.1)	(5.2)	(3.6)	(2.1)	(2.1)	(100.0)				
合計	796	15,623	45,847	51,352	37,561	22,236	10,992	5,229	2,331	2,001	193,968	116,140	310,108	48.75	16.71
(%)	(0.4)	(8.1)	(23.6)	(26.5)	(19.4)	(11.5)	(5.7)	(2.7)	(1.2)	(1.0)	(100.0)				
記載なし															
(%)															
総計	796	15,623	45,847	51,352	37,561	22,236	10,992	5,229	2,331	2,001	193,968	116,140	310,108	48.75	16.71
(%)	(0.4)	(8.1)	(23.6)	(26.5)	(19.4)	(11.5)	(5.7)	(2.7)	(1.2)	(1.0)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

*腹膜透析(CCPD)は、APDと手動のバック交換の両方を行うもの

(C)Japanese Society for Dialysis Therapy

2014年調査