

表 3724 HDL-C濃度(mg/dL) 原疾患別（施設血液透析患者 透析回数週3回）

| 原疾患           | 20未満  | 20～    | 30～    | 40～    | 50～    | 60～    | 70～    | 80～   | 90～   | 100～  | 合計      | 記載なし   | 総計      | 平均    | 標準偏差  |
|---------------|-------|--------|--------|--------|--------|--------|--------|-------|-------|-------|---------|--------|---------|-------|-------|
| 慢性糸球体腎炎       | 152   | 2,650  | 9,430  | 12,028 | 9,706  | 6,035  | 3,121  | 1,433 | 652   | 543   | 45,750  | 22,827 | 68,577  | 50.81 | 16.93 |
| (%)           | (0.3) | (5.8)  | (20.6) | (26.3) | (21.2) | (13.2) | (6.8)  | (3.1) | (1.4) | (1.2) | (100.0) |        |         |       |       |
| 慢性腎盂腎炎        | 5     | 82     | 254    | 339    | 291    | 187    | 107    | 53    | 20    | 29    | 1,367   | 798    | 2,165   | 52.31 | 18.15 |
| (%)           | (0.4) | (6.0)  | (18.6) | (24.8) | (21.3) | (13.7) | (7.8)  | (3.9) | (1.5) | (2.1) | (100.0) |        |         |       |       |
| 急速進行性糸球体腎炎    | 7     | 44     | 204    | 290    | 261    | 202    | 113    | 57    | 31    | 28    | 1,237   | 597    | 1,834   | 54.88 | 18.36 |
| (%)           | (0.6) | (3.6)  | (16.5) | (23.4) | (21.1) | (16.3) | (9.1)  | (4.6) | (2.5) | (2.3) | (100.0) |        |         |       |       |
| 妊娠腎/妊娠中毒症     | 1     | 24     | 104    | 184    | 166    | 108    | 65     | 31    | 16    | 8     | 707     | 357    | 1,064   | 54.12 | 16.79 |
| (%)           | (0.1) | (3.4)  | (14.7) | (26.0) | (23.5) | (15.3) | (9.2)  | (4.4) | (2.3) | (1.1) | (100.0) |        |         |       |       |
| その他の分類不能の腎炎   |       | 28     | 117    | 169    | 151    | 95     | 47     | 30    | 11    | 6     | 654     | 295    | 949     | 52.68 | 16.59 |
| (%)           |       | (4.3)  | (17.9) | (25.8) | (23.1) | (14.5) | (7.2)  | (4.6) | (1.7) | (0.9) | (100.0) |        |         |       |       |
| 多発性嚢胞腎        | 20    | 299    | 1,143  | 1,565  | 1,241  | 725    | 358    | 162   | 70    | 63    | 5,646   | 2,552  | 8,198   | 50.54 | 16.45 |
| (%)           | (0.4) | (5.3)  | (20.2) | (27.7) | (22.0) | (12.8) | (6.3)  | (2.9) | (1.2) | (1.1) | (100.0) |        |         |       |       |
| 腎硬化症          | 47    | 1,065  | 3,444  | 4,106  | 2,895  | 1,606  | 767    | 358   | 154   | 115   | 14,557  | 6,903  | 21,460  | 48.41 | 15.93 |
| (%)           | (0.3) | (7.3)  | (23.7) | (28.2) | (19.9) | (11.0) | (5.3)  | (2.5) | (1.1) | (0.8) | (100.0) |        |         |       |       |
| 悪性高血圧         | 4     | 69     | 267    | 319    | 249    | 144    | 75     | 31    | 17    | 15    | 1,190   | 691    | 1,881   | 50.09 | 17.18 |
| (%)           | (0.3) | (5.8)  | (22.4) | (26.8) | (20.9) | (12.1) | (6.3)  | (2.6) | (1.4) | (1.3) | (100.0) |        |         |       |       |
| 糖尿病性腎症        | 339   | 7,129  | 17,339 | 16,202 | 9,929  | 5,119  | 2,234  | 1,036 | 471   | 408   | 60,206  | 30,301 | 90,507  | 45.11 | 15.54 |
| (%)           | (0.6) | (11.8) | (28.8) | (26.9) | (16.5) | (8.5)  | (3.7)  | (1.7) | (0.8) | (0.7) | (100.0) |        |         |       |       |
| SLE腎炎         | 2     | 40     | 158    | 224    | 240    | 182    | 106    | 45    | 25    | 15    | 1,037   | 513    | 1,550   | 54.95 | 17.40 |
| (%)           | (0.2) | (3.9)  | (15.2) | (21.6) | (23.1) | (17.6) | (10.2) | (4.3) | (2.4) | (1.4) | (100.0) |        |         |       |       |
| アミロイド腎        |       | 7      | 29     | 57     | 51     | 36     | 18     | 10    | 5     | 8     | 221     | 104    | 325     | 56.25 | 20.12 |
| (%)           |       | (3.2)  | (13.1) | (25.8) | (23.1) | (16.3) | (8.1)  | (4.5) | (2.3) | (3.6) | (100.0) |        |         |       |       |
| 痛風腎           | 3     | 38     | 130    | 156    | 107    | 63     | 37     | 14    | 7     | 8     | 563     | 265    | 828     | 49.63 | 17.65 |
| (%)           | (0.5) | (6.7)  | (23.1) | (27.7) | (19.0) | (11.2) | (6.6)  | (2.5) | (1.2) | (1.4) | (100.0) |        |         |       |       |
| 先天性代謝異常による腎不全 | 1     | 8      | 19     | 29     | 30     | 11     | 4      | 4     | 1     | 1     | 108     | 69     | 177     | 49.48 | 15.92 |
| (%)           | (0.9) | (7.4)  | (17.6) | (26.9) | (27.8) | (10.2) | (3.7)  | (3.7) | (0.9) | (0.9) | (100.0) |        |         |       |       |
| 腎・尿路結核        |       | 6      | 22     | 30     | 20     | 15     | 4      | 5     | 2     | 1     | 105     | 53     | 158     | 50.62 | 16.32 |
| (%)           |       | (5.7)  | (21.0) | (28.6) | (19.0) | (14.3) | (3.8)  | (4.8) | (1.9) | (1.0) | (100.0) |        |         |       |       |
| 腎・尿路結石        | 2     | 19     | 52     | 89     | 58     | 41     | 11     | 12    | 2     | 4     | 290     | 140    | 430     | 50.57 | 17.12 |
| (%)           | (0.7) | (6.6)  | (17.9) | (30.7) | (20.0) | (14.1) | (3.8)  | (4.1) | (0.7) | (1.4) | (100.0) |        |         |       |       |
| 腎・尿路腫瘍        | 2     | 48     | 111    | 134    | 93     | 59     | 22     | 12    | 2     | 5     | 488     | 198    | 686     | 47.71 | 17.25 |
| (%)           | (0.4) | (9.8)  | (22.7) | (27.5) | (19.1) | (12.1) | (4.5)  | (2.5) | (0.4) | (1.0) | (100.0) |        |         |       |       |
| 閉塞性尿路障害       | 2     | 16     | 74     | 100    | 73     | 58     | 23     | 5     | 8     | 6     | 365     | 152    | 517     | 51.27 | 17.25 |
| (%)           | (0.5) | (4.4)  | (20.3) | (27.4) | (20.0) | (15.9) | (6.3)  | (1.4) | (2.2) | (1.6) | (100.0) |        |         |       |       |
| 骨髄腫           | 1     | 8      | 31     | 31     | 21     | 20     | 7      | 2     | 4     | 2     | 127     | 63     | 190     | 50.02 | 18.15 |
| (%)           | (0.8) | (6.3)  | (24.4) | (24.4) | (16.5) | (15.7) | (5.5)  | (1.6) | (3.1) | (1.6) | (100.0) |        |         |       |       |
| 腎形成不全         | 1     | 15     | 57     | 83     | 63     | 37     | 23     | 14    | 5     | 5     | 303     | 116    | 419     | 51.89 | 17.52 |
| (%)           | (0.3) | (5.0)  | (18.8) | (27.4) | (20.8) | (12.2) | (7.6)  | (4.6) | (1.7) | (1.7) | (100.0) |        |         |       |       |
| 不明            | 56    | 927    | 2,970  | 3,440  | 2,560  | 1,466  | 753    | 353   | 157   | 127   | 12,809  | 7,316  | 20,125  | 49.08 | 16.61 |
| (%)           | (0.4) | (7.2)  | (23.2) | (26.9) | (20.0) | (11.4) | (5.9)  | (2.8) | (1.2) | (1.0) | (100.0) |        |         |       |       |
| 再導入           | 3     | 63     | 180    | 258    | 202    | 124    | 76     | 44    | 17    | 15    | 982     | 435    | 1,417   | 51.74 | 17.41 |
| (%)           | (0.3) | (6.4)  | (18.3) | (26.3) | (20.6) | (12.6) | (7.7)  | (4.5) | (1.7) | (1.5) | (100.0) |        |         |       |       |
| その他           | 23    | 261    | 753    | 896    | 673    | 459    | 230    | 123   | 56    | 46    | 3,520   | 1,994  | 5,514   | 50.37 | 17.73 |
| (%)           | (0.7) | (7.4)  | (21.4) | (25.5) | (19.1) | (13.0) | (6.5)  | (3.5) | (1.6) | (1.3) | (100.0) |        |         |       |       |
| 合計            | 671   | 12,846 | 36,888 | 40,729 | 29,080 | 16,792 | 8,201  | 3,834 | 1,733 | 1,458 | 152,232 | 76,739 | 228,971 | 48.25 | 16.54 |
| (%)           | (0.4) | (8.4)  | (24.2) | (26.8) | (19.1) | (11.0) | (5.4)  | (2.5) | (1.1) | (1.0) | (100.0) |        |         |       |       |
| 記載なし          |       |        |        |        |        |        |        |       |       |       |         |        |         |       |       |
| (%)           |       |        |        |        |        |        |        |       |       |       |         |        |         |       |       |
| 総計            | 671   | 12,846 | 36,888 | 40,729 | 29,080 | 16,792 | 8,201  | 3,834 | 1,733 | 1,458 | 152,232 | 76,739 | 228,971 | 48.25 | 16.54 |
| (%)           | (0.4) | (8.4)  | (24.2) | (26.8) | (19.1) | (11.0) | (5.4)  | (2.5) | (1.1) | (1.0) | (100.0) |        |         |       |       |

数値下のかつこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査