

表 3726 HDL-C濃度(mg/dL) 透析後体重(kg)別（施設血液透析患者 透析回数週3回）

| 透析後体重 | 20未満  | 20～    | 30～    | 40～    | 50～    | 60～    | 70～   | 80～   | 90～   | 100～  | 合計      | 記載なし   | 総計      | 平均    | 標準偏差  |
|-------|-------|--------|--------|--------|--------|--------|-------|-------|-------|-------|---------|--------|---------|-------|-------|
| 20未満  |       | 7      | 12     | 17     | 12     | 3      | 3     |       | 2     | 1     | 57      | 27     | 84      | 48.40 | 23.69 |
| (%)   |       | (12.3) | (21.1) | (29.8) | (21.1) | (5.3)  | (5.3) |       | (3.5) | (1.8) | (100.0) |        |         |       |       |
| 20～   | 2     | 20     | 75     | 125    | 134    | 46     | 37    | 27    | 13    | 10    | 489     | 313    | 802     | 53.96 | 18.53 |
| (%)   | (0.4) | (4.1)  | (15.3) | (25.6) | (27.4) | (9.4)  | (7.6) | (5.5) | (2.7) | (2.0) | (100.0) |        |         |       |       |
| 30～   | 64    | 588    | 2,005  | 3,047  | 2,746  | 1,869  | 1,084 | 536   | 244   | 200   | 12,383  | 6,734  | 19,117  | 53.49 | 17.77 |
| (%)   | (0.5) | (4.7)  | (16.2) | (24.6) | (22.2) | (15.1) | (8.8) | (4.3) | (2.0) | (1.6) | (100.0) |        |         |       |       |
| 40～   | 170   | 1,997  | 7,249  | 10,390 | 8,796  | 5,665  | 3,037 | 1,454 | 646   | 522   | 39,926  | 19,883 | 59,809  | 52.06 | 17.17 |
| (%)   | (0.4) | (5.0)  | (18.2) | (26.0) | (22.0) | (14.2) | (7.6) | (3.6) | (1.6) | (1.3) | (100.0) |        |         |       |       |
| 50～   | 201   | 3,534  | 11,304 | 13,588 | 9,982  | 5,711  | 2,604 | 1,166 | 529   | 437   | 49,056  | 23,053 | 72,109  | 48.72 | 16.09 |
| (%)   | (0.4) | (7.2)  | (23.0) | (27.7) | (20.3) | (11.6) | (5.3) | (2.4) | (1.1) | (0.9) | (100.0) |        |         |       |       |
| 60～   | 122   | 3,257  | 9,006  | 8,580  | 5,159  | 2,530  | 1,076 | 464   | 206   | 198   | 30,598  | 13,484 | 44,082  | 45.11 | 15.10 |
| (%)   | (0.4) | (10.6) | (29.4) | (28.0) | (16.9) | (8.3)  | (3.5) | (1.5) | (0.7) | (0.6) | (100.0) |        |         |       |       |
| 70～   | 48    | 1,803  | 4,268  | 3,218  | 1,570  | 651    | 228   | 129   | 64    | 55    | 12,034  | 5,150  | 17,184  | 41.86 | 13.88 |
| (%)   | (0.4) | (15.0) | (35.5) | (26.7) | (13.0) | (5.4)  | (1.9) | (1.1) | (0.5) | (0.5) | (100.0) |        |         |       |       |
| 80～   | 31    | 865    | 1,698  | 1,048  | 360    | 178    | 62    | 30    | 13    | 20    | 4,305   | 1,776  | 6,081   | 39.28 | 13.37 |
| (%)   | (0.7) | (20.1) | (39.4) | (24.3) | (8.4)  | (4.1)  | (1.4) | (0.7) | (0.3) | (0.5) | (100.0) |        |         |       |       |
| 90～   | 9     | 397    | 659    | 313    | 120    | 37     | 14    | 7     | 5     | 6     | 1,567   | 628    | 2,195   | 37.18 | 12.19 |
| (%)   | (0.6) | (25.3) | (42.1) | (20.0) | (7.7)  | (2.4)  | (0.9) | (0.4) | (0.3) | (0.4) | (100.0) |        |         |       |       |
| 100～  | 6     | 175    | 206    | 99     | 29     | 10     | 2     | 5     |       |       | 532     | 223    | 755     | 35.26 | 10.56 |
| (%)   | (1.1) | (32.9) | (38.7) | (18.6) | (5.5)  | (1.9)  | (0.4) | (0.9) |       |       | (100.0) |        |         |       |       |
| 110～  | 2     | 70     | 94     | 31     | 13     | 2      |       |       |       |       | 212     | 87     | 299     | 34.26 | 8.65  |
| (%)   | (0.9) | (33.0) | (44.3) | (14.6) | (6.1)  | (0.9)  |       |       |       |       | (100.0) |        |         |       |       |
| 120～  | 3     | 44     | 63     | 18     | 2      | 2      | 2     |       |       |       | 134     | 55     | 189     | 34.08 | 9.45  |
| (%)   | (2.2) | (32.8) | (47.0) | (13.4) | (1.5)  | (1.5)  | (1.5) |       |       |       | (100.0) |        |         |       |       |
| 合計    | 658   | 12,757 | 36,639 | 40,474 | 28,923 | 16,704 | 8,149 | 3,818 | 1,722 | 1,449 | 151,293 | 71,413 | 222,706 | 48.26 | 16.54 |
| (%)   | (0.4) | (8.4)  | (24.2) | (26.8) | (19.1) | (11.0) | (5.4) | (2.5) | (1.1) | (1.0) | (100.0) |        |         |       |       |
| 記載なし  | 13    | 89     | 249    | 255    | 157    | 88     | 52    | 16    | 11    | 9     | 939     | 5,326  | 6,265   | 46.68 | 16.79 |
| (%)   | (1.4) | (9.5)  | (26.5) | (27.2) | (16.7) | (9.4)  | (5.5) | (1.7) | (1.2) | (1.0) | (100.0) |        |         |       |       |
| 総計    | 671   | 12,846 | 36,888 | 40,729 | 29,080 | 16,792 | 8,201 | 3,834 | 1,733 | 1,458 | 152,232 | 76,739 | 228,971 | 48.25 | 16.54 |
| (%)   | (0.4) | (8.4)  | (24.2) | (26.8) | (19.1) | (11.0) | (5.4) | (2.5) | (1.1) | (1.0) | (100.0) |        |         |       |       |
| 平均    | 56.58 | 62.30  | 59.25  | 55.74  | 53.34  | 51.93  | 50.61 | 50.38 | 50.41 | 50.97 | 55.75   | 54.80  | 55.45   |       |       |
| 標準偏差  | 15.08 | 15.52  | 13.89  | 12.28  | 11.17  | 10.58  | 10.25 | 10.58 | 10.56 | 11.05 | 12.94   | 12.78  | 12.90   |       |       |

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査