

表 3727 HDL-C濃度(mg/dL) Non-HDL-C濃度(mg/dL)別(施設血液透析患者 透析回数週3回)

Non-HDL-C濃度	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	合計	記載なし	総計	平均	標準偏差
50未満	35	168	428	552	494	355	223	144	106	211	2,716		2,716	58.97	27.94
(%)	(1.3)	(6.2)	(15.8)	(20.3)	(18.2)	(13.1)	(8.2)	(5.3)	(3.9)	(7.8)	(100.0)				
50～	74	865	2,629	3,201	2,553	1,714	862	474	246	288	12,906		12,906	51.59	18.80
(%)	(0.6)	(6.7)	(20.4)	(24.8)	(19.8)	(13.3)	(6.7)	(3.7)	(1.9)	(2.2)	(100.0)				
70～	127	2,087	6,269	7,650	5,807	3,340	1,697	838	402	315	28,532		28,532	49.50	16.86
(%)	(0.4)	(7.3)	(22.0)	(26.8)	(20.4)	(11.7)	(5.9)	(2.9)	(1.4)	(1.1)	(100.0)				
90～	136	2,668	7,951	9,243	6,570	3,804	1,819	802	355	231	33,579		33,579	48.23	15.76
(%)	(0.4)	(7.9)	(23.7)	(27.5)	(19.6)	(11.3)	(5.4)	(2.4)	(1.1)	(0.7)	(100.0)				
110～	97	2,361	6,841	7,270	5,011	2,838	1,347	542	223	149	26,679		26,679	47.16	15.37
(%)	(0.4)	(8.8)	(25.6)	(27.2)	(18.8)	(10.6)	(5.0)	(2.0)	(0.8)	(0.6)	(100.0)				
130～	66	1,651	4,341	4,343	2,875	1,642	704	304	136	71	16,133		16,133	46.27	15.17
(%)	(0.4)	(10.2)	(26.9)	(26.9)	(17.8)	(10.2)	(4.4)	(1.9)	(0.8)	(0.4)	(100.0)				
150～	26	941	2,291	2,128	1,387	707	330	148	54	31	8,043		8,043	45.29	15.03
(%)	(0.3)	(11.7)	(28.5)	(26.5)	(17.2)	(8.8)	(4.1)	(1.8)	(0.7)	(0.4)	(100.0)				
170～	21	441	1,115	940	550	266	129	64	23	18	3,567		3,567	44.17	14.97
(%)	(0.6)	(12.4)	(31.3)	(26.4)	(15.4)	(7.5)	(3.6)	(1.8)	(0.6)	(0.5)	(100.0)				
190～	11	175	433	337	204	96	47	19	11	5	1,338		1,338	43.57	14.87
(%)	(0.8)	(13.1)	(32.4)	(25.2)	(15.2)	(7.2)	(3.5)	(1.4)	(0.8)	(0.4)	(100.0)				
210～	11	100	271	207	113	57	41	20	5	7	832		832	44.58	16.12
(%)	(1.3)	(12.0)	(32.6)	(24.9)	(13.6)	(6.9)	(4.9)	(2.4)	(0.6)	(0.8)	(100.0)				
合計	604	11,457	32,569	35,871	25,564	14,819	7,199	3,355	1,561	1,326	134,325		134,325	48.24	16.60
(%)	(0.4)	(8.5)	(24.2)	(26.7)	(19.0)	(11.0)	(5.4)	(2.5)	(1.2)	(1.0)	(100.0)				
記載なし	67	1,389	4,319	4,858	3,516	1,973	1,002	479	172	132	17,907	76,739	94,646	48.36	16.07
(%)	(0.4)	(7.8)	(24.1)	(27.1)	(19.6)	(11.0)	(5.6)	(2.7)	(1.0)	(0.7)	(100.0)				
総計	671	12,846	36,888	40,729	29,080	16,792	8,201	3,834	1,733	1,458	152,232	76,739	228,971	48.25	16.54
(%)	(0.4)	(8.4)	(24.2)	(26.8)	(19.1)	(11.0)	(5.4)	(2.5)	(1.1)	(1.0)	(100.0)				
平均	104.36	112.46	110.51	107.01	104.50	102.53	101.30	98.52	94.35	82.83	106.43		106.43		
標準偏差	40.26	34.90	33.98	32.47	31.94	31.76	32.35	33.93	33.93	37.45	33.32		33.32		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査