

表 3729 HDL-C濃度(mg/dL) 透析前拡張期血圧(mmHg)別（施設血液透析患者 透析回数週3回）

透析前拡張 期血圧	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	合計	記載なし	総計	平均	標準偏差
20未満	2	5	13	14	5	6	6	3		1	55	12	67	49.00	20.39
(%)	(3.6)	(9.1)	(23.6)	(25.5)	(9.1)	(10.9)	(10.9)	(5.5)		(1.8)	(100.0)				
20～	8	50	111	120	91	53	22	7	5	4	471	141	612	46.77	16.16
(%)	(1.7)	(10.6)	(23.6)	(25.5)	(19.3)	(11.3)	(4.7)	(1.5)	(1.1)	(0.8)	(100.0)				
40～	103	1,199	3,136	3,438	2,251	1,163	530	225	96	96	12,237	4,120	16,357	46.42	15.81
(%)	(0.8)	(9.8)	(25.6)	(28.1)	(18.4)	(9.5)	(4.3)	(1.8)	(0.8)	(0.8)	(100.0)				
60～	322	5,906	16,791	18,464	13,093	7,200	3,465	1,615	683	562	68,101	21,524	89,625	47.76	16.16
(%)	(0.5)	(8.7)	(24.7)	(27.1)	(19.2)	(10.6)	(5.1)	(2.4)	(1.0)	(0.8)	(100.0)				
80～	118	2,971	8,649	9,509	6,894	4,106	2,080	965	457	381	36,130	10,710	46,840	48.74	16.79
(%)	(0.3)	(8.2)	(23.9)	(26.3)	(19.1)	(11.4)	(5.8)	(2.7)	(1.3)	(1.1)	(100.0)				
90～	56	1,482	4,466	5,027	3,782	2,392	1,161	576	283	249	19,474	5,474	24,948	49.62	17.32
(%)	(0.3)	(7.6)	(22.9)	(25.8)	(19.4)	(12.3)	(6.0)	(3.0)	(1.5)	(1.3)	(100.0)				
100～	32	740	2,222	2,469	1,752	1,140	555	279	140	115	9,444	2,698	12,142	49.31	17.32
(%)	(0.3)	(7.8)	(23.5)	(26.1)	(18.6)	(12.1)	(5.9)	(3.0)	(1.5)	(1.2)	(100.0)				
120～	2	39	125	148	125	59	40	16	5	9	568	173	741	49.86	17.41
(%)	(0.4)	(6.9)	(22.0)	(26.1)	(22.0)	(10.4)	(7.0)	(2.8)	(0.9)	(1.6)	(100.0)				
140～		6	10	9	6	4	2		1		38	19	57	45.68	16.55
(%)		(15.8)	(26.3)	(23.7)	(15.8)	(10.5)	(5.3)		(2.6)		(100.0)				
合計	643	12,398	35,523	39,198	27,999	16,123	7,861	3,686	1,670	1,417	146,518	44,871	191,389	48.24	16.55
(%)	(0.4)	(8.5)	(24.2)	(26.8)	(19.1)	(11.0)	(5.4)	(2.5)	(1.1)	(1.0)	(100.0)				
記載なし	28	448	1,365	1,531	1,081	669	340	148	63	41	5,714	31,868	37,582	48.54	16.23
(%)	(0.5)	(7.8)	(23.9)	(26.8)	(18.9)	(11.7)	(6.0)	(2.6)	(1.1)	(0.7)	(100.0)				
総計	671	12,846	36,888	40,729	29,080	16,792	8,201	3,834	1,733	1,458	152,232	76,739	228,971	48.25	16.54
(%)	(0.4)	(8.4)	(24.2)	(26.8)	(19.1)	(11.0)	(5.4)	(2.5)	(1.1)	(1.0)	(100.0)				
平均	73.01	76.81	77.30	77.38	77.86	78.74	78.95	79.58	80.22	80.28	77.73	76.98	77.56		
標準偏差	15.96	14.55	14.35	14.37	14.26	14.29	14.33	14.08	14.19	14.56	14.37	14.42	14.39		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査