

表 3752 Non-HDL-C濃度(mg/dL) 治療方法(新分類)別(透析患者全体)

| 治療方法<br>(新分類)    | 50未満  | 50～    | 70～    | 90～    | 110～   | 130～    | 150～   | 170～   | 190～   | 210～  | 合計      | 記載なし    | 総計      | 平均     | 標準偏差  |
|------------------|-------|--------|--------|--------|--------|---------|--------|--------|--------|-------|---------|---------|---------|--------|-------|
| 施設血液透析           | 2,833 | 13,412 | 29,700 | 34,963 | 27,786 | 16,884  | 8,430  | 3,721  | 1,412  | 879   | 140,020 | 115,621 | 255,641 | 106.51 | 33.37 |
| (%)              | (2.0) | (9.6)  | (21.2) | (25.0) | (19.8) | (12.1)  | (6.0)  | (2.7)  | (1.0)  | (0.6) | (100.0) |         |         |        |       |
| Off-line HDF     | 81    | 354    | 737    | 876    | 690    | 421     | 201    | 86     | 22     | 26    | 3,494   | 2,821   | 6,315   | 105.56 | 33.05 |
| (%)              | (2.3) | (10.1) | (21.1) | (25.1) | (19.7) | (12.0)  | (5.8)  | (2.5)  | (0.6)  | (0.7) | (100.0) |         |         |        |       |
| On-line HDF      | 450   | 2,056  | 4,420  | 5,410  | 4,530  | 2,748   | 1,404  | 605    | 238    | 116   | 21,977  | 14,113  | 36,090  | 107.42 | 33.40 |
| (%)              | (2.0) | (9.4)  | (20.1) | (24.6) | (20.6) | (12.5)  | (6.4)  | (2.8)  | (1.1)  | (0.5) | (100.0) |         |         |        |       |
| Push/Pull HDF    | 9     | 39     | 64     | 76     | 56     | 35      | 16     | 3      | 3      | 1     | 302     | 235     | 537     | 101.90 | 32.08 |
| (%)              | (3.0) | (12.9) | (21.2) | (25.2) | (18.5) | (11.6)  | (5.3)  | (1.0)  | (1.0)  | (0.3) | (100.0) |         |         |        |       |
| ハイオフィルトレーション     | 3     | 15     | 41     | 61     | 47     | 36      | 14     | 5      | 2      | 2     | 226     | 115     | 341     | 110.91 | 33.25 |
| (%)              | (1.3) | (6.6)  | (18.1) | (27.0) | (20.8) | (15.9)  | (6.2)  | (2.2)  | (0.9)  | (0.9) | (100.0) |         |         |        |       |
| 血液濾過             |       |        |        | 1      | 2      | 1       | 1      | 1      | 1      |       | 7       | 85      | 92      | 147.14 | 36.54 |
| (%)              |       |        |        | (14.3) | (28.6) | (14.3)  | (14.3) | (14.3) | (14.3) |       | (100.0) |         |         |        |       |
| 血液吸着透析<br>(リクセル) | 15    | 97     | 226    | 267    | 228    | 124     | 60     | 31     | 6      | 5     | 1,059   | 564     | 1,623   | 106.33 | 31.57 |
| (%)              | (1.4) | (9.2)  | (21.3) | (25.2) | (21.5) | (11.7)  | (5.7)  | (2.9)  | (0.6)  | (0.5) | (100.0) |         |         |        |       |
| 血液吸着透析<br>(その他)  |       |        |        |        |        | 2       |        |        |        |       | 2       | 5       | 7       | 134.50 | 4.95  |
| (%)              |       |        |        |        |        | (100.0) |        |        |        |       | (100.0) |         |         |        |       |
| 在宅血液透析           | 1     | 14     | 30     | 64     | 67     | 50      | 28     | 7      | 5      | 5     | 271     | 250     | 521     | 120.59 | 34.30 |
| (%)              | (0.4) | (5.2)  | (11.1) | (23.6) | (24.7) | (18.5)  | (10.3) | (2.6)  | (1.8)  | (1.8) | (100.0) |         |         |        |       |
| 腹膜透析<br>(CAPD)   | 6     | 62     | 163    | 358    | 462    | 371     | 252    | 147    | 75     | 60    | 1,956   | 3,065   | 5,021   | 130.58 | 37.96 |
| (%)              | (0.3) | (3.2)  | (8.3)  | (18.3) | (23.6) | (19.0)  | (12.9) | (7.5)  | (3.8)  | (3.1) | (100.0) |         |         |        |       |
| 腹膜透析<br>(APD)    | 5     | 32     | 128    | 208    | 230    | 194     | 132    | 76     | 34     | 22    | 1,061   | 1,778   | 2,839   | 126.63 | 37.43 |
| (%)              | (0.5) | (3.0)  | (12.1) | (19.6) | (21.7) | (18.3)  | (12.4) | (7.2)  | (3.2)  | (2.1) | (100.0) |         |         |        |       |
| 腹膜透析<br>(CCPD)   | 7     | 20     | 60     | 94     | 105    | 97      | 52     | 40     | 11     | 8     | 494     | 587     | 1,081   | 124.05 | 38.95 |
| (%)              | (1.4) | (4.0)  | (12.1) | (19.0) | (21.3) | (19.6)  | (10.5) | (8.1)  | (2.2)  | (1.6) | (100.0) |         |         |        |       |
| 合計               | 3,410 | 16,101 | 35,569 | 42,378 | 34,203 | 20,963  | 10,590 | 4,722  | 1,809  | 1,124 | 170,869 | 139,239 | 310,108 | 107.08 | 33.61 |
| (%)              | (2.0) | (9.4)  | (20.8) | (24.8) | (20.0) | (12.3)  | (6.2)  | (2.8)  | (1.1)  | (0.7) | (100.0) |         |         |        |       |
| 記載なし             |       |        |        |        |        |         |        |        |        |       |         |         |         |        |       |
| (%)              |       |        |        |        |        |         |        |        |        |       |         |         |         |        |       |
| 総計               | 3,410 | 16,101 | 35,569 | 42,378 | 34,203 | 20,963  | 10,590 | 4,722  | 1,809  | 1,124 | 170,869 | 139,239 | 310,108 | 107.08 | 33.61 |
| (%)              | (2.0) | (9.4)  | (20.8) | (24.8) | (20.0) | (12.3)  | (6.2)  | (2.8)  | (1.1)  | (0.7) | (100.0) |         |         |        |       |

数値下のかっこ内は行方向の合計に対する%です。

\*腹膜透析(CCPD)は、APDと手動のバック交換の両方を行うもの

(C)Japanese Society for Dialysis Therapy

2014年調査