

表 3767 Non-HDL-C濃度(mg/dL) 医療機関別（施設血液透析患者 透析回数週3回）

医療機関	50未満	50～	70～	90～	110～	130～	150～	170～	190～	210～	合計	記載なし	総計	平均	標準偏差
国公立大学	7	11	24	21	25	8	6	5	2	2	111	303	414	106.74	46.01
(%)	(6.3)	(9.9)	(21.6)	(18.9)	(22.5)	(7.2)	(5.4)	(4.5)	(1.8)	(1.8)	(100.0)				
私立大学	26	72	194	205	163	122	72	32	6	8	900	668	1,568	108.71	35.68
(%)	(2.9)	(8.0)	(21.6)	(22.8)	(18.1)	(13.6)	(8.0)	(3.6)	(0.7)	(0.9)	(100.0)				
国立	5	25	36	40	32	13	14	3	4	3	175	320	495	105.50	40.13
(%)	(2.9)	(14.3)	(20.6)	(22.9)	(18.3)	(7.4)	(8.0)	(1.7)	(2.3)	(1.7)	(100.0)				
県市町村立	189	948	1,718	1,721	1,243	735	322	129	49	36	7,090	5,740	12,830	100.85	32.68
(%)	(2.7)	(13.4)	(24.2)	(24.3)	(17.5)	(10.4)	(4.5)	(1.8)	(0.7)	(0.5)	(100.0)				
社会保険	31	175	368	405	304	179	96	31	6	7	1,602	1,194	2,796	103.69	31.74
(%)	(1.9)	(10.9)	(23.0)	(25.3)	(19.0)	(11.2)	(6.0)	(1.9)	(0.4)	(0.4)	(100.0)				
厚生連	108	496	1,089	1,168	939	495	265	103	62	33	4,758	1,830	6,588	104.63	33.79
(%)	(2.3)	(10.4)	(22.9)	(24.5)	(19.7)	(10.4)	(5.6)	(2.2)	(1.3)	(0.7)	(100.0)				
その他公的	93	461	903	974	761	424	242	103	20	23	4,004	3,261	7,265	104.09	32.78
(%)	(2.3)	(11.5)	(22.6)	(24.3)	(19.0)	(10.6)	(6.0)	(2.6)	(0.5)	(0.6)	(100.0)				
私立総合	84	375	823	927	673	387	208	100	36	31	3,644	1,340	4,984	105.10	34.34
(%)	(2.3)	(10.3)	(22.6)	(25.4)	(18.5)	(10.6)	(5.7)	(2.7)	(1.0)	(0.9)	(100.0)				
私立	873	3,702	8,184	9,260	7,248	4,267	2,159	972	408	268	37,341	29,258	66,599	105.73	33.93
(%)	(2.3)	(9.9)	(21.9)	(24.8)	(19.4)	(11.4)	(5.8)	(2.6)	(1.1)	(0.7)	(100.0)				
私立診療所	1,300	6,641	15,193	18,858	15,291	9,503	4,659	2,089	745	421	74,700	50,732	125,432	107.66	32.89
(%)	(1.7)	(8.9)	(20.3)	(25.2)	(20.5)	(12.7)	(6.2)	(2.8)	(1.0)	(0.6)	(100.0)				
総計	2,716	12,906	28,532	33,579	26,679	16,133	8,043	3,567	1,338	832	134,325	94,646	228,971	106.43	33.32
(%)	(2.0)	(9.6)	(21.2)	(25.0)	(19.9)	(12.0)	(6.0)	(2.7)	(1.0)	(0.6)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査