

表 3770 Non-HDL-C濃度(mg/dL) 透析前拡張期血圧(mmHg)別（施設血液透析患者 透析回数週3回）

透析前拡張 期血圧	50未満	50～	70～	90～	110～	130～	150～	170～	190～	210～	合計	記載なし	総計	平均	標準偏差
20未満	3	5	10	11	10	5	1		1		46	21	67	99.61	32.60
(%)	(6.5)	(10.9)	(21.7)	(23.9)	(21.7)	(10.9)	(2.2)		(2.2)		(100.0)				
20～	12	52	96	88	79	42	17	13	7	3	409	203	612	103.80	35.37
(%)	(2.9)	(12.7)	(23.5)	(21.5)	(19.3)	(10.3)	(4.2)	(3.2)	(1.7)	(0.7)	(100.0)				
40～	274	1,226	2,536	2,727	1,984	1,091	509	224	84	54	10,709	5,648	16,357	102.34	32.41
(%)	(2.6)	(11.4)	(23.7)	(25.5)	(18.5)	(10.2)	(4.8)	(2.1)	(0.8)	(0.5)	(100.0)				
60～	1,330	5,973	13,102	15,277	11,804	7,028	3,328	1,475	525	339	60,181	29,444	89,625	105.26	32.91
(%)	(2.2)	(9.9)	(21.8)	(25.4)	(19.6)	(11.7)	(5.5)	(2.5)	(0.9)	(0.6)	(100.0)				
80～	566	2,978	6,550	7,967	6,445	3,915	2,121	901	332	186	31,961	14,879	46,840	107.51	33.27
(%)	(1.8)	(9.3)	(20.5)	(24.9)	(20.2)	(12.2)	(6.6)	(2.8)	(1.0)	(0.6)	(100.0)				
90～	296	1,481	3,496	4,177	3,491	2,286	1,154	488	212	117	17,198	7,750	24,948	108.71	33.83
(%)	(1.7)	(8.6)	(20.3)	(24.3)	(20.3)	(13.3)	(6.7)	(2.8)	(1.2)	(0.7)	(100.0)				
100～	149	683	1,584	1,994	1,763	1,118	577	298	123	91	8,380	3,762	12,142	110.73	35.04
(%)	(1.8)	(8.2)	(18.9)	(23.8)	(21.0)	(13.3)	(6.9)	(3.6)	(1.5)	(1.1)	(100.0)				
120～	10	31	84	117	107	61	49	25	5	9	498	243	741	115.20	37.99
(%)	(2.0)	(6.2)	(16.9)	(23.5)	(21.5)	(12.2)	(9.8)	(5.0)	(1.0)	(1.8)	(100.0)				
140～	1	2	5	8	5	8	1	1	1	1	33	24	57	118.45	47.72
(%)	(3.0)	(6.1)	(15.2)	(24.2)	(15.2)	(24.2)	(3.0)	(3.0)	(3.0)	(3.0)	(100.0)				
合計	2,641	12,431	27,463	32,366	25,688	15,554	7,757	3,425	1,290	800	129,415	61,974	191,389	106.42	33.33
(%)	(2.0)	(9.6)	(21.2)	(25.0)	(19.8)	(12.0)	(6.0)	(2.6)	(1.0)	(0.6)	(100.0)				
記載なし	75	475	1,069	1,213	991	579	286	142	48	32	4,910	32,672	37,582	106.78	33.02
(%)	(1.5)	(9.7)	(21.8)	(24.7)	(20.2)	(11.8)	(5.8)	(2.9)	(1.0)	(0.7)	(100.0)				
総計	2,716	12,906	28,532	33,579	26,679	16,133	8,043	3,567	1,338	832	134,325	94,646	228,971	106.43	33.32
(%)	(2.0)	(9.6)	(21.2)	(25.0)	(19.9)	(12.0)	(6.0)	(2.7)	(1.0)	(0.6)	(100.0)				
平均	76.08	76.55	77.02	77.50	78.16	78.76	79.40	79.54	79.87	80.38	77.77	77.12	77.56		
標準偏差	14.63	14.26	14.28	14.26	14.30	14.33	14.37	14.64	15.44	15.72	14.35	14.45	14.39		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査