

表 3771 Non-HDL-C濃度(mg/dL) 透析前脈拍(拍/分)別(施設血液透析患者 透析回数週3回)

| 透析前脈拍 | 50未満  | 50～    | 70～    | 90～    | 110～   | 130～   | 150～  | 170～  | 190～  | 210～  | 合計      | 記載なし   | 総計      | 平均     | 標準偏差  |
|-------|-------|--------|--------|--------|--------|--------|-------|-------|-------|-------|---------|--------|---------|--------|-------|
| 40未満  | 1     | 15     | 26     | 33     | 26     | 6      | 1     | 2     |       |       | 110     | 45     | 155     | 97.55  | 25.60 |
| (%)   | (0.9) | (13.6) | (23.6) | (30.0) | (23.6) | (5.5)  | (0.9) | (1.8) |       |       | (100.0) |        |         |        |       |
| 40～   | 33    | 173    | 341    | 305    | 230    | 125    | 51    | 14    | 6     | 3     | 1,281   | 648    | 1,929   | 98.92  | 30.32 |
| (%)   | (2.6) | (13.5) | (26.6) | (23.8) | (18.0) | (9.8)  | (4.0) | (1.1) | (0.5) | (0.2) | (100.0) |        |         |        |       |
| 50～   | 242   | 1,212  | 2,436  | 2,829  | 1,990  | 1,081  | 477   | 216   | 74    | 39    | 10,596  | 5,177  | 15,773  | 102.19 | 31.51 |
| (%)   | (2.3) | (11.4) | (23.0) | (26.7) | (18.8) | (10.2) | (4.5) | (2.0) | (0.7) | (0.4) | (100.0) |        |         |        |       |
| 60～   | 712   | 3,372  | 7,411  | 8,351  | 6,478  | 3,810  | 1,763 | 764   | 261   | 172   | 33,094  | 15,647 | 48,741  | 104.58 | 32.52 |
| (%)   | (2.2) | (10.2) | (22.4) | (25.2) | (19.6) | (11.5) | (5.3) | (2.3) | (0.8) | (0.5) | (100.0) |        |         |        |       |
| 70～   | 786   | 3,675  | 8,377  | 9,953  | 8,028  | 4,877  | 2,464 | 1,036 | 375   | 242   | 39,813  | 18,371 | 58,184  | 106.84 | 33.11 |
| (%)   | (2.0) | (9.2)  | (21.0) | (25.0) | (20.2) | (12.2) | (6.2) | (2.6) | (0.9) | (0.6) | (100.0) |        |         |        |       |
| 80～   | 501   | 2,244  | 5,096  | 6,244  | 5,055  | 3,194  | 1,676 | 731   | 290   | 175   | 25,206  | 11,517 | 36,723  | 108.08 | 33.83 |
| (%)   | (2.0) | (8.9)  | (20.2) | (24.8) | (20.1) | (12.7) | (6.6) | (2.9) | (1.2) | (0.7) | (100.0) |        |         |        |       |
| 90～   | 213   | 954    | 2,059  | 2,601  | 2,237  | 1,371  | 792   | 366   | 156   | 104   | 10,853  | 5,065  | 15,918  | 109.92 | 35.26 |
| (%)   | (2.0) | (8.8)  | (19.0) | (24.0) | (20.6) | (12.6) | (7.3) | (3.4) | (1.4) | (1.0) | (100.0) |        |         |        |       |
| 100～  | 49    | 305    | 631    | 765    | 653    | 486    | 225   | 136   | 59    | 25    | 3,334   | 1,570  | 4,904   | 111.01 | 35.43 |
| (%)   | (1.5) | (9.1)  | (18.9) | (22.9) | (19.6) | (14.6) | (6.7) | (4.1) | (1.8) | (0.7) | (100.0) |        |         |        |       |
| 110～  | 19    | 83     | 150    | 196    | 145    | 94     | 41    | 31    | 14    | 9     | 782     | 375    | 1,157   | 108.09 | 37.55 |
| (%)   | (2.4) | (10.6) | (19.2) | (25.1) | (18.5) | (12.0) | (5.2) | (4.0) | (1.8) | (1.2) | (100.0) |        |         |        |       |
| 120～  | 9     | 27     | 77     | 79     | 59     | 35     | 18    | 11    | 9     | 4     | 328     | 170    | 498     | 107.75 | 37.97 |
| (%)   | (2.7) | (8.2)  | (23.5) | (24.1) | (18.0) | (10.7) | (5.5) | (3.4) | (2.7) | (1.2) | (100.0) |        |         |        |       |
| 合計    | 2,565 | 12,060 | 26,604 | 31,356 | 24,901 | 15,079 | 7,508 | 3,307 | 1,244 | 773   | 125,397 | 58,585 | 183,982 | 106.40 | 33.31 |
| (%)   | (2.0) | (9.6)  | (21.2) | (25.0) | (19.9) | (12.0) | (6.0) | (2.6) | (1.0) | (0.6) | (100.0) |        |         |        |       |
| 記載なし  | 151   | 846    | 1,928  | 2,223  | 1,778  | 1,054  | 535   | 260   | 94    | 59    | 8,928   | 36,061 | 44,989  | 106.96 | 33.34 |
| (%)   | (1.7) | (9.5)  | (21.6) | (24.9) | (19.9) | (11.8) | (6.0) | (2.9) | (1.1) | (0.7) | (100.0) |        |         |        |       |
| 総計    | 2,716 | 12,906 | 28,532 | 33,579 | 26,679 | 16,133 | 8,043 | 3,567 | 1,338 | 832   | 134,325 | 94,646 | 228,971 | 106.43 | 33.32 |
| (%)   | (2.0) | (9.6)  | (21.2) | (25.0) | (19.9) | (12.0) | (6.0) | (2.7) | (1.0) | (0.6) | (100.0) |        |         |        |       |
| 平均    | 73.88 | 73.62  | 73.79  | 74.27  | 74.75  | 75.37  | 76.06 | 76.76 | 77.86 | 77.57 | 74.55   | 74.38  | 74.50   |        |       |
| 標準偏差  | 12.89 | 13.06  | 12.70  | 12.71  | 12.61  | 12.62  | 12.47 | 13.40 | 13.55 | 13.06 | 12.76   | 12.88  | 12.80   |        |       |

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査