

表 3774 Non-HDL-C濃度(mg/dL) 透析歴(年)別 (血液透析濾過患者 透析回数週3回)

透析歴	50未満	50～	70～	90～	110～	130～	150～	170～	190～	210～	合計	記載なし	総計	平均	標準偏差
2年未満	66	268	605	745	602	382	184	87	46	26	3,011	1,953	4,964	108.25	34.72
(%)	(2.2)	(8.9)	(20.1)	(24.7)	(20.0)	(12.7)	(6.1)	(2.9)	(1.5)	(0.9)	(100.0)				
2年～	124	540	1,130	1,299	1,073	637	341	163	45	33	5,385	3,230	8,615	106.48	34.02
(%)	(2.3)	(10.0)	(21.0)	(24.1)	(19.9)	(11.8)	(6.3)	(3.0)	(0.8)	(0.6)	(100.0)				
5年～	148	667	1,287	1,554	1,288	750	380	152	55	28	6,309	3,807	10,116	105.58	32.93
(%)	(2.3)	(10.6)	(20.4)	(24.6)	(20.4)	(11.9)	(6.0)	(2.4)	(0.9)	(0.4)	(100.0)				
10年～	100	383	795	976	813	480	250	104	50	27	3,978	2,216	6,194	106.86	34.11
(%)	(2.5)	(9.6)	(20.0)	(24.5)	(20.4)	(12.1)	(6.3)	(2.6)	(1.3)	(0.7)	(100.0)				
15年～	34	219	511	661	515	345	188	77	27	15	2,592	1,332	3,924	109.25	32.85
(%)	(1.3)	(8.4)	(19.7)	(25.5)	(19.9)	(13.3)	(7.3)	(3.0)	(1.0)	(0.6)	(100.0)				
20年～	24	138	334	455	381	261	108	56	12	5	1,774	863	2,637	109.16	31.60
(%)	(1.4)	(7.8)	(18.8)	(25.6)	(21.5)	(14.7)	(6.1)	(3.2)	(0.7)	(0.3)	(100.0)				
25年～	14	79	219	266	245	149	72	27	13	3	1,087	564	1,651	109.85	32.02
(%)	(1.3)	(7.3)	(20.1)	(24.5)	(22.5)	(13.7)	(6.6)	(2.5)	(1.2)	(0.3)	(100.0)				
30年～	11	70	150	178	152	81	44	9	11	4	710	413	1,123	106.48	31.68
(%)	(1.5)	(9.9)	(21.1)	(25.1)	(21.4)	(11.4)	(6.2)	(1.3)	(1.5)	(0.6)	(100.0)				
35年～	8	32	86	109	79	49	26	6	1		396	191	587	104.68	29.81
(%)	(2.0)	(8.1)	(21.7)	(27.5)	(19.9)	(12.4)	(6.6)	(1.5)	(0.3)		(100.0)				
40年～		7	21	21	14	14	4	1	2		84	40	124	107.62	31.32
(%)		(8.3)	(25.0)	(25.0)	(16.7)	(16.7)	(4.8)	(1.2)	(2.4)		(100.0)				
合計	529	2,403	5,138	6,264	5,162	3,148	1,597	682	262	141	25,326	14,609	39,935	107.12	33.37
(%)	(2.1)	(9.5)	(20.3)	(24.7)	(20.4)	(12.4)	(6.3)	(2.7)	(1.0)	(0.6)	(100.0)				
不明				1		1					2	9	11	119.50	19.09
(%)				(50.0)		(50.0)					(100.0)				
記載なし															
(%)															
総計	529	2,403	5,138	6,265	5,162	3,149	1,597	682	262	141	25,328	14,618	39,946	107.12	33.37
(%)	(2.1)	(9.5)	(20.3)	(24.7)	(20.4)	(12.4)	(6.3)	(2.7)	(1.0)	(0.6)	(100.0)				
平均	8.92	9.72	10.18	10.42	10.41	10.56	10.45	9.65	10.20	8.54	10.26	9.62	10.02		
標準偏差	8.10	8.59	9.03	9.05	8.97	9.06	8.93	8.30	9.24	7.76	8.94	8.72	8.87		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査