

表 3776 Non-HDL-C濃度(mg/dL) 医療機関別(血液透析濾過患者 透析回数週3回)

医療機関	50未満	50～	70～	90～	110～	130～	150～	170～	190～	210～	合計	記載なし	総計	平均	標準偏差
国公立大学	1	2	1	5	3	1	1				14	28	42	100.79	33.43
(%)	(7.1)	(14.3)	(7.1)	(35.7)	(21.4)	(7.1)	(7.1)				(100.0)				
私立大学	3	14	26	31	30	17	10				131	42	173	104.27	29.98
(%)	(2.3)	(10.7)	(19.8)	(23.7)	(22.9)	(13.0)	(7.6)				(100.0)				
国立	1		5	8	1	2	2	1			20	16	36	104.70	35.92
(%)	(5.0)		(25.0)	(40.0)	(5.0)	(10.0)	(10.0)	(5.0)			(100.0)				
県市町村立	25	132	304	277	199	112	68	24	13	2	1,156	617	1,773	102.32	32.31
(%)	(2.2)	(11.4)	(26.3)	(24.0)	(17.2)	(9.7)	(5.9)	(2.1)	(1.1)	(0.2)	(100.0)				
社会保険	2	7	18	31	30	28	12	4	1	1	134	185	319	117.31	32.62
(%)	(1.5)	(5.2)	(13.4)	(23.1)	(22.4)	(20.9)	(9.0)	(3.0)	(0.7)	(0.7)	(100.0)				
厚生連	17	67	124	145	124	65	42	23	5	8	620	393	1,013	107.46	35.83
(%)	(2.7)	(10.8)	(20.0)	(23.4)	(20.0)	(10.5)	(6.8)	(3.7)	(0.8)	(1.3)	(100.0)				
その他公的	7	36	82	91	67	55	15	8	6		367	327	694	105.40	31.53
(%)	(1.9)	(9.8)	(22.3)	(24.8)	(18.3)	(15.0)	(4.1)	(2.2)	(1.6)		(100.0)				
私立総合	20	75	169	182	132	77	37	14	8	6	720	373	1,093	103.68	33.96
(%)	(2.8)	(10.4)	(23.5)	(25.3)	(18.3)	(10.7)	(5.1)	(1.9)	(1.1)	(0.8)	(100.0)				
私立	160	623	1,306	1,573	1,208	746	386	160	64	34	6,260	3,755	10,015	105.97	33.55
(%)	(2.6)	(10.0)	(20.9)	(25.1)	(19.3)	(11.9)	(6.2)	(2.6)	(1.0)	(0.5)	(100.0)				
私立診療所	293	1,447	3,103	3,922	3,368	2,046	1,024	448	165	90	15,906	8,882	24,788	108.05	33.26
(%)	(1.8)	(9.1)	(19.5)	(24.7)	(21.2)	(12.9)	(6.4)	(2.8)	(1.0)	(0.6)	(100.0)				
総計	529	2,403	5,138	6,265	5,162	3,149	1,597	682	262	141	25,328	14,618	39,946	107.12	33.37
(%)	(2.1)	(9.5)	(20.3)	(24.7)	(20.4)	(12.4)	(6.3)	(2.7)	(1.0)	(0.6)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査