

表 3780 Non-HDL-C濃度(mg/dL) 透析前脈拍(拍/分)別(血液透析濾過患者 透析回数週3回)

透析前脈拍	50未満	50～	70～	90～	110～	130～	150～	170～	190～	210～	合計	記載なし	総計	平均	標準偏差
40未満		2		4	2	2	1				11	6	17	108.18	27.77
(%)		(18.2)		(36.4)	(18.2)	(18.2)	(9.1)				(100.0)				
40～	9	24	45	41	37	18	6	3	1		184	111	295	97.69	31.67
(%)	(4.9)	(13.0)	(24.5)	(22.3)	(20.1)	(9.8)	(3.3)	(1.6)	(0.5)		(100.0)				
50～	50	229	440	427	334	214	90	40	12	7	1,843	789	2,632	102.23	32.59
(%)	(2.7)	(12.4)	(23.9)	(23.2)	(18.1)	(11.6)	(4.9)	(2.2)	(0.7)	(0.4)	(100.0)				
60～	137	614	1,258	1,506	1,257	653	366	135	42	29	5,997	2,493	8,490	105.24	32.46
(%)	(2.3)	(10.2)	(21.0)	(25.1)	(21.0)	(10.9)	(6.1)	(2.3)	(0.7)	(0.5)	(100.0)				
70～	146	672	1,488	1,809	1,501	915	452	198	86	38	7,305	3,240	10,545	107.35	33.29
(%)	(2.0)	(9.2)	(20.4)	(24.8)	(20.5)	(12.5)	(6.2)	(2.7)	(1.2)	(0.5)	(100.0)				
80～	100	429	913	1,206	979	662	332	161	64	33	4,879	2,184	7,063	109.36	34.33
(%)	(2.0)	(8.8)	(18.7)	(24.7)	(20.1)	(13.6)	(6.8)	(3.3)	(1.3)	(0.7)	(100.0)				
90～	39	195	449	567	444	303	171	68	31	20	2,287	1,006	3,293	109.58	35.05
(%)	(1.7)	(8.5)	(19.6)	(24.8)	(19.4)	(13.2)	(7.5)	(3.0)	(1.4)	(0.9)	(100.0)				
100～	14	60	124	164	146	109	50	29	10	4	710	332	1,042	110.93	34.73
(%)	(2.0)	(8.5)	(17.5)	(23.1)	(20.6)	(15.4)	(7.0)	(4.1)	(1.4)	(0.6)	(100.0)				
110～	3	15	27	38	38	31	11	7	2		172	89	261	111.41	32.01
(%)	(1.7)	(8.7)	(15.7)	(22.1)	(22.1)	(18.0)	(6.4)	(4.1)	(1.2)		(100.0)				
120～	1	3	14	15	8	5	4	3		1	54	52	106	108.67	40.32
(%)	(1.9)	(5.6)	(25.9)	(27.8)	(14.8)	(9.3)	(7.4)	(5.6)		(1.9)	(100.0)				
合計	499	2,243	4,758	5,777	4,746	2,912	1,483	644	248	132	23,442	10,302	33,744	107.11	33.54
(%)	(2.1)	(9.6)	(20.3)	(24.6)	(20.2)	(12.4)	(6.3)	(2.7)	(1.1)	(0.6)	(100.0)				
記載なし	30	160	380	488	416	237	114	38	14	9	1,886	4,316	6,202	107.24	31.22
(%)	(1.6)	(8.5)	(20.1)	(25.9)	(22.1)	(12.6)	(6.0)	(2.0)	(0.7)	(0.5)	(100.0)				
総計	529	2,403	5,138	6,265	5,162	3,149	1,597	682	262	141	25,328	14,618	39,946	107.12	33.37
(%)	(2.1)	(9.5)	(20.3)	(24.7)	(20.4)	(12.4)	(6.3)	(2.7)	(1.0)	(0.6)	(100.0)				
平均	73.93	74.02	74.49	75.30	75.23	76.37	76.60	77.57	78.33	78.68	75.30	75.72	75.43		
標準偏差	12.98	12.87	12.77	12.69	12.61	12.94	12.64	13.08	12.05	12.44	12.78	13.27	12.93		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査