

表 3791 透析前収縮期血圧(mmHg) 治療方法(新分類)別(透析患者全体)

| 治療方法<br>(新分類)    | 60未満  | 60～   | 80～   | 100～   | 120～   | 140～   | 160～   | 180～   | 200～  | 220～  | 合計      | 記載なし   | 総計      | 平均     | 標準偏差  |
|------------------|-------|-------|-------|--------|--------|--------|--------|--------|-------|-------|---------|--------|---------|--------|-------|
| 施設血液透析           | 36    | 291   | 2,503 | 13,827 | 43,468 | 66,914 | 48,638 | 18,683 | 4,670 | 930   | 199,960 | 55,681 | 255,641 | 151.55 | 24.03 |
| (%)              | (0.0) | (0.1) | (1.3) | (6.9)  | (21.7) | (33.5) | (24.3) | (9.3)  | (2.3) | (0.5) | (100.0) |        |         |        |       |
| Off-line HDF     | 1     | 31    | 159   | 537    | 1,213  | 1,568  | 1,021  | 423    | 100   | 33    | 5,086   | 1,229  | 6,315   | 146.81 | 26.48 |
| (%)              | (0.0) | (0.6) | (3.1) | (10.6) | (23.8) | (30.8) | (20.1) | (8.3)  | (2.0) | (0.6) | (100.0) |        |         |        |       |
| On-line HDF      | 1     | 84    | 455   | 2,286  | 6,490  | 9,982  | 7,317  | 2,752  | 718   | 180   | 30,265  | 5,825  | 36,090  | 151.27 | 24.68 |
| (%)              | (0.0) | (0.3) | (1.5) | (7.6)  | (21.4) | (33.0) | (24.2) | (9.1)  | (2.4) | (0.6) | (100.0) |        |         |        |       |
| Push/Pull HDF    |       |       | 5     | 43     | 93     | 147    | 100    | 39     | 5     | 3     | 435     | 102    | 537     | 149.76 | 23.95 |
| (%)              |       |       | (1.1) | (9.9)  | (21.4) | (33.8) | (23.0) | (9.0)  | (1.1) | (0.7) | (100.0) |        |         |        |       |
| ハイオフィルトレーション     |       | 6     | 21    | 37     | 45     | 71     | 76     | 22     | 10    | 2     | 290     | 51     | 341     | 146.30 | 32.07 |
| (%)              |       | (2.1) | (7.2) | (12.8) | (15.5) | (24.5) | (26.2) | (7.6)  | (3.4) | (0.7) | (100.0) |        |         |        |       |
| 血液濾過             |       |       |       | 8      | 13     | 28     | 25     | 13     | 1     |       | 88      | 4      | 92      | 154.76 | 23.88 |
| (%)              |       |       |       | (9.1)  | (14.8) | (31.8) | (28.4) | (14.8) | (1.1) |       | (100.0) |        |         |        |       |
| 血液吸着透析<br>(リクセル) | 1     | 5     | 54    | 175    | 344    | 434    | 242    | 66     | 11    | 2     | 1,334   | 289    | 1,623   | 142.24 | 24.61 |
| (%)              | (0.1) | (0.4) | (4.0) | (13.1) | (25.8) | (32.5) | (18.1) | (4.9)  | (0.8) | (0.1) | (100.0) |        |         |        |       |
| 血液吸着透析<br>(その他)  |       |       |       | 3      |        |        | 2      |        |       |       | 5       | 2      | 7       | 129.60 | 31.15 |
| (%)              |       |       |       | (60.0) |        |        | (40.0) |        |       |       | (100.0) |        |         |        |       |
| 在宅血液透析           |       | 3     | 17    | 50     | 89     | 99     | 53     | 9      |       |       | 320     | 201    | 521     | 137.93 | 23.92 |
| (%)              |       | (0.9) | (5.3) | (15.6) | (27.8) | (30.9) | (16.6) | (2.8)  |       |       | (100.0) |        |         |        |       |
| 腹膜透析<br>(CAPD)   |       | 9     | 68    | 364    | 793    | 831    | 370    | 107    | 18    | 6     | 2,566   | 2,455  | 5,021   | 140.51 | 22.93 |
| (%)              |       | (0.4) | (2.7) | (14.2) | (30.9) | (32.4) | (14.4) | (4.2)  | (0.7) | (0.2) | (100.0) |        |         |        |       |
| 腹膜透析<br>(APD)    | 1     | 2     | 42    | 207    | 497    | 519    | 230    | 74     | 10    | 3     | 1,585   | 1,254  | 2,839   | 140.96 | 22.88 |
| (%)              | (0.1) | (0.1) | (2.6) | (13.1) | (31.4) | (32.7) | (14.5) | (4.7)  | (0.6) | (0.2) | (100.0) |        |         |        |       |
| 腹膜透析<br>(CCPD)   |       | 2     | 14    | 70     | 226    | 229    | 121    | 36     | 3     | 1     | 702     | 379    | 1,081   | 142.94 | 22.61 |
| (%)              |       | (0.3) | (2.0) | (10.0) | (32.2) | (32.6) | (17.2) | (5.1)  | (0.4) | (0.1) | (100.0) |        |         |        |       |
| 合計               | 40    | 433   | 3,338 | 17,607 | 53,271 | 80,822 | 58,195 | 22,224 | 5,546 | 1,160 | 242,636 | 67,472 | 310,108 | 151.13 | 24.23 |
| (%)              | (0.0) | (0.2) | (1.4) | (7.3)  | (22.0) | (33.3) | (24.0) | (9.2)  | (2.3) | (0.5) | (100.0) |        |         |        |       |
| 記載なし             |       |       |       |        |        |        |        |        |       |       |         |        |         |        |       |
| (%)              |       |       |       |        |        |        |        |        |       |       |         |        |         |        |       |
| 総計               | 40    | 433   | 3,338 | 17,607 | 53,271 | 80,822 | 58,195 | 22,224 | 5,546 | 1,160 | 242,636 | 67,472 | 310,108 | 151.13 | 24.23 |
| (%)              | (0.0) | (0.2) | (1.4) | (7.3)  | (22.0) | (33.3) | (24.0) | (9.2)  | (2.3) | (0.5) | (100.0) |        |         |        |       |

数値下のかっこ内は行方向の合計に対する%です。

\*腹膜透析(CCPD)は、APDと手動のバック交換の両方を行うもの

(C)Japanese Society for Dialysis Therapy

2014年調査