

表 3821 収縮期血圧(mmHg) 医療機関別（腹膜透析患者）

医療機関	60未満	60～	80～	100～	120～	140～	160～	180～	200～	220～	合計	記載なし	総計	平均	標準偏差
国公立大学		2	15	84	162	125	44	11			443	270	713	134.39	20.69
(%)		(0.5)	(3.4)	(19.0)	(36.6)	(28.2)	(9.9)	(2.5)			(100.0)				
私立大学		2	10	58	199	178	86	28	2	1	564	569	1,133	141.48	21.69
(%)		(0.4)	(1.8)	(10.3)	(35.3)	(31.6)	(15.2)	(5.0)	(0.4)	(0.2)	(100.0)				
国立		1	4	20	39	42	5	4			115	87	202	135.40	22.06
(%)		(0.9)	(3.5)	(17.4)	(33.9)	(36.5)	(4.3)	(3.5)			(100.0)				
県市町村立			27	126	291	276	113	23	4	1	861	725	1,586	138.65	22.04
(%)			(3.1)	(14.6)	(33.8)	(32.1)	(13.1)	(2.7)	(0.5)	(0.1)	(100.0)				
社会保険	1	1	5	16	62	49	24	8			166	321	487	140.17	22.93
(%)	(0.6)	(0.6)	(3.0)	(9.6)	(37.3)	(29.5)	(14.5)	(4.8)			(100.0)				
厚生連			10	50	98	129	76	17	3		383	243	626	143.20	22.67
(%)			(2.6)	(13.1)	(25.6)	(33.7)	(19.8)	(4.4)	(0.8)		(100.0)				
その他公的		4	16	106	225	249	110	38	6	3	757	562	1,319	141.73	23.78
(%)		(0.5)	(2.1)	(14.0)	(29.7)	(32.9)	(14.5)	(5.0)	(0.8)	(0.4)	(100.0)				
私立総合			2	19	70	77	44	12	1	2	227	150	377	146.07	22.35
(%)			(0.9)	(8.4)	(30.8)	(33.9)	(19.4)	(5.3)	(0.4)	(0.9)	(100.0)				
私立		3	24	99	226	257	114	45	7	1	776	913	1,689	141.89	23.46
(%)		(0.4)	(3.1)	(12.8)	(29.1)	(33.1)	(14.7)	(5.8)	(0.9)	(0.1)	(100.0)				
私立診療所			11	63	144	197	105	31	8	2	561	248	809	145.05	23.79
(%)			(2.0)	(11.2)	(25.7)	(35.1)	(18.7)	(5.5)	(1.4)	(0.4)	(100.0)				
総計	1	13	124	641	1,516	1,579	721	217	31	10	4,853	4,088	8,941	141.01	22.88
(%)	(0.0)	(0.3)	(2.6)	(13.2)	(31.2)	(32.5)	(14.9)	(4.5)	(0.6)	(0.2)	(100.0)				

数値下のかっこ内は行方向の合計に対する％です。

(C)Japanese Society for Dialysis Therapy

2014年調査