

表 3827 透析前拡張期血圧(mmHg) 併用の状況別（透析患者全体）

併用の状況	20未満	20～	40～	60～	80～	90～	100～	120～	140～	合計	記載なし	総計	平均	標準偏差
HD(F)単独	79	780	20,084	109,692	58,313	31,498	15,404	946	74	236,870	63,924	300,794	77.75	14.45
(%)	(0.0)	(0.3)	(8.5)	(46.3)	(24.6)	(13.3)	(6.5)	(0.4)	(0.0)	(100.0)				
PD単独	1	12	305	1,561	952	498	219	9		3,557	3,631	7,188	78.13	14.26
(%)	(0.0)	(0.3)	(8.6)	(43.9)	(26.8)	(14.0)	(6.2)	(0.3)		(100.0)				
HD(F)単独.PDカテあり		1	16	88	51	26	12			194	75	269	78.29	13.91
(%)		(0.5)	(8.2)	(45.4)	(26.3)	(13.4)	(6.2)			(100.0)				
PD.HD併用週1 HD(F)		3	64	450	293	192	117	5	1	1,125	419	1,544	81.35	14.56
(%)		(0.3)	(5.7)	(40.0)	(26.0)	(17.1)	(10.4)	(0.4)	(0.1)	(100.0)				
PD.HD併用週2 HD(F)			4	49	47	21	8	3		132	45	177	82.63	14.06
(%)			(3.0)	(37.1)	(35.6)	(15.9)	(6.1)	(2.3)		(100.0)				
PD.HD併用週3 HD(F)			1	13	7	5	5			31	9	40	82.03	15.44
(%)			(3.2)	(41.9)	(22.6)	(16.1)	(16.1)			(100.0)				
PD.HD併用週4 HD(F)					1					1		1	81.00	
(%)					(100.0)					(100.0)				
PD.HD併用その他			4	21	19	8	4	1		57	16	73	79.86	15.44
(%)			(7.0)	(36.8)	(33.3)	(14.0)	(7.0)	(1.8)		(100.0)				
合計	80	796	20,478	111,874	59,683	32,248	15,769	964	75	241,967	68,119	310,086	77.77	14.45
(%)	(0.0)	(0.3)	(8.5)	(46.2)	(24.7)	(13.3)	(6.5)	(0.4)	(0.0)	(100.0)				
不明			2	4	4	3	2			15	7	22	81.40	17.28
(%)			(13.3)	(26.7)	(26.7)	(20.0)	(13.3)			(100.0)				
記載なし														
(%)														
総計	80	796	20,480	111,878	59,687	32,251	15,771	964	75	241,982	68,126	310,108	77.77	14.45
(%)	(0.0)	(0.3)	(8.5)	(46.2)	(24.7)	(13.3)	(6.5)	(0.4)	(0.0)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査