

表 3832 透析前拡張期血圧(mmHg) 医療機関別（透析患者全体）

医療機関	20未満	20～	40～	60～	80～	90～	100～	120～	140～	合計	記載なし	総計	平均	標準偏差
国公立大学		6	118	371	212	122	44	3	3	879	378	1,257	76.28	16.05
(%)		(0.7)	(13.4)	(42.2)	(24.1)	(13.9)	(5.0)	(0.3)	(0.3)	(100.0)				
私立大学	1	13	223	974	591	343	160	17	1	2,323	1,194	3,517	78.41	15.10
(%)	(0.0)	(0.6)	(9.6)	(41.9)	(25.4)	(14.8)	(6.9)	(0.7)	(0.0)	(100.0)				
国立		4	61	268	143	76	30	3		585	284	869	76.82	14.76
(%)		(0.7)	(10.4)	(45.8)	(24.4)	(13.0)	(5.1)	(0.5)		(100.0)				
県市町村立	2	48	1,244	6,451	3,483	1,919	939	48	7	14,141	5,044	19,185	77.95	14.59
(%)	(0.0)	(0.3)	(8.8)	(45.6)	(24.6)	(13.6)	(6.6)	(0.3)	(0.0)	(100.0)				
社会保険	1	15	279	1,469	841	439	218	9	2	3,273	599	3,872	78.08	14.46
(%)	(0.0)	(0.5)	(8.5)	(44.9)	(25.7)	(13.4)	(6.7)	(0.3)	(0.1)	(100.0)				
厚生連	2	20	615	3,430	1,873	1,123	538	39		7,640	1,624	9,264	78.57	14.44
(%)	(0.0)	(0.3)	(8.0)	(44.9)	(24.5)	(14.7)	(7.0)	(0.5)		(100.0)				
その他公的	4	29	736	3,676	2,075	1,142	590	37	4	8,293	2,696	10,989	78.05	14.78
(%)	(0.0)	(0.3)	(8.9)	(44.3)	(25.0)	(13.8)	(7.1)	(0.4)	(0.0)	(100.0)				
私立総合	3	20	508	2,753	1,419	790	471	42	2	6,008	1,546	7,554	78.25	15.12
(%)	(0.0)	(0.3)	(8.5)	(45.8)	(23.6)	(13.1)	(7.8)	(0.7)	(0.0)	(100.0)				
私立	32	288	6,517	31,582	15,831	8,490	4,009	236	16	67,001	21,641	88,642	76.95	14.61
(%)	(0.0)	(0.4)	(9.7)	(47.1)	(23.6)	(12.7)	(6.0)	(0.4)	(0.0)	(100.0)				
私立診療所	35	353	10,179	60,904	33,219	17,807	8,772	530	40	131,839	33,120	164,959	78.08	14.26
(%)	(0.0)	(0.3)	(7.7)	(46.2)	(25.2)	(13.5)	(6.7)	(0.4)	(0.0)	(100.0)				
総計	80	796	20,480	111,878	59,687	32,251	15,771	964	75	241,982	68,126	310,108	77.77	14.45
(%)	(0.0)	(0.3)	(8.5)	(46.2)	(24.7)	(13.3)	(6.5)	(0.4)	(0.0)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査