

表 3833 透析前拡張期血圧(mmHg) 週透析回数(回/週)別 (透析患者全体)

週透析回数	20未満	20～	40～	60～	80～	90～	100～	120～	140～	合計	記載なし	総計	平均	標準偏差
1回	1	5	118	669	419	243	147	8	2	1,612	228	1,840	79.93	14.99
(%)	(0.1)	(0.3)	(7.3)	(41.5)	(26.0)	(15.1)	(9.1)	(0.5)	(0.1)	(100.0)				
2回	1	20	509	2,572	1,256	603	259	17		5,237	955	6,192	76.38	13.95
(%)	(0.0)	(0.4)	(9.7)	(49.1)	(24.0)	(11.5)	(4.9)	(0.3)		(100.0)				
3回	75	743	19,197	105,358	56,153	30,401	14,906	913	69	227,815	42,824	270,639	77.79	14.45
(%)	(0.0)	(0.3)	(8.4)	(46.2)	(24.6)	(13.3)	(6.5)	(0.4)	(0.0)	(100.0)				
4回	1	4	118	350	219	110	66	2		870	124	994	77.28	15.77
(%)	(0.1)	(0.5)	(13.6)	(40.2)	(25.2)	(12.6)	(7.6)	(0.2)		(100.0)				
5回			9	23	21	8	5	1		67	22	89	78.67	15.66
(%)			(13.4)	(34.3)	(31.3)	(11.9)	(7.5)	(1.5)		(100.0)				
6回			4	29	15	5	3	1		57	24	81	78.30	14.95
(%)			(7.0)	(50.9)	(26.3)	(8.8)	(5.3)	(1.8)		(100.0)				
7回			3	12	2	3	1			21	9	30	72.90	14.64
(%)			(14.3)	(57.1)	(9.5)	(14.3)	(4.8)			(100.0)				
合計	78	772	19,958	109,013	58,085	31,373	15,387	942	71	235,679	44,186	279,865	77.77	14.45
(%)	(0.0)	(0.3)	(8.5)	(46.3)	(24.6)	(13.3)	(6.5)	(0.4)	(0.0)	(100.0)				
記載なし	2	24	522	2,865	1,602	878	384	22	4	6,303	23,940	30,243	78.02	14.35
(%)	(0.0)	(0.4)	(8.3)	(45.5)	(25.4)	(13.9)	(6.1)	(0.3)	(0.1)	(100.0)				
総計	80	796	20,480	111,878	59,687	32,251	15,771	964	75	241,982	68,126	310,108	77.77	14.45
(%)	(0.0)	(0.3)	(8.5)	(46.2)	(24.7)	(13.3)	(6.5)	(0.4)	(0.0)	(100.0)				
平均	2.97	2.97	2.97	2.97	2.97	2.97	2.97	2.97	2.94	2.97	2.97	2.97		
標準偏差	0.28	0.24	0.25	0.24	0.24	0.24	0.25	0.26	0.33	0.24	0.23	0.24		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査