

表 3840 透析前拡張期血圧(mmHg) 透析後体重(kg)別（施設血液透析患者 透析回数週3回）

透析後体重	20未満	20～	40～	60～	80～	90～	100～	120～	140～	合計	記載なし	総計	平均	標準偏差
20未満	1		7	35	12	14	6			75	9	84	77.73	17.42
(%)	(1.3)		(9.3)	(46.7)	(16.0)	(18.7)	(8.0)			(100.0)				
20～		8	120	352	100	46	35	6		667	135	802	72.29	16.19
(%)		(1.2)	(18.0)	(52.8)	(15.0)	(6.9)	(5.2)	(0.9)		(100.0)				
30～	6	128	2,509	8,510	3,139	1,386	597	31	5	16,311	2,806	19,117	72.82	14.55
(%)	(0.0)	(0.8)	(15.4)	(52.2)	(19.2)	(8.5)	(3.7)	(0.2)	(0.0)	(100.0)				
40～	16	190	5,741	26,231	11,228	5,403	2,194	101	13	51,117	8,692	59,809	75.09	13.93
(%)	(0.0)	(0.4)	(11.2)	(51.3)	(22.0)	(10.6)	(4.3)	(0.2)	(0.0)	(100.0)				
50～	22	182	4,922	30,224	15,097	7,637	3,350	198	12	61,644	10,465	72,109	77.16	13.84
(%)	(0.0)	(0.3)	(8.0)	(49.0)	(24.5)	(12.4)	(5.4)	(0.3)	(0.0)	(100.0)				
60～	12	66	2,237	16,230	10,431	5,868	2,928	175	12	37,959	6,123	44,082	79.84	13.99
(%)	(0.0)	(0.2)	(5.9)	(42.8)	(27.5)	(15.5)	(7.7)	(0.5)	(0.0)	(100.0)				
70～	8	19	518	5,386	4,307	2,751	1,652	100	5	14,746	2,438	17,184	82.70	14.16
(%)	(0.1)	(0.1)	(3.5)	(36.5)	(29.2)	(18.7)	(11.2)	(0.7)	(0.0)	(100.0)				
80～	1	6	153	1,585	1,580	1,079	786	68	4	5,262	819	6,081	85.23	14.60
(%)	(0.0)	(0.1)	(2.9)	(30.1)	(30.0)	(20.5)	(14.9)	(1.3)	(0.1)	(100.0)				
90～		2	46	503	513	425	358	40	2	1,889	306	2,195	87.43	14.91
(%)		(0.1)	(2.4)	(26.6)	(27.2)	(22.5)	(19.0)	(2.1)	(0.1)	(100.0)				
100～		1	19	159	168	172	115	12	2	648	107	755	87.77	15.33
(%)		(0.2)	(2.9)	(24.5)	(25.9)	(26.5)	(17.7)	(1.9)	(0.3)	(100.0)				
110～		1	5	66	78	60	46	7	1	264	35	299	88.42	16.25
(%)		(0.4)	(1.9)	(25.0)	(29.5)	(22.7)	(17.4)	(2.7)	(0.4)	(100.0)				
120～			6	50	32	31	35	2		156	33	189	86.74	16.07
(%)			(3.8)	(32.1)	(20.5)	(19.9)	(22.4)	(1.3)		(100.0)				
合計	66	603	16,283	89,331	46,685	24,872	12,102	740	56	190,738	31,968	222,706	77.56	14.38
(%)	(0.0)	(0.3)	(8.5)	(46.8)	(24.5)	(13.0)	(6.3)	(0.4)	(0.0)	(100.0)				
記載なし	1	9	74	294	155	76	40	1	1	651	5,614	6,265	76.08	15.56
(%)	(0.2)	(1.4)	(11.4)	(45.2)	(23.8)	(11.7)	(6.1)	(0.2)	(0.2)	(100.0)				
総計	67	612	16,357	89,625	46,840	24,948	12,142	741	57	191,389	37,582	228,971	77.56	14.39
(%)	(0.0)	(0.3)	(8.5)	(46.8)	(24.5)	(13.0)	(6.3)	(0.4)	(0.0)	(100.0)				
平均	54.28	49.42	50.59	53.91	56.96	58.68	61.23	64.12	61.20	55.49	55.19	55.45		
標準偏差	13.38	11.95	11.06	11.84	12.95	13.87	15.26	16.96	19.49	12.90	12.91	12.90		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査