

表 3853 拡張期血圧(mmHg) 医療機関別（腹膜透析患者）

医療機関	20未満	20～	40～	60～	80～	90～	100～	120～	140～	合計	記載なし	総計	平均	標準偏差
国公立大学		3	43	188	123	66	20			443	270	713	77.58	13.90
(%)		(0.7)	(9.7)	(42.4)	(27.8)	(14.9)	(4.5)			(100.0)				
私立大学	1		29	215	168	89	50	7	1	560	573	1,133	81.50	14.71
(%)	(0.2)		(5.2)	(38.4)	(30.0)	(15.9)	(8.9)	(1.3)	(0.2)	(100.0)				
国立		1	10	45	32	16	5			109	93	202	77.37	15.00
(%)		(0.9)	(9.2)	(41.3)	(29.4)	(14.7)	(4.6)			(100.0)				
県市町村立		5	75	396	212	115	50	2		855	731	1,586	77.18	14.75
(%)		(0.6)	(8.8)	(46.3)	(24.8)	(13.5)	(5.8)	(0.2)		(100.0)				
社会保険		1	12	70	49	20	14			166	321	487	79.25	13.99
(%)		(0.6)	(7.2)	(42.2)	(29.5)	(12.0)	(8.4)			(100.0)				
厚生連			30	174	102	51	26			383	243	626	78.49	13.49
(%)			(7.8)	(45.4)	(26.6)	(13.3)	(6.8)			(100.0)				
その他公的		2	72	300	192	125	62	4		757	562	1,319	79.61	15.17
(%)		(0.3)	(9.5)	(39.6)	(25.4)	(16.5)	(8.2)	(0.5)		(100.0)				
私立総合			9	93	65	36	21	1		225	152	377	80.74	13.79
(%)			(4.0)	(41.3)	(28.9)	(16.0)	(9.3)	(0.4)		(100.0)				
私立		2	57	342	204	112	54	2		773	916	1,689	78.99	14.06
(%)		(0.3)	(7.4)	(44.2)	(26.4)	(14.5)	(7.0)	(0.3)		(100.0)				
私立診療所		1	38	242	149	84	45	2		561	248	809	79.60	14.02
(%)		(0.2)	(6.8)	(43.1)	(26.6)	(15.0)	(8.0)	(0.4)		(100.0)				
総計	1	15	375	2,065	1,296	714	347	18	1	4,832	4,109	8,941	79.01	14.43
(%)	(0.0)	(0.3)	(7.8)	(42.7)	(26.8)	(14.8)	(7.2)	(0.4)	(0.0)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査