

表 3860 透析前脈拍(拍/分) 治療方法(新分類)別(透析患者全体)

治療方法 (新分類)	40未満	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
施設血液透析	160	2,037	16,498	50,806	60,627	38,189	16,569	5,073	1,198	514	191,671	63,970	255,641	74.47	12.79
(%)	(0.1)	(1.1)	(8.6)	(26.5)	(31.6)	(19.9)	(8.6)	(2.6)	(0.6)	(0.3)	(100.0)				
Off-line HDF	4	35	360	1,192	1,538	996	480	158	49	20	4,832	1,483	6,315	75.65	13.21
(%)	(0.1)	(0.7)	(7.5)	(24.7)	(31.8)	(20.6)	(9.9)	(3.3)	(1.0)	(0.4)	(100.0)				
On-line HDF	14	265	2,298	7,339	9,081	6,135	2,819	893	213	87	29,144	6,946	36,090	75.39	12.90
(%)	(0.0)	(0.9)	(7.9)	(25.2)	(31.2)	(21.1)	(9.7)	(3.1)	(0.7)	(0.3)	(100.0)				
Push/Pull HDF		3	33	103	126	93	47	16	2	1	424	113	537	75.80	12.90
(%)		(0.7)	(7.8)	(24.3)	(29.7)	(21.9)	(11.1)	(3.8)	(0.5)	(0.2)	(100.0)				
ハイオフィルトレーション	1	3	14	78	80	52	36	11	4	3	282	59	341	76.46	14.53
(%)	(0.4)	(1.1)	(5.0)	(27.7)	(28.4)	(18.4)	(12.8)	(3.9)	(1.4)	(1.1)	(100.0)				
血液濾過		1	6	24	30	13	10	2	1	1	88	4	92	75.07	14.00
(%)		(1.1)	(6.8)	(27.3)	(34.1)	(14.8)	(11.4)	(2.3)	(1.1)	(1.1)	(100.0)				
血液吸着透析 (リクセル)	1	11	103	321	405	245	114	25	7	8	1,240	383	1,623	74.89	12.92
(%)	(0.1)	(0.9)	(8.3)	(25.9)	(32.7)	(19.8)	(9.2)	(2.0)	(0.6)	(0.6)	(100.0)				
血液吸着透析 (その他)				3	2						5	2	7	69.60	6.54
(%)				(60.0)	(40.0)						(100.0)				
在宅血液透析		1	13	65	112	67	34	11	2	1	306	215	521	77.12	12.08
(%)		(0.3)	(4.2)	(21.2)	(36.6)	(21.9)	(11.1)	(3.6)	(0.7)	(0.3)	(100.0)				
腹膜透析 (CAPD)	3	9	100	459	708	543	233	95	23	8	2,181	2,840	5,021	77.51	12.86
(%)	(0.1)	(0.4)	(4.6)	(21.0)	(32.5)	(24.9)	(10.7)	(4.4)	(1.1)	(0.4)	(100.0)				
腹膜透析 (APD)	2	12	61	277	374	320	179	77	18	12	1,332	1,507	2,839	78.77	14.06
(%)	(0.2)	(0.9)	(4.6)	(20.8)	(28.1)	(24.0)	(13.4)	(5.8)	(1.4)	(0.9)	(100.0)				
腹膜透析 (CCPD)		4	26	114	189	161	69	32	11		606	475	1,081	78.66	12.84
(%)		(0.7)	(4.3)	(18.8)	(31.2)	(26.6)	(11.4)	(5.3)	(1.8)		(100.0)				
合計	185	2,381	19,512	60,781	73,272	46,814	20,590	6,393	1,528	655	232,111	77,997	310,108	74.69	12.84
(%)	(0.1)	(1.0)	(8.4)	(26.2)	(31.6)	(20.2)	(8.9)	(2.8)	(0.7)	(0.3)	(100.0)				
記載なし															
(%)															
総計	185	2,381	19,512	60,781	73,272	46,814	20,590	6,393	1,528	655	232,111	77,997	310,108	74.69	12.84
(%)	(0.1)	(1.0)	(8.4)	(26.2)	(31.6)	(20.2)	(8.9)	(2.8)	(0.7)	(0.3)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

*腹膜透析(CCPD)は、APDと手動のバック交換の両方を行うもの

(C)Japanese Society for Dialysis Therapy

2014年調査