

表 3865 透析前脈拍(拍/分) 原疾患別 (透析患者全体)

| 原疾患           | 40未満  | 40～   | 50～    | 60～    | 70～    | 80～    | 90～    | 100～  | 110～  | 120～  | 合計      | 記載なし   | 総計      | 平均    | 標準偏差  |
|---------------|-------|-------|--------|--------|--------|--------|--------|-------|-------|-------|---------|--------|---------|-------|-------|
| 慢性糸球体腎炎       | 43    | 723   | 6,391  | 19,945 | 23,273 | 13,774 | 5,616  | 1,750 | 461   | 209   | 72,185  | 24,785 | 96,970  | 74.02 | 12.66 |
| (%)           | (0.1) | (1.0) | (8.9)  | (27.6) | (32.2) | (19.1) | (7.8)  | (2.4) | (0.6) | (0.3) | (100.0) |        |         |       |       |
| 慢性腎盂腎炎        |       | 20    | 174    | 610    | 701    | 414    | 244    | 78    | 24    | 2     | 2,267   | 775    | 3,042   | 75.35 | 13.08 |
| (%)           |       | (0.9) | (7.7)  | (26.9) | (30.9) | (18.3) | (10.8) | (3.4) | (1.1) | (0.1) | (100.0) |        |         |       |       |
| 急速進行性糸球体腎炎    | 3     | 19    | 145    | 453    | 643    | 391    | 180    | 50    | 22    | 3     | 1,909   | 585    | 2,494   | 75.31 | 12.81 |
| (%)           | (0.2) | (1.0) | (7.6)  | (23.7) | (33.7) | (20.5) | (9.4)  | (2.6) | (1.2) | (0.2) | (100.0) |        |         |       |       |
| 妊娠腎/妊娠中毒症     | 3     | 7     | 75     | 336    | 426    | 252    | 97     | 37    | 12    | 4     | 1,249   | 365    | 1,614   | 75.06 | 12.49 |
| (%)           | (0.2) | (0.6) | (6.0)  | (26.9) | (34.1) | (20.2) | (7.8)  | (3.0) | (1.0) | (0.3) | (100.0) |        |         |       |       |
| その他の分類不能の腎炎   |       | 7     | 68     | 262    | 365    | 207    | 97     | 27    | 8     | 5     | 1,046   | 327    | 1,373   | 75.30 | 12.41 |
| (%)           |       | (0.7) | (6.5)  | (25.0) | (34.9) | (19.8) | (9.3)  | (2.6) | (0.8) | (0.5) | (100.0) |        |         |       |       |
| 多発性嚢胞腎        | 7     | 64    | 805    | 2,403  | 2,720  | 1,516  | 621    | 209   | 46    | 28    | 8,419   | 2,587  | 11,006  | 73.65 | 12.60 |
| (%)           | (0.1) | (0.8) | (9.6)  | (28.5) | (32.3) | (18.0) | (7.4)  | (2.5) | (0.5) | (0.3) | (100.0) |        |         |       |       |
| 腎硬化症          | 15    | 317   | 2,447  | 6,488  | 6,560  | 3,570  | 1,514  | 451   | 127   | 68    | 21,557  | 6,741  | 28,298  | 72.64 | 12.81 |
| (%)           | (0.1) | (1.5) | (11.4) | (30.1) | (30.4) | (16.6) | (7.0)  | (2.1) | (0.6) | (0.3) | (100.0) |        |         |       |       |
| 悪性高血圧         | 2     | 13    | 149    | 490    | 608    | 360    | 170    | 53    | 8     | 5     | 1,858   | 715    | 2,573   | 74.64 | 12.42 |
| (%)           | (0.1) | (0.7) | (8.0)  | (26.4) | (32.7) | (19.4) | (9.1)  | (2.9) | (0.4) | (0.3) | (100.0) |        |         |       |       |
| 糖尿病性腎症        | 90    | 843   | 6,436  | 21,007 | 27,704 | 19,832 | 9,220  | 2,857 | 574   | 211   | 88,774  | 29,307 | 118,081 | 75.82 | 12.86 |
| (%)           | (0.1) | (0.9) | (7.2)  | (23.7) | (31.2) | (22.3) | (10.4) | (3.2) | (0.6) | (0.2) | (100.0) |        |         |       |       |
| SLE腎炎         | 1     | 8     | 101    | 379    | 548    | 389    | 159    | 62    | 20    | 9     | 1,676   | 560    | 2,236   | 76.78 | 13.05 |
| (%)           | (0.1) | (0.5) | (6.0)  | (22.6) | (32.7) | (23.2) | (9.5)  | (3.7) | (1.2) | (0.5) | (100.0) |        |         |       |       |
| アミロイド腎        |       | 5     | 20     | 93     | 110    | 82     | 35     | 8     | 1     |       | 354     | 97     | 451     | 75.25 | 12.10 |
| (%)           |       | (1.4) | (5.6)  | (26.3) | (31.1) | (23.2) | (9.9)  | (2.3) | (0.3) |       | (100.0) |        |         |       |       |
| 痛風腎           | 1     | 17    | 68     | 227    | 296    | 151    | 64     | 18    | 2     | 3     | 847     | 266    | 1,113   | 73.59 | 12.40 |
| (%)           | (0.1) | (2.0) | (8.0)  | (26.8) | (34.9) | (17.8) | (7.6)  | (2.1) | (0.2) | (0.4) | (100.0) |        |         |       |       |
| 先天性代謝異常による腎不全 |       | 1     | 14     | 49     | 55     | 49     | 23     | 5     |       |       | 196     | 76     | 272     | 75.99 | 12.02 |
| (%)           |       | (0.5) | (7.1)  | (25.0) | (28.1) | (25.0) | (11.7) | (2.6) |       |       | (100.0) |        |         |       |       |
| 腎・尿路結核        |       | 2     | 16     | 34     | 43     | 27     | 18     | 3     | 1     |       | 144     | 62     | 206     | 74.61 | 13.09 |
| (%)           |       | (1.4) | (11.1) | (23.6) | (29.9) | (18.8) | (12.5) | (2.1) | (0.7) |       | (100.0) |        |         |       |       |
| 腎・尿路結石        | 2     | 1     | 33     | 140    | 125    | 74     | 50     | 8     | 1     | 3     | 437     | 144    | 581     | 74.30 | 13.32 |
| (%)           | (0.5) | (0.2) | (7.6)  | (32.0) | (28.6) | (16.9) | (11.4) | (1.8) | (0.2) | (0.7) | (100.0) |        |         |       |       |
| 腎・尿路腫瘍        |       | 7     | 89     | 178    | 219    | 136    | 54     | 15    | 1     | 2     | 701     | 185    | 886     | 73.12 | 12.34 |
| (%)           |       | (1.0) | (12.7) | (25.4) | (31.2) | (19.4) | (7.7)  | (2.1) | (0.1) | (0.3) | (100.0) |        |         |       |       |
| 閉塞性尿路障害       |       | 6     | 42     | 137    | 156    | 103    | 64     | 14    | 6     | 1     | 529     | 194    | 723     | 75.58 | 13.18 |
| (%)           |       | (1.1) | (7.9)  | (25.9) | (29.5) | (19.5) | (12.1) | (2.6) | (1.1) | (0.2) | (100.0) |        |         |       |       |
| 骨髄腫           |       | 3     | 18     | 44     | 63     | 43     | 24     | 5     | 1     |       | 201     | 75     | 276     | 75.39 | 12.96 |
| (%)           |       | (1.5) | (9.0)  | (21.9) | (31.3) | (21.4) | (11.9) | (2.5) | (0.5) |       | (100.0) |        |         |       |       |
| 腎形成不全         | 1     | 2     | 17     | 91     | 156    | 113    | 53     | 27    | 8     | 4     | 472     | 177    | 649     | 79.00 | 13.94 |
| (%)           | (0.2) | (0.4) | (3.6)  | (19.3) | (33.1) | (23.9) | (11.2) | (5.7) | (1.7) | (0.8) | (100.0) |        |         |       |       |
| 不明            | 13    | 234   | 1,839  | 5,613  | 6,252  | 3,823  | 1,590  | 498   | 141   | 71    | 20,074  | 7,470  | 27,544  | 74.04 | 12.87 |
| (%)           | (0.1) | (1.2) | (9.2)  | (28.0) | (31.1) | (19.0) | (7.9)  | (2.5) | (0.7) | (0.4) | (100.0) |        |         |       |       |
| 再導入           |       | 9     | 100    | 401    | 542    | 352    | 181    | 58    | 20    | 3     | 1,666   | 497    | 2,163   | 76.42 | 12.78 |
| (%)           |       | (0.5) | (6.0)  | (24.1) | (32.5) | (21.1) | (10.9) | (3.5) | (1.2) | (0.2) | (100.0) |        |         |       |       |
| その他           | 4     | 73    | 465    | 1,401  | 1,707  | 1,156  | 516    | 160   | 44    | 24    | 5,550   | 2,007  | 7,557   | 75.15 | 13.38 |
| (%)           | (0.1) | (1.3) | (8.4)  | (25.2) | (30.8) | (20.8) | (9.3)  | (2.9) | (0.8) | (0.4) | (100.0) |        |         |       |       |
| 合計            | 185   | 2,381 | 19,512 | 60,781 | 73,272 | 46,814 | 20,590 | 6,393 | 1,528 | 655   | 232,111 | 77,997 | 310,108 | 74.69 | 12.84 |
| (%)           | (0.1) | (1.0) | (8.4)  | (26.2) | (31.6) | (20.2) | (8.9)  | (2.8) | (0.7) | (0.3) | (100.0) |        |         |       |       |
| 記載なし (%)      |       |       |        |        |        |        |        |       |       |       |         |        |         |       |       |
| 総計 (%)        | 185   | 2,381 | 19,512 | 60,781 | 73,272 | 46,814 | 20,590 | 6,393 | 1,528 | 655   | 232,111 | 77,997 | 310,108 | 74.69 | 12.84 |
| (%)           | (0.1) | (1.0) | (8.4)  | (26.2) | (31.6) | (20.2) | (8.9)  | (2.8) | (0.7) | (0.3) | (100.0) |        |         |       |       |

数値下のカッコ内は行方向の合計に対する%です。  
(C)Japanese Society for Dialysis Therapy  
2014年調査