

表 3867 透析前脈拍(拍/分) 週透析回数(回/週)別 (透析患者全体)

週透析回数	40未満	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
1回		15	116	379	455	327	167	65	16	4	1,544	296	1,840	76.09	13.38
(%)		(1.0)	(7.5)	(24.5)	(29.5)	(21.2)	(10.8)	(4.2)	(1.0)	(0.3)	(100.0)				
2回	6	78	517	1,353	1,558	958	416	125	27	8	5,046	1,146	6,192	73.70	12.80
(%)	(0.1)	(1.5)	(10.2)	(26.8)	(30.9)	(19.0)	(8.2)	(2.5)	(0.5)	(0.2)	(100.0)				
3回	173	2,236	18,512	57,589	69,175	44,048	19,340	5,976	1,427	614	219,090	51,549	270,639	74.65	12.82
(%)	(0.1)	(1.0)	(8.4)	(26.3)	(31.6)	(20.1)	(8.8)	(2.7)	(0.7)	(0.3)	(100.0)				
4回		7	42	151	266	195	93	30	4	2	790	204	994	77.28	12.54
(%)		(0.9)	(5.3)	(19.1)	(33.7)	(24.7)	(11.8)	(3.8)	(0.5)	(0.3)	(100.0)				
5回			3	12	22	17	6	4		2	66	23	89	79.06	14.35
(%)			(4.5)	(18.2)	(33.3)	(25.8)	(9.1)	(6.1)		(3.0)	(100.0)				
6回			2	10	17	11	9	2	1		52	29	81	79.52	12.82
(%)			(3.8)	(19.2)	(32.7)	(21.2)	(17.3)	(3.8)	(1.9)		(100.0)				
7回			1	2	7	8	3				21	9	30	80.05	10.22
(%)			(4.8)	(9.5)	(33.3)	(38.1)	(14.3)				(100.0)				
合計	179	2,336	19,193	59,496	71,500	45,564	20,034	6,202	1,475	630	226,609	53,256	279,865	74.65	12.83
(%)	(0.1)	(1.0)	(8.5)	(26.3)	(31.6)	(20.1)	(8.8)	(2.7)	(0.7)	(0.3)	(100.0)				
記載なし	6	45	319	1,285	1,772	1,250	556	191	53	25	5,502	24,741	30,243	76.44	12.98
(%)	(0.1)	(0.8)	(5.8)	(23.4)	(32.2)	(22.7)	(10.1)	(3.5)	(1.0)	(0.5)	(100.0)				
総計	185	2,381	19,512	60,781	73,272	46,814	20,590	6,393	1,528	655	232,111	77,997	310,108	74.69	12.84
(%)	(0.1)	(1.0)	(8.4)	(26.2)	(31.6)	(20.2)	(8.9)	(2.8)	(0.7)	(0.3)	(100.0)				
平均	2.97	2.96	2.96	2.97	2.97	2.97	2.97	2.97	2.96	2.98	2.97	2.97	2.97		
標準偏差	0.18	0.25	0.23	0.23	0.23	0.24	0.26	0.27	0.26	0.23	0.24	0.24	0.24		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査